



Status Report

LEGACY 450

S/N 55010007 N629PT

OWNER: MIDAMERICA JET, INC.
ADDRESS: #1 BULLFROG BOULEVARD
OWENSBORO KY 42301
OFFICE:
FAX:

OPERATOR: MIDAMERICA JET, INC.
ADDRESS: #1 BULLFROG BOULEVARD
OWENSBORO KY 42301
OFFICE:
FAX:

CAMO: ADVICE SERVICOS
AERONAUTICOS
ADDRESS: EST DO LUIZ FERNANDO ANDRADE
PANNUNZIO, 220, CASA
SOROCABA SP 18052-345,
OFFICE: 011 55 15 981465888
FAX:

ANALYST: STEPHEN CHEN
EMAIL: SCHEN@CAMPSYSTEMS.COM

+1-514-636-2195 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 55010007/N629PT	MODEL: LEGACY 450	MANUFACTURER: EMBRAER
CERTIFICATION DATE: 06-MAY-2016		LAST ACTUALS: 1500.5 A/C HRS as of 05-JAN-2026 1118 AFL as of 05-JAN-2026 1552.5 APH as of 29-SEP-2025	
APU	SERIAL/PART: P-157/70720189-1	MODEL: GTCP36-150(EMB)	MANUFACTURER: HONEYWELL
INSTALLED ON: 26-APR-2016		LAST ACTUALS:	
0 APU HRS	0 A/C HRS	1552.5 APU HRS	as of 29-SEP-2025
0 APUS		2115 APUS	as of 29-SEP-2025
ENGINE NO. 1	SERIAL/PART: P131203/70040119-1	MODEL: AS907-3-1E-A1	MANUFACTURER: HONEYWELL
INSTALLED ON: 26-APR-2016		LAST ACTUALS:	
0 ENG. HRS	0 A/C HRS	1500.5 ENG. HRS	as of 05-JAN-2026
0 ENC		1118 ENC	as of 05-JAN-2026
ENGINE NO. 2	SERIAL/PART: P131202/70040119-1	MODEL: AS907-3-1E-A1	MANUFACTURER: HONEYWELL
INSTALLED ON: 26-APR-2016		LAST ACTUALS:	
0 ENG. HRS	0 A/C HRS	1500.5 ENG. HRS	as of 05-JAN-2026
0 ENC		1118 ENC	as of 05-JAN-2026



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
05-00-CUS-002	U	PERFORM AIRCRAFT ELT RE-REGISTRATION						Service ATA:00
	MOS/MSC	27-Dec-23	DUE		05-Jan-26 (M)		OVD	
	HRS	1188.7						
	AFL	898						
05-00-CUS-003	U	RADIO STATION LICENSE EXPIRATION						Service ATA:00
	MOS/MSC	23-Jul-20	DUE		28-Jun-27 (M)		501 d	
	HRS							
	AFL							
05-00-CUS-004	U	AIRCRAFT RE-REGISTRATION						Service ATA:00
	MOS/MSC	23-Nov-23	DUE		30-Aug-28 (M)		930 d	
	HRS	1162.2						
	AFL	879						
L500-160520	REVIEW EMBRAER LEGACY 450/500 (L500) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 12 DATED MAY 20/2016 REQUIREMENT CHANGE FORM							Service ATA:00
	MOS/MSC	08-Aug-16	-					REQUIREMENT CHANGE FORMS
	HRS	100.4						
	AFL	61						
PROC. REF: RCF L500-160520PROC. REF: RCF L500-160520								
L500-160711	REVIEW EMBRAER LEGACY 450/500 (L500) - TIME LIMTS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVSION 13 DATED JULY 11/2016 AND MISCELLANOUS CHANGES REQUIREMENT CHANGE FORM							Service ATA:00
	MOS/MSC	08-Aug-16	-					REQUIREMENT CHANGE FORMS
	HRS	100.4						
	AFL	61						
PROC. REF: RCF L500-160711PROC. REF: RCF L500-160711								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
L500-160816	REVIEW EMBRAER LEGACY 450/500 (L500) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 14 DATED AUG 16/2016 REQUIRMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	17-Aug-16	-					REQUIREMENT CHANGE FORMS
	HRS	106.5						
	AFL	65						
PROC. REF: RCF L500-160816PROC. REF: RCF L500-160816								
L500-161027	REVIEW EMBRAER LEGACY 450/500 (L500) TIME LIMITS/MAINTENANCE CHECKS (TLMC), CHAPTER-5, REVISION 15, DATED OCT 27/2016 REQUIREMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF L500-161027PROC. REF: RCF L500-161027								
L500-161111	REVIEW EMBRAER LEGACY 450/500 (L500) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5 REVISION 16 DATED NOV. 11/2016							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF L500-161111PROC. REF: RCF L500-161111								
L500-190612	REVIEW LEGACY 450/500 - PRAETOR 500/600- AMM 5613 PART III - SMR REV.03, DATED JUNE 12TH, 2019							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-190617	REVIEW EMB-545/550 - LEGACY 450/500, AL REV 09							Service ATA:00
	MOS/MSC	06-May-16	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF L500PROC. REF: RCF L500								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
L500-200424 (AR)	REVIEW LEGACY 450/500-PRAETOR 500/600 AMM PART III-SMR AR REV.03, DATED APR. 24TH, 2020							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-200513 (AR)	REVIEW LEGACY 450/500-PRAETOR 500/600- AMM 5613 PART III - SMR AR REVISION 03, DATED MAY 13TH, 2020							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-200527 (AR)	REVIEW LEGACY 450/500 - PRAETOR 500/600- AMM 5613 PART III - SMR AR REVISION 03 (PACKAGES 05-30-01 & 05-20-03), DATED MAY 27TH, 2020							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-210507-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR LEGACY 450/ 500, DATED MAY 07, 2021							Service ATA:00
	MOS/MSC	06-May-16	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-210512-SMR AR	REVIEW LEGACY 450/500 PRAETOR 500/600 - AMM 5613 PART III - SCHEDULED MAINTENANCE REQUIREMENTS (SMR) ADVANCE REVISION (AR) DATED MAY 12, 2021							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
L500-210514-AL	REVIEW LEGACY 450/500 PRAETOR 500/600 - AMM 5613 AIRWORTHINESS LIMITATIONS (AL) REV 12 DATED MAY 14, 2021							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-210727-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR LEGACY 450/500 PRAETOR 500/600, DATED 27 JULY, 2021							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-210908-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR EMBRAER LEGACY 450/500 - PRAETOR 500/600, DATED SEP 8, 2021							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-220318	REVIEW LEGACY 450/500 PRAETOR 500/600 AMM 5613 PART IV AWL REV. 00, DATED MAR 18/2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-220614-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED JUN 14/2022 FOR EMBRAER LEGACY 450/500 - PRAETOR 500/600							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
L500-220907-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED SEP 07/2022 FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-221107-SMR	REVIEW LEGACY 450/500 SCHEDULED MAINTENANCE REQUIREMENTS (SMR), REV 6 DATED NOV 07, 2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-221219-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED DEC 19/2022 FOR EMB-545/550 - LEGACY 450/500 - AUDIT OF ITEM CODE: C21-31-01-001							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-230118-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED JAN 18/2023 FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
L500-230202-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED FEB 02/2023 FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
L500-230208-AWL	REVIEW EMB-545/550 - LEGACY 450/500 AMM-PART IV-AIRWORTHINESS LIMITATIONS (AWL) REV 1, DATED FEB 08/2023							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-230214-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED FEB 14/2023 FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
L500-230419-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM, DATED APR 19/2023, FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
ATA 04 - LIMITATIONS								
04-20-00	STRUCTURES AIRWORTHINESS LIMITATIONS (ALI)							Service ATA:04
	MOS	06-May-16						AIRWORTHINESS
	HRS	0	T:25500		25500		23999.5	
	AFL	0	T:17000		17000		15882	
PROC. REF: AWL 04-20-00PROC. REF: AWL 04-20-00								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-00-01 ^U	BLOOD BORNE PATHOGEN / SPILL KIT							Component ATA:05
PN:3XKW9	MOS/MSC	03-Jul-24	DUE	TSN 0	31-Jul-28 (M)		900 d	
SN:NA	HRS	1267.3		TSN 0				
	AFL	949		TSN 0				
Expiry Date: : 31-Jul-28								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-01-200-801-A01	NO. 1 ENGINE - OVERHAUL - INSPECTION/CHECK							Service ATA:05
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-20-01PROC. REF: LMM 05-20-01								
05-20-01-200-801-A01	NO. 2 ENGINE - OVERHAUL - INSPECTION/CHECK							Service ATA:05
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-20-01PROC. REF: LMM 05-20-01								
05-30-01	750 HOUR INSPECTION							Package ATA:05
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)		2196.4	2233.4	695.9 (+37)	
	AFL	1073						
PROC. REF: SMR 05-30-01PROC. REF: SMR 05-30-01								PKG:1
05-30-05	1500 HOUR INSPECTION							Package ATA:05
	MOS	03-Jul-24						
	HRS	1267.3	1500 (+37/-37)		2767.3	2804.3	1266.8 (+37)	
	AFL	949						
PROC. REF: SMR 05-30-05PROC. REF: SMR 05-30-05								PKG:5
05-30-10	2250 HOUR INSPECTION							Package ATA:05
	MOS	06-May-16						
	HRS	0	2250 (+37/-37)		2250	2287	749.5 (+37)	
	AFL	0						
PROC. REF: SMR 05-30-10PROC. REF: SMR 05-30-10								PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-15	3750 HOUR INSPECTION							Package ATA:05
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)		3750	3787	2249.5 (+37)	
	AFL	0						
PROC. REF: SMR 05-30-15PROC. REF: SMR 05-30-15								PKG:15
05-30-16	4500 HOUR INSPECTION							Package ATA:05
	MOS	06-May-16						
	HRS	0	4500 (+37/-37)		4500	4537	2999.5 (+37)	
	AFL	0						
PROC. REF: SMR 05-30-16PROC. REF: SMR 05-30-16								PKG:16
05-30-20	7500 HOUR INSPECTION							Package ATA:05
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)		7500	7537	5999.5 (+37)	
	AFL	0						
PROC. REF: SMR 05-30-20PROC. REF: SMR 05-30-20								PKG:20
05-30-25	12 MONTH INSPECTION							Package ATA:05
	MOS	10-Jun-25	12 (+15d/-15d)	Adj -21d	20-May-26	04-Jun-26	97 d (+15)	
	HRS	1446.4						
	AFL	1073						
PROC. REF: SMR 05-30-25PROC. REF: SMR 05-30-25								PKG:12
05-30-30	24 MONTH INSPECTION							Package ATA:05
	MOS	03-Jul-24	24 (+15d/-15d)	Adj -69d	25-Apr-26	10-May-26	72 d (+15)	
	HRS	1267.3						
	AFL	949						
PROC. REF: SMR 05-30-30PROC. REF: SMR 05-30-30								PKG:24

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-35	36 MONTH INSPECTION							Package ATA:05
	MOS	10-Jun-25	36 (+15d/-15d)		10-Jun-28	25-Jun-28	849 d (+15)	
	HRS	1446.4						
	AFL	1073						
PROC. REF: SMR 05-30-35PROC. REF: SMR 05-30-35								PKG:35
05-30-40	60 MONTH INSPECTION							Package ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: SMR 05-30-40PROC. REF: SMR 05-30-40								PKG:40
05-30-60	120 MONTH INSPECTION							Package ATA:05
	MOS	06-May-16	120 (+15d/-15d)		06-May-26	21-May-26	83 d (+15)	
	HRS							
	AFL							
PROC. REF: SMR 05-30-60PROC. REF: SMR 05-30-60								PKG:60
05-30-90	120 MONTH THRESHOLD/60 MONTH INSPECTION							Package ATA:05
	MOS	06-May-16	T:120 (+15d/-15d)		06-May-26	21-May-26	83 d (+15)	
	HRS							
	AFL							
PROC. REF: SMR 05-30-90PROC. REF: SMR 05-30-90								PKG:90
05-50-01-210-801-A	GENERAL VISUAL INSPECTION -LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-01-210-802-A	GENERAL VISUAL INSPECTION -FORWARD FUSELAGE AFTER LIGHTNING-STRIKE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-01-210-803-A	GENERAL VISUAL INSPECTION -CENTER FUSELAGE AND WING-TO-FUSELAGE FAIRING AFTER LIGHTNING-STRIKE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-01-210-804-A	GENERAL VISUAL INSPECTION -WINGS AFTER LIGHTNING-STRIKE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-01-210-805-A	GENERAL VISUAL INSPECTION -AFT FUSELAGE, TAIL CONE AND EMPENNAGE AFTER LIGHTNING-STRIKE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-01-210-806-A	GENERAL VISUAL INSPECTION -ENGINE AND NACELLE AFTER LIGHTNING-STRIKE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-02-200-801-A	INSPECTION -HARD LANDING/OFF TEMPERATURE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-02PROC. REF: AMM 05-50-02								
05-50-03-200-801-A	INSPECTION -HIGH DRAG/SIDE LOAD LANDING CONDITION							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-03PROC. REF: AMM 05-50-03								
05-50-06-210-801-A	INSPECTION -LANDING GEAR DOWN OVERSPEED							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-06PROC. REF: AMM 05-50-06								
05-50-07-210-801-A	DETAILED INSPECTION -FLAP EXTENDED OVERSPEED							Service ATA:05
	MOS/MSC	31-Mar-17	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	249.3						
	AFL	165						
PROC. REF: AMM 05-50-07PROC. REF: AMM 05-50-07								
05-50-08-210-801-A	GENERAL VISUAL INSPECTION -CABIN DEPRESSURIZATION							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-08PROC. REF: AMM 05-50-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-09-200-801-A	INSPECTION -BIRD STRIKE							Service ATA:05
	MOS/MSC	27-Jul-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	586.7						
	AFL	432						
PROC. REF: AMM 05-50-09PROC. REF: AMM 05-50-09								
05-50-10-200-801-A	INSPECTION -HIGH-ENERGY STOP CONDITION							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-10PROC. REF: AMM 05-50-10								
05-50-11-210-801-A	GENERAL VISUAL INSPECTION -LANDING GEAR FREE FALL CONDITION							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-11PROC. REF: AMM 05-50-11								
05-50-12-210-801-A	GENERAL VISUAL INSPECTION -OVERHEATED WHEELS							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-12PROC. REF: AMM 05-50-12								
05-50-13-210-801-A	GENERAL VISUAL INSPECTION -WHEEL OVERSPEED							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-13PROC. REF: AMM 05-50-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-14-210-801-A	GENERAL VISUAL INSPECTION -TIRE TREAD FAILURE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-14PROC. REF: AMM 05-50-14								
05-50-15-210-801-A	GENERAL VISUAL INSPECTION -TIRE BURST WITH LANDING GEAR FULLY RETRACTED							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-15PROC. REF: AMM 05-50-15								
05-50-16-210-801-A	INSPECTION -ON-GROUND GALE EVENTS							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-16PROC. REF: AMM 05-50-16								
05-50-17-280-801-A	SPECIAL INSPECTION -VOLCANIC ASH							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-17PROC. REF: AMM 05-50-17								
05-50-18-200-801-A	INSPECTION -MAXIMUM OPERATING SPEED ENVELOPE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-18PROC. REF: AMM 05-50-18								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-19-200-801-A	INSPECTION -OVERWEIGHT LANDING							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-19PROC. REF: AMM 05-50-19								
05-50-20-200-801-A	INSPECTION -SEVERE TURBULENCE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-20PROC. REF: AMM 05-50-20								
05-50-21-200-801-A	INSPECTION -FLAP ALTITUDE EXCEEDANCE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-21PROC. REF: AMM 05-50-21								
05-50-22-200-801-A	INSPECTION -HAILSTORM							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-22PROC. REF: AMM 05-50-22								
05-50-23-210-801-A	INSPECTION -SHEAR PIN FAILURE OR BRAKE USE DURING TOWING OPERATION							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-23PROC. REF: AMM 05-50-23								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-24-200-801-A	INSPECTION -LOAD FACTOR EXCEEDANCE							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-24PROC. REF: AMM 05-50-24								
05-50-25-200-801-A	INSPECTION - ICE OR SNOW CONDITION							Service ATA:05
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-25PROC. REF: AMM 05-50-25								
05H00750	NO. 1 ENGINE - INSPECTIONS FOR EVERY 750 ENGINE OPERATING HOURS							Package ATA:05
	MOS	10-Jun-25						
	HRS	1446.4	750 (+100)		(2196.4) 2196.4	2296.4	695.9 (+100)	
	ENC	1073						
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00								
05H00750	NO. 2 ENGINE - INSPECTIONS FOR EVERY 750 ENGINE OPERATING HOURS							Package ATA:05
	MOS	10-Jun-25						
	HRS	1446.4	750 (+100)		(2196.4) 2196.4	2296.4	695.9 (+100)	
	ENC	1073						
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00								
05H04000	NO. 1 ENGINE - INSPECTIONS FOR EVERY 4,000 OR EVERY 4,500 ENGINE OPERATING HOURS							Package ATA:05
	MOS	27-Jan-16						
	HRS	0	4500 (+100)		(4500) 4500	4600	2999.5 (+100)	
	ENC	0						
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05H04000	NO. 2 ENGINE - INSPECTIONS FOR EVERY 4,000 OR EVERY 4,500 ENGINE OPERATING HOURS							Package ATA:05
	MOS	22-Jan-16						
	HRS	0	4500 (+100)		(4500) 4500	4600	2999.5 (+100)	
	ENC	0						
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00								PKG:5
EW130-001 ^S ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II UNDER THE FLOOR								
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW130-002 ^S ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II UNDER THE FLOOR HARNESSSES (W101, W102, W103, W104, W123, W126 AND W127)								
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW130-003 ^S ZONAL RESTORATION(CLEANING) OF CENTER FUSELAGE I AND II UNDER THE FLOOR								
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW140-001 ^S ZONAL INTERNAL GENERAL VISUAL INSPECTION OF KEEL BEAM REGION								
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW140-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF KEEL BEAM HARNESSSES (W145, W157 AND W158)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW190-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING FUSELAGE FAIRING							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW190-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING FUSELAGE FAIRING HARNESSSES (W131, W132, W145, W155, W156, W157, W158, W160, W161, W501, W503, W601 AND W603)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW200-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II SIDE AND TOP AREAS							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW200-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II SIDE AND TOP AREAS HARNESSSES (W101, W102, W103, W104, W201 AND W202)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW200-003 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
EW200-004 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE HARNESS (W001)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
EW212-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF RAM AIR TURBINE (RAT) COMPARTMENT							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
EW212-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF THE RAM AIR TURBINE (RAT) COMPARTMENT HARNESSES (W010 AND W011)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
EW223-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UPPER FLOOR, CONSOLES AND MAIN PANEL							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW223-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UPPER FLOOR HARNESSSES (W101, W102, W121, W103, W104 AND W126)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
EW223-003 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UNDER FLOOR							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
EW223-004 ^S	ZONAL RESTORATION (CLEANING) OF COCKPIT UNDER FLOOR							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
EW223-005 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF UNDER COCKPIT FLOOR HARNESSSES (W101, W102, W103, W104, W126 AND W200)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
EW240-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTRAL ELECTRONIC RACK REGION							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW240-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTRAL ELECTRONIC RACK HARNESSSES (W101, W102, W103, W104, W125, W126, W135, W201, W202, W231, W232, W235, W240, W241 AND W242)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW240-003 ^S	ZONAL RESTORATION (CLEANING) OF CENTRAL ELECTRONIC RACK UNDER THE FLOOR							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
EW300-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM PRESSURE BULKHEAD TO FRAME 41							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:40
EW300-002	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM PRESSURE BULKHEAD TO FRAME 41 HARNESSSES (W124, W125, W126, W130, W307, W308, W323, W330, W331, W332, W324, W325, W326, W335, W336, W340, W346, W349, W350, W401, W402, W403 AND W404)							Service ATA:05
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								
EW310-001	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE HYDRAULIC BAY							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW310-002	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE HYDRAULIC BAY HARNESSSES (W330, W332, W335, W336, W346 AND W347)						Service	ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								
EW315-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM FRAME 41 TO AUXILIARY POWER UNIT (APU) FIREWALL, NOT INCLUDING THE HYDRAULIC BAY						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
								PKG:60
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								
EW315-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM FRAME 41 TO AUXILIARY POWER UNIT (APU) FIREWALL HARNESSSES (W318, W323, W324, W330, W331, W332, W335, W336, W340, W341 AND W346), NOT INCLUDING THE HYDRAULIC BAY						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
								PKG:60
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								
EW320-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
								PKG:60
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								
EW320-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER HARNESSSES (W300, W311, W312, W313, W314, W315 AND W316)						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
								PKG:60
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW330-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:60
EW330-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER HARNESSSES (W300, W301, W302, W311, W312 AND W314)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:60
EW340-001	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE AND AUXILIARY POWER UNIT (APU)							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								
EW400-001	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF ENGINE AND THRUST REVERSER							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								
EW400-002	INTERNAL GENERAL VISUAL INSPECTION OF PYLON LEADING EDGE AND CENTER AREA							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW400-003	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF PYLON HARNESSSES (W321, W322, W325, W326, W335 AND W336, W401, W402, W403 AND W404)							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								
EW500-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING STUB AND WING TANK							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60
EW500-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FLEXIBLE CONNECTIONS, JUMPERS, CLAMPS, FLANGES AND FUEL QUANTITY GAUGING HARNESS AT WING STUB AND WING MAIN BOX							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60
EW500-003 ^S	ZONAL INTERNAL DETAILED INSPECTION OF FUEL QUANTITY GAUGING PROBES AND FUEL QUANTITY GAUGING HARNESS CONNECTIONS							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-41-04PROC. REF: AMM 28-41-04								PKG:60
EW500-004 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING TRAILING EDGE AND FLIGHT CONTROL SURFACES							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW500-005 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING TRAILING EDGE HARNESSSES (W502 AND W602)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60
EW500-006 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING DRY AREA							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60
EW500-007 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING DRY AREA HARNESSSES (W503 AND W603)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60
EW510-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING LEADING EDGE							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60
EW510-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING LEADING EDGE HARNESSSES (W501,W503, W601 AND W603)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW710-001	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								
EW710-002	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR BAY HARNESSSES (W701 AND W702)							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								
EW720-001	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								
EW720-002	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR BAY HARNESSSES (W145, W155, W156, W711, W712, W721 AND W722)							Service ATA:05
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								
F130-002	INTERNAL GENERAL VISUAL INSPECTION OF ANTI-ICING LINES AROUND THE WING STUB							Service ATA:05
	MOS	06-May-16						FUEL SYSTEM LIMITATION
	HRS	0	7500		7500		5999.5	
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
F130-003	INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSSES AND SUPPORTS BETWEEN FLOOR AND WING STUB							Service ATA:05
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	10000		10000		8499.5	
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								
F130-004	INTERNAL GENERAL VISUAL INSPECTION OF OTHER HARNESSSES AND SUPPORTS BETWEEN FLOOR AND WING STUB							Service ATA:05
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	10000		10000		8499.5	
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								
F500-001	INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE FUEL TANK							Service ATA:05
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	15000		15000		13499.5	
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								
F500-003	INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM IN-TANK HARNESS AND ITS INSTALLATION							Service ATA:05
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	15000		15000		13499.5	
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								
F500-005	INTERNAL GENERAL VISUAL INSPECTION OF HYDRAULIC LINES AND SUPPORTS, INSIDE THE FUEL TANK							Service ATA:05
	MOS	06-May-16						FUEL SYSTEM LIMITATION
	HRS	0	7500		7500		5999.5	
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
F500-006	INTERNAL GENERAL VISUAL INSPECTION OF HARNESS ROUTED ALONG THE TRAILING EDGE							Service ATA:05
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	10000		10000		8499.5	
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								
F500-007	INTERNAL GENERAL VISUAL INSPECTION OF HARNESSES ROUTED INSIDE THE WING DRY AREA							Service ATA:05
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	15000		15000		13499.5	
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								
F510-001	INTERNAL GENERAL VISUAL INSPECTION OF HARNESSES ROUTED ALONG THE LEADING EDGE							Service ATA:05
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	15000		15000		13499.5	
	AFL	0						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								
F720-001	INTERNAL GENERAL VISUAL INSPECTION OF HARNESSES AND SUPPORTS IN THE LANDING GEAR BAY							Service ATA:05
	MOS	20-May-21	60		20-May-26		97 d	FUEL SYSTEM LIMITATION
	HRS	613.5	3750		4363.5		2863	
	AFL	450						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								
H130-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF ATTITUDE AND HEADING REFERENCE SYSTEMS (AHRS 1 AND 2) AND RAM AIR TURBINE (RAT) TRANSFORMER RECTIFIER UNIT (TRU) ELECTRICAL BONDING AND INTERFACE CONNECTORS IN THE CENTER FUSELAGE I (GALLEY UNDER THE FLOOR)							Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								

PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
H140-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE CENTER FUSELAGE II (TOILET AND LAVATORY UNDER THE FLOOR).						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
H145-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF HARNESS W145 OVERBRAID (KEEL BEAM REGION)						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:60
H220-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF SMART PROBES CONNECTORS BACKSHELL AND ELECTRICAL BONDING BY INTERFACE (UNDER COCKPIT FLOOR)						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
H223-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF SMART PROBE CONNECTORS BACKSHELL AND ELECTRICAL BONDING BY INTERFACE (ABOVE COCKPIT FLOOR)						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
H240-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE CENTER FUSELAGE II (TOILET AND LAVATORY SIDE AREA)						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
H300-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS AND BONDING JUMPERS AT VERTICAL STABILIZER TO REAR FUSELAGE CONNECTION						Service	ATA:05
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:40
H313-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE INTERFACE CONNECTORS (APU FIREWALL AND VERTICAL STABILIZER CONNECTION)						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:60
H340-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE HARNESSSES (W340 AND W341) OVERBRAID						Service	ATA:05
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:40
H430-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CONNECTORS OF FADEC, GENERATOR, HYDRAULIC PUMP, HIGH PRESSURE SHUTOFF VALVE (HPSOV) AND PRESSURE REGULATOR SHUTOFF VALVE (PRSOV)						Service	ATA:05
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:40
H430-002 ^S	L/HIRF INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS						Service	ATA:05
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
H590-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF MULTIFUNCTION SPOILERS POWER CONTROL UNITS (PCUS) BONDING JUMPERS						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:60
H700-001 ^S	L/HIRF EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS						Service	ATA:05
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:40
H710-001 ^S	L/HIRF EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS						Service	ATA:05
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:40
Z200-001 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
Z200-002 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II						Service	ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
Z200-003	^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF WING TO FUSELAGE FAIRING						Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:60
Z223-001	^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT CEILING						Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
Z300-001	^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE AND TAIL CONE						Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:60
Z300-002	^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF EMPENNAGE						Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:60
Z400-001	^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF ENGINE, THRUST REVERSER, PYLON AND ENGINE COWLING						Service ATA:05
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-00-01-900-801-A	PRESSURIZATION AND AIR CONDITIONING KIT (PACK)							Component ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-00-01, AMM 21-00-01PROC. REF: AMM 21-00-01, AMM 21-00-01								
21-00-02-900-801-A	AIR CONDITIONING-PNEUMATIC CONTROL PANEL							Component ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-00-02, AMM 21-00-02PROC. REF: AMM 21-00-02, AMM 21-00-02								
21-20-01-960-801-A	CONDITIONED AIR DUCTS							Component ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-01PROC. REF: AMM 21-20-01								
21-24-03-001 ^S	DISCARD OF RECIRCULATION FAN HIGH-EFFICIENCY PARTICULATE AIR (HEPA) FILTER							Service ATA:21
	MOS	06-May-16						LIFE LIMIT
	HRS	0	7500 (+37/-37)					
	AFL	0						
PKG:20								
PROC. REF: AMM 21-24-03PROC. REF: AMM 21-24-03								
21-25-00-001	OPERATIONAL CHECK OF EMERGENCY RAM AIR VENT DOOR ACTUATION							Service ATA:21
	MOS	06-May-16						
	HRS	0	12750 (+37/-37)		12750	12787	11249.5 (+37)	
	AFL	0						
PROC. REF: AMM 21-25-01PROC. REF: AMM 21-25-01								
21-25-00-002 ^S	OPERATIONAL CHECK OF EMERGENCY RAM AIR VENT CHECK VALVE							Service ATA:21
	MOS	06-May-16						
	HRS	0	12750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-25-03PROC. REF: AMM 21-25-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-25-03-901	^S	OPERATIONAL CHECK OF THE EMERGENCY RAM-AIR CHECK VALVE						Service ATA:21
	MOS	06-May-16						CMR
	HRS	0	12750					
	AFL	0						
PROC. REF: AMM 21-25-03PROC. REF: AMM 21-25-03								
21-26-03-001	^S	OPERATIONAL CHECK OF CENTER E-BAY THERMAL SWITCHES						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-26-03PKG:20								
21-26-04-001	^S	OPERATIONAL CHECK OF FORWARD E-BAY THERMAL SWITCHES						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-26-04PKG:20								
21-31-00-001	^S	OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)						Service ATA:21
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 21-31-00								
21-31-00-002	^S	OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (DUMP FUNCTION)						Service ATA:21
	MOS	10-Jun-25						CATEGORY 8
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 21-31-00PKG:1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-00-710-802-A		CABIN PRESSURE CONTROL SYSTEM (CPCS) - OPERATIONAL TEST						Service ATA:21
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
21-31-00-901 ^S		OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)						Service ATA:21
	MOS	10-Jun-25						CMR
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
21-31-01-001 ^S		RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)						Service ATA:21
PN:2119286-9	MOS	06-May-16						OVERHAUL
SN:2119286-01160	HRS	0	4500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
21-31-01-901 ^S		RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)						Service ATA:21
PN:2119286-9	MOS	06-May-16						CMR
SN:2119286-01160	HRS	0	5000					
	AFL	0						
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
21-31-02-001 ^S		RESTORATION REAR (OFV) OUTFLOW VALVE (OVERHAUL)						Service ATA:21
PN:65000022-3	MOS	06-May-16						OVERHAUL
SN:65000022-00074	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-31-02PROC. REF: AMM 21-31-02								PKG:20
21-31-03-001 ^S		FUNCTIONAL CHECK OF PRESSURE RELIEF VALVE (PRV)						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-32-01PROC. REF: AMM 21-32-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-03-901	^S	FUNCTIONAL CHECK OF POSITIVE PRESSURE RELIEF VALVE						Service ATA:21
	MOS	06-May-16						CMR
	HRS	0	5000					
	AFL	0						
PROC. REF: AMM 21-32-01PROC. REF: AMM 21-32-01								
21-31-04-001	^S	OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE (NPRV)						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-32-02PROC. REF: AMM 21-32-02								
21-31-04-901	^S	OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE						Service ATA:21
	MOS	06-May-16						CMR
	HRS	0	5000					
	AFL	0						
PROC. REF: AMM 21-32-02PROC. REF: AMM 21-32-02								
21-33-01-001	^S	OPERATIONAL CHECK OF CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-33-01PROC. REF: AMM 21-33-01								
21-33-01-901	^S	OPERATIONAL CHECK OF EQUALIZATION VALVE						Service ATA:21
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 21-33-01PROC. REF: AMM 21-33-01								
21-41-03-001	^S	FUNCTIONAL CHECK OF AFT CARGO COMPARTMENT HEATING SYSTEM						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-41-00PROC. REF: AMM 21-41-00								
21-51-04-001 ^S	RESTORATION (CLEANING) PACK REHEATER/CONDENSER							Service ATA:21
PN:PN	MOS	06-May-16						
SN:UNKNOWN	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-51-04PROC. REF: AMM 21-51-04								
21-51-06-900-801-A	TURBINE INLET CONTROL VALVE							Component ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-06, AMM 21-51-06PROC. REF: AMM 21-51-06, AMM 21-51-06								
21-51-08-001 ^S	OPERATIONAL CHECK OF PACK CHECK VALVE							Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-51-08PROC. REF: AMM 21-51-08								
21-51-08-901 ^S	OPERATIONAL CHECK OF PACK CHECK VALVE							Service ATA:21
	MOS	06-May-16					CMR	
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 21-51-08PROC. REF: AMM 21-51-08								
21-51-10-900-801-A	SERVICE PRESSURE REGULATOR							Component ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-10, AMM 21-51-10PROC. REF: AMM 21-51-10, AMM 21-51-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-51-12-001	^S	DISCARD OF SERVICE PRESSURE REGULATOR FILTER						Service ATA:21
	MOS	06-May-16						LIFE LIMIT
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-51-12PROC. REF: AMM 21-51-12								PKG:15
21-51-12-002	^S	RESTORATION (CLEANING) OF SERVICE PRESSURE REGULATOR FILTER						Service ATA:21
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 21-51-12PROC. REF: AMM 21-51-12								PKG:1
21-53-00-901		FUNCTIONAL CHECK OF PACK BACKUP LINE FOR LEAKAGE						Service ATA:21
	MOS	06-May-16						CMR
	HRS	0	6000		6000		4499.5	
	AFL	0						
PROC. REF: AMM 21-53-00PROC. REF: AMM 21-53-00								
21-53-01-001	^S	RESTORATION REAR ALUMINUM BACKUP PACK HEAT EXCHANGER (CLEANING)						Service ATA:21
PN:380247000	MOS	06-May-16						
SN:T0051	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-53-01PROC. REF: AMM 21-53-01								PKG:20
21-53-03-001	^S	OPERATIONAL CHECK OF PACK BACKUP CHECK VALVE						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-53-03PROC. REF: AMM 21-53-03								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-61-01-001	^S	DETAILED INSPECTION OF COCKPIT ZONE TEMPERATURE SENSOR						Service ATA:21
	MOS	10-Jun-25						CATEGORY 9
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 21-61-01PROC. REF: AMM 21-61-01								PKG:1
21-61-05-001	^S	OPERATIONAL CHECK OF COCKPIT TRIM CHECK VALVE						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-60-03PROC. REF: AMM 21-60-03								PKG:20
21-62-01-001	^S	DETAILED INSPECTION OF CABIN ZONE TEMPERATURE SENSOR						Service ATA:21
	MOS	10-Jun-25						CATEGORY 9
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 21-62-01PROC. REF: AMM 21-62-01								PKG:1
21-62-05-001	^S	OPERATIONAL CHECK OF CABIN TRIM AIR CHECK VALVE						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-60-03PROC. REF: AMM 21-60-03								PKG:20
21-63-02-900-801-A		MIX MANIFOLD DUCT						Component ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-63-02, AMM 21-63-02PROC. REF: AMM 21-63-02, AMM 21-63-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-71-01-001 ^S RESTORATION REAR OZONE CONVERTER (CLEANING)								Service ATA:21
PN:67A42300-101	MOS	06-May-16						
SN:0056	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-71-01PROC. REF: AMM 21-71-01								PKG:20
210002-0101 LH RACK AIR CONDITIONING PACK A CONTROLLER								Component ATA:21
PN:51090064-6	MOS/MSC	06-May-16	O/C	TSN 0				
SN:51090064-00273	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-00-03, AMM 21-00-03PROC. REF: AMM 21-00-03, AMM 21-00-03								
210003-0101 AIR CONDITION ENVIRONMENTAL CONTROL UNIT								Component ATA:21
PN:67000074-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:154	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210203-0101 OVERHEAD AIR CONDITION/PNEUMATIC OVERHEAD CONTROL PANEL								Component ATA:21
PN:430200-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:430200AA0074	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-00-02, AMM 21-00-02PROC. REF: AMM 21-00-02, AMM 21-00-02								
212101-0101 REAR PACK INLET VALVE								Component ATA:21
PN:63396724-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:164	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-21-01, AMM 21-21-01PROC. REF: AMM 21-21-01, AMM 21-21-01								
212123-0101 REAR DIFFERENTIAL PRESSURE SENSOR								Component ATA:21
PN:1153442-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1153442-00325	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-21-02, AMM 21-21-02PROC. REF: AMM 21-21-02, AMM 21-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212401-0101	REAR CARGO 28 VDC, 25 A RECIRCULATION FAN							Component ATA:21
PN:AE1115B00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:L009100260	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-24-01, AMM 21-24-01PROC. REF: AMM 21-24-01, AMM 21-24-01								
212402-0101	REAR ECS SHUTOFF RECIRCULATION VALVE							Component ATA:21
PN:424335	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-24-02, AMM 21-24-02PROC. REF: AMM 21-24-02, AMM 21-24-02								
212403-0101	MID AIR FILTER							Component ATA:21
PN:P619544	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DM2251429-0002	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-24-03, AMM 21-24-03PROC. REF: AMM 21-24-03, AMM 21-24-03								
212502-0101	FUS WING ELECTROMECH ACTUATOR							Component ATA:21
PN:ACL12B-2	MOS/MSC	22-Jun-19	O/C	TSR 6				
SN:0086	HRS	487		TSR 0				
	AFL	368		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212533-0101	REAR CHECK VALVE							Component ATA:21
PN:4004-27	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0057	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212605-0101	GALLEY ELECTRONICS VENTILATION COOLING FAN							Component ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-26-05, AMM 21-26-05PROC. REF: AMM 21-26-05, AMM 21-26-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212613-0101	NO.1 ELECTRO VENTILATION FAN WITH CHECK VALVE							Component ATA:21
PN:SF9202J00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:L008801125	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212613-0102	NO.2 ELECTRO VENTILATION FAN WITH CHECK VALVE							Component ATA:21
PN:SF9202J00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:L008801126	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212623-0101	NO.1 REAR 28 VDC ELECTRONIC VENTILATION FAN							Component ATA:21
PN:SF9202H00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:L008701104	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212623-0102	NO.2 REAR 28 VDC ELECTRONIC VENTILATION FAN							Component ATA:21
PN:SF9202H00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:L008701108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213013-0101	OVERHEAD PRESSURIZATION, ASSY CONTROL PANEL							Component ATA:21
PN:430100-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:430100AA0065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-01, AMM 21-30-01PROC. REF: AMM 21-30-01, AMM 21-30-01								
213102-0101	REAR (OFV) OUTFLOW VALVE							Component ATA:21
PN:65000022-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:65000022-00074	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-02, AMM 21-31-02PROC. REF: AMM 21-31-02, AMM 21-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213113-0101	RH RACK ELECTRONIC CONTROL AND MONITORING UNIT							Component ATA:21
PN:2119286-9	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2119286-01160	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-01, AMM 21-31-01PROC. REF: AMM 21-31-01, AMM 21-31-01								
213201-0101	REAR (PRV) PRESSURE RELIEF VALVE							Component ATA:21
PN:65000024-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:65000024-0078	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-32-01, AMM 21-32-01PROC. REF: AMM 21-32-01, AMM 21-32-01								
213202-0101	LH REAR (NPR) NEGATIVE PRESSURE RELIEF VALVE							Component ATA:21
PN:65000026-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:34163-0068	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-32-02, AMM 21-32-02PROC. REF: AMM 21-32-02, AMM 21-32-02								
213301-0101	CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE							Component ATA:21
PN:120-48865-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000880876	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-33-01, AMM 21-33-01PROC. REF: AMM 21-33-01, AMM 21-33-01								
215104-0101	PACK REHEATER/CONDENSER							Component ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-04, AMM 21-51-04PROC. REF: AMM 21-51-04, AMM 21-51-04								
215223-0101	REAR ECS SHUTOFF PACK BACKUP VALVE							Component ATA:21
PN:424375-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0349	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-53-02, AMM 21-53-02PROC. REF: AMM 21-53-02, AMM 21-53-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215301-0101	REAR ALUMINUM BACKUP PACK HEAT EXCHANGER							Component ATA:21
PN:380247000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:T0051	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-53-01, AMM 21-53-01PROC. REF: AMM 21-53-01, AMM 21-53-01								
215333-0101	REAR CHECK VALVE							Component ATA:21
PN:4011-24	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0059	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-53-03, AMM 21-53-03PROC. REF: AMM 21-53-03, AMM 21-53-03								
215333-0102	REAR CHECK VALVE							Component ATA:21
PN:4024-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0062	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-53-03, AMM 21-53-03PROC. REF: AMM 21-53-03, AMM 21-53-03								
215333-0103	CEILING CHECK VALVE							Component ATA:21
PN:4011-30	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216013-0101	REAR TRIM AIR VALVE							Component ATA:21
PN:63292012-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:63292012-199	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-01, AMM 21-60-01PROC. REF: AMM 21-60-01, AMM 21-60-01								
216013-0102	REAR TRIM AIR VALVE							Component ATA:21
PN:63292012-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:63292012-200	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-01, AMM 21-60-01PROC. REF: AMM 21-60-01, AMM 21-60-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216202-0101		CARGO CP SENSOR					Component	ATA:21
PN:1153066-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1153066-03153	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216301-0101		REAR FUS SENSOR					Component	ATA:21
PN:1153066-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1153066-03156	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216301-0102		MID SENSOR					Component	ATA:21
PN:1153066-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1153066-03151	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216301-0103		MID SENSOR					Component	ATA:21
PN:1153066-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1153066-03221	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216301-0104		CREW CAB SENSOR					Component	ATA:21
PN:1153066-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1153066-03154	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216301-0105		MID SENSOR					Component	ATA:21
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
217113-0101	REAR OZONE CONVERTER							Component ATA:21
PN:67A42300-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0056	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-71-01, AMM 21-71-01PROC. REF: AMM 21-71-01, AMM 21-71-01								
C21-25-00-001	OPERATIONAL CHECK OF EMERGENCY RAM AIR CHECK VALVE							Service ATA:21
	MOS	06-May-16						
	HRS	0	12750		12750		11249.5	
	AFL	0						
PROC. REF: AMM 21-25-03PROC. REF: AMM 21-25-03								
C21-31-00-001 ^S	OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)							Service ATA:21
	MOS	10-Jun-25						
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
C21-31-01-001	RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)							Service ATA:21
PN:2119286-9	MOS	06-May-16						OVERHAUL
SN:2119286-01160	HRS	0	4500		4500		2999.5	
	AFL	0						
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
C21-31-03-001	FUNCTIONAL CHECK OF POSITIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS	06-May-16						
	HRS	0	5000		5000		3499.5	
	AFL	0						
PROC. REF: AMM 21-32-01PROC. REF: AMM 21-32-01								
C21-31-04-001	OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS	06-May-16						
	HRS	0	5000		5000		3499.5	
	AFL	0						
PROC. REF: AMM 21-32-02PROC. REF: AMM 21-32-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
C21-33-01-001	^S	OPERATIONAL CHECK OF CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 21-33-01PROC. REF: AMM 21-33-01								PKG:20
C21-51-08-001	^S	OPERATIONAL CHECK OF PACK CHECK VALVE						Service ATA:21
	MOS	06-May-16						
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 21-51-08PROC. REF: AMM 21-51-08								PKG:20
ATA 22 - AUTO FLIGHT								
221101-0101		AUTOMATIC FLIGHT CONTROL SYSTEM PANEL						Component ATA:22
PN:822-2826-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46RFV4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01, AMM 22-11-01PROC. REF: AMM 22-11-01, AMM 22-11-01								
ATA 23 - COMMUNICATIONS								
23-11-03-001		FUNCTIONAL CHECK OF HF COUPLER UNIT						Service ATA:23
	MOS/MSC	07-Apr-19	N/A					
	HRS	464.2						
	AFL	350						
PROC. REF: AMM 23-11-03PROC. REF: AMM 23-11-03								
23-15-05-001		DISCARD OF SATELLITE TELEPHONE SYSTEM BATTERIES						Service ATA:23
	MOS	03-Jul-24	48 (+15d/-15d)	03-Jul-28 (M)	18-Jul-28	872 d (+15)	LIFE LIMIT	
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 23-15-05PROC. REF: AMM 23-15-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-51-01-001	^S	OPERATIONAL CHECK OF COMMUNICATION AUDIO SYSTEM THROUGH THE OXYGEN MASK MICROPHONE						Service ATA:23
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 23-51-00PROC. REF: AMM 23-51-00								PKG:15
23-51-01-002	^S	OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION						Service ATA:23
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 23-51-00PROC. REF: AMM 23-51-00								
23-51-01-902	^S	OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION						Service ATA:23
	MOS	06-May-16					CMR	
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 23-51-00PROC. REF: AMM 23-51-00								
23-61-01-001	^S	FUNCTIONAL CHECK OF STATIC DISCHARGERS RESISTANCE INSULATION VALUE						Service ATA:23
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 23-61-00PROC. REF: AMM 23-61-00								PKG:40
23-71-00-001	^S	OPERATIONAL CHECK OF AUDIO RECORD FROM AUDIO CONTROL PANELS (ACPS) AND AREA MICROPHONE						Service ATA:23
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 23-71-00PROC. REF: AMM 23-71-00								PKG:12

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-71-05-001	DISCARD CVR (ULB) UNDERWATER LOCATOR BEACON BATTERY							Service ATA:23
PN:DK120/90	MOS/MSC	06-Aug-21	DUE		01-Jun-27 (M)		474 d	LIFE LIMIT
SN:AT150781	HRS	639.4						
	AFL	469						
PROC. REF: AMM 23-71-05PROC. REF: AMM 23-71-05								
231101-0101	NO.1 HF TRANSCEIVER							Component ATA:23
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-01, AMM 23-11-01PROC. REF: AMM 23-11-01, AMM 23-11-01								
231101-0102	NO.2 HF TRANSCEIVER							Component ATA:23
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-01, AMM 23-11-01PROC. REF: AMM 23-11-01, AMM 23-11-01								
231103-0101	REAR HF ANTENNA COUPLER							Component ATA:23
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-03, AMM 23-11-03PROC. REF: AMM 23-11-03, AMM 23-11-03								
231103-0102	REAR HF ANTENNA COUPLER							Component ATA:23
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-03, AMM 23-11-03PROC. REF: AMM 23-11-03, AMM 23-11-03								
231201-0101	C FLOOR VHF COMM DATA TRANSCEIVER							Component ATA:23
PN:822-1468-390	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4RGCC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-01, AMM 23-12-01PROC. REF: AMM 23-12-01, AMM 23-12-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231202-0101	VHF ANTENNA							Component ATA:23
PN:S65-8280-41	MOS/MSC	06-May-16	O/C	TSN 0				
SN:322-4715	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02PROC. REF: AMM 23-12-02, AMM 23-12-02								
231202-0102	VHF ANTENNA							Component ATA:23
PN:S65-8280-41	MOS/MSC	04-Sep-21	O/C	TSN 0				
SN:322-7495	HRS	649.7		TSN 0				
	AFL	474		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02PROC. REF: AMM 23-12-02, AMM 23-12-02								
231202-0103	VHF ANTENNA							Component ATA:23
PN:S65-8280-41	MOS/MSC	06-May-16	O/C	TSN 0				
SN:322-4698	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02PROC. REF: AMM 23-12-02, AMM 23-12-02								
231213-0101	C FLOOR VHF COMM TRANSCEIVER							Component ATA:23
PN:822-1468-110	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4R97M	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-01, AMM 23-12-01PROC. REF: AMM 23-12-01, AMM 23-12-01								
231213-0102	RH RACK VHF COMM TRANSCEIVER							Component ATA:23
PN:822-1468-110	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4R98F	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-01, AMM 23-12-01PROC. REF: AMM 23-12-01, AMM 23-12-01								
231501-0101	RH RACK ICS MANAGEMENT BOARD TELEPHONE UNIT							Component ATA:23
PN:710617-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:20-895	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231502-0101		IRIDIUM ANTENNA					Component	ATA:23
PN:S67-1575-109	MOS/MSC	06-May-16	O/C	TSN 0				
SN:430-14484	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-15-02, AMM 23-15-02PROC. REF: AMM 23-15-02, AMM 23-15-02								
231503-0101		RH RACK IRIDIUM FILTER					Component	ATA:23
PN:500918	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-15-03, AMM 23-15-03PROC. REF: AMM 23-15-03, AMM 23-15-03								
231504-0101		PAX CAB NO. 1 BASE STATION - CORDLESS HANDSET					Component	ATA:23
PN:962101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:31-1115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-15-05, AMM 23-15-05PROC. REF: AMM 23-15-05, AMM 23-15-05								
231504-0102		PAX CAB NO. 2 BASE STATION - CORDLESS HANDSET					Component	ATA:23
PN:962101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:31-1171	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-15-05, AMM 23-15-05PROC. REF: AMM 23-15-05, AMM 23-15-05								
235101-0101		PILOT AUDIO CONTROL PANEL					Component	ATA:23
PN:822-2928-100	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46RFXD	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-01, AMM 23-51-01PROC. REF: AMM 23-51-01, AMM 23-51-01								
235101-0102		CO-PILOT AUDIO CONTROL PANEL					Component	ATA:23
PN:822-2928-100	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46RFXH	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-01, AMM 23-51-01PROC. REF: AMM 23-51-01, AMM 23-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235101-0103	OBSERVER AUDIO CONTROL PANEL							Component ATA:23
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-01, AMM 23-51-01PROC. REF: AMM 23-51-01, AMM 23-51-01								
235104-0101	LH CSL COCKPIT AUDIO JACKS PANEL ASSY							Component ATA:23
PN:433100-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:433100AA0121	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
235104-0102	RH CSL COCKPIT AUDIO JACKS PANEL ASSY							Component ATA:23
PN:433100-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:433100AA0123	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
235105-0101	COCKPIT ELECTRODYNAMIC MICROPHONE							Component ATA:23
PN:85-03-12369-04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:404836	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
235105-0102	COCKPIT ELECTRODYNAMIC MICROPHONE							Component ATA:23
PN:85-03-12369-04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:404844	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
235106-0101	PILOT HEADSET							Component ATA:23
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-07, AMM 23-51-07PROC. REF: AMM 23-51-07, AMM 23-51-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235106-0102	CO-PILOT HEADSET							Component ATA:23
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-07, AMM 23-51-07PROC. REF: AMM 23-51-07, AMM 23-51-07								
235107-0101	LH CSL COCKPIT HEADSET PANEL ASSY							Component ATA:23
PN:433200-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:433200AA0119	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-07, AMM 23-51-07PROC. REF: AMM 23-51-07, AMM 23-51-07								
235107-0102	RH CSL COCKPIT HEADSET PANEL ASSY							Component ATA:23
PN:433200-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:433200AA0127	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-07, AMM 23-51-07PROC. REF: AMM 23-51-07, AMM 23-51-07								
235107-0103	WARDROBE CONTROL PANEL HEADSET							Component ATA:23
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-07, AMM 23-51-07PROC. REF: AMM 23-51-07, AMM 23-51-07								
235301-0101	C FLOOR RADIO INTERFACE (DATA LINK/SELCAL) UNIT							Component ATA:23
PN:822-1863-632	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4R0RM	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-53-01, AMM 23-53-01PROC. REF: AMM 23-53-01, AMM 23-53-01								
235301-0102	RH RACK RADIO INTERFACE (WITH SELCAL) UNIT							Component ATA:23
PN:822-1864-232	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4N9PO	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-53-01, AMM 23-53-01PROC. REF: AMM 23-53-01, AMM 23-53-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237101-0101	COCKPIT VOICE RECORDER							Component ATA:23
PN:5013-5001-50	MOS/MSC	06-May-16	O/C	TSN 0				
SN:001087544	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-71-01, AMM 23-71-01PROC. REF: AMM 23-71-01, AMM 23-71-01								
237103-0101	CVR (ULB) UNDERWATER LOCATOR BEACON							Component ATA:23
PN:DK120/90	MOS/MSC	06-Aug-21	O/C	TSN 0				
SN:AT150781	HRS	639.4		TSN 0				
	AFL	469		TSN 0				
PROC. REF: AMM 23-71-03, AMM 23-71-03PROC. REF: AMM 23-71-03, AMM 23-71-03								
237104-0101	SSC VOICE RECORDER MICROPHONE							Component ATA:23
PN:S056-0051-00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:000701985	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-71-03, AMM 23-71-03PROC. REF: AMM 23-71-03, AMM 23-71-03								
237143-0101	REAR FUS BATTERY L INDEPENDENT POWER SUPPLY							Component ATA:23
PN:500-4030-000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:001091682	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-71-04, AMM 23-71-04PROC. REF: AMM 23-71-04, AMM 23-71-04								
C23-51-01-001 ^S	OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION							Service ATA:23
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 23-51-00, AMM 23-51-00PROC. REF: AMM 23-51-00, AMM 23-51-00								
PKG:15								

ATA 24 - ELECTRICAL POWER

24-10-01-001 ^S	OPERATIONAL CHECK OF MAIN GENERATION SWITCH							Service ATA:24
	MOS	06-May-16						
	HRS	0	2250 (+37/-37)					
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-10-01PROC. REF: AMM 24-10-01								PKG:10
24-10-01-002	^S	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) GENERATION SWITCH						Service ATA:24
	MOS	06-May-16						
	HRS	0	2250 (+37/-37)					
	AFL	0						
PROC. REF: AMM 24-10-01PROC. REF: AMM 24-10-01								PKG:10
24-10-01-003	^S	OPERATIONAL CHECK OF BUS TIE SWITCHING CIRCUIT						Service ATA:24
	MOS	06-May-16						
	HRS	0	2250 (+37/-37)					
	AFL	0						
PROC. REF: AMM 24-61-00PROC. REF: AMM 24-61-00								PKG:10
24-10-01-004	^S	OPERATIONAL CHECK OF ELECTRICAL EMERGENCY SWITCHING CIRCUIT						Service ATA:24
	MOS	06-May-16						
	HRS	0	2250 (+37/-37)					
	AFL	0						
PROC. REF: AMM 24-61-00PROC. REF: AMM 24-61-00								PKG:10
24-23-00-901	^S	OPERATIONAL CHECK OF RAM-AIR-TURBINE (RAT) - MANUAL DEPLOYMENT						Service ATA:24
	MOS	03-Jul-24					CMR	
	HRS	1267.3	1500					
	AFL	949						
PROC. REF: AMM 24-23-00PROC. REF: AMM 24-23-00								
24-23-00-902	^S	FUNCTIONAL CHECK OF RAM-AIR-TURBINE (RAT) GENERATOR						Service ATA:24
	MOS	03-Jul-24					CMR	
	HRS	1267.3	1500					
	AFL	949						
PROC. REF: AMM 24-23-00PROC. REF: AMM 24-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-23-01-001	^S	FUNCTIONAL CHECK OF RAM AIR TURBINE (RAT) SYSTEM						Service ATA:24
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 24-23-00PROC. REF: AMM 24-23-00								
24-23-01-002	^S	LUBRICATION OF RAM AIR TURBINE (RAT) ASSEMBLY						Service ATA:24
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 24-23-01PKG:24								
24-23-05-001	^S	OPERATIONAL CHECK OF RAM AIR TURBINE (RAT) MANUAL DEPLOYMENT						Service ATA:24
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 24-23-00PROC. REF: AMM 24-23-00								
24-31-01-001		RESTORATION (OVERHAUL) OF THE LH ENGINE MAIN GENERATOR						Service ATA:24
PN:94982-5	MOS	06-May-16						OVERHAUL
SN:1039	HRS	0	3750		3750		2249.5	
	AFL	0						
PROC. REF: AMM 24-31-01, AMM 24-32-01PROC. REF: AMM 24-31-01, AMM 24-32-01								
24-31-01-001		RESTORATION (OVERHAUL) OF THE RH ENGINE MAIN GENERATOR						Service ATA:24
PN:94982-5	MOS	06-May-16						OVERHAUL
SN:1050	HRS	0	3750		3750		2249.5	
	AFL	0						
PROC. REF: AMM 24-31-01, AMM 24-32-01PROC. REF: AMM 24-31-01, AMM 24-32-01								
24-31-10-001		FUNCTIONAL CHECK OF MAIN GENERATOR SURGE SUPPRESSOR						Service ATA:24
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PKG:40								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-31-10PROC. REF: AMM 24-31-10								
24-32-01-002 ^S	GENERAL VISUAL INSPECTION OF TRANSFORMER RECTIFIER UNIT (TRU) AIR INLET							Service ATA:24
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
								PKG:15
PROC. REF: AMM 24-32-01PROC. REF: AMM 24-32-01								
24-34-01-001	RESTORATION APU DC ELECTRIC GENERATOR (OVERHAUL)							Service ATA:24
PN:95034-4	MOS	06-May-16						OVERHAUL
SN:1015	HRS	0						
	AFL	0						
	APH	0	3750		3750		2197.5	
PROC. REF: AMM 24-34-01PROC. REF: AMM 24-34-01								
24-36-01-002	FUNCTIONAL CHECK OF THE NO. 1 MAIN BATTERY							Service ATA:24
PN:416470	MOS	10-Jun-25	12		10-Jun-26		118 d	
SN:202300389	HRS	1446.4	750		2196.4		695.9	
	AFL	1073						
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-002	FUNCTIONAL CHECK OF THE NO. 2 MAIN BATTERY							Service ATA:24
PN:416470	MOS	10-Jun-25	12		10-Jun-26		118 d	
SN:202207829	HRS	1446.4	750		2196.4		695.9	
	AFL	1073						
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-002 (ALI) ^{U S}	RESTORATION (OVERHAUL) OF NO. 1 40AH NICAD BATTERY							Service ATA:24
PN:416470	MOS							OVERHAUL
SN:202300389	HRS		750					
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-36-01-002 (ALI) ^{U S}		RESTORATION (OVERHAUL) OF NO. 2 40AH NICAD BATTERY						Service ATA:24
PN:416470	MOS	10-Jun-25						OVERHAUL
SN:202207829	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 24-60-00PROC. REF: AMM 24-60-00								
24-60-00-901		OPERATIONAL CHECK OF ELECTRICAL LOAD SHED (MANUAL AND AUTOMATIC)						Service ATA:24
	MOS	06-May-16						CMR
	HRS	0	3750		3750		2249.5	
	AFL	0						
PROC. REF: AMM 24-61-22PROC. REF: AMM 24-61-22								
24-61-22-001		FUNCTIONAL CHECK OF LPDC SURGE SUPPRESSOR						Service ATA:24
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 24-61-22PROC. REF: AMM 24-61-22								
24-61-42-001		FUNCTIONAL CHECK OF BOTH RPDC SURGE SUPPRESSORS						Service ATA:24
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 24-61-42PROC. REF: AMM 24-61-42								
24-61-72-001 ^S		OPERATIONAL CHECK OF EMERGENCY TIE CONTACTOR (ETC)						Service ATA:24
	MOS	06-May-16						
	HRS	0	2250 (+37/-37)					
	AFL	0						
PROC. REF: AMM 24-61-00PROC. REF: AMM 24-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
241013-0101		OVERHEAD ELECTRICAL SYSTEM CONTROL PANEL					Component	ATA:24
PN:430300-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:430300AA0066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-10-01, AMM 24-10-01PROC. REF: AMM 24-10-01, AMM 24-10-01								
242203-0101		RH FWD AIR DRIVEN GENERATOR ACTUATOR					Component	ATA:24
PN:1722007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0057	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242301-0101		RH FWD AIR DRIVEN GENERATOR					Component	ATA:24
PN:1714291	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0057	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242301-0102		RAM AIR TURBINE (RAT) ASSEMBLY					Component	ATA:24
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-23-01, AMM 24-23-01PROC. REF: AMM 24-23-01, AMM 24-23-01								
242305-0101		RH FWD AIR DRIVEN GENERATOR UPLOCK					Component	ATA:24
PN:1714297	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0063	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242307-0101		CREW CAB MANUAL CABLE RELEASE ASSY					Component	ATA:24
PN:5915561	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0055	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-23-07, AMM 24-23-07PROC. REF: AMM 24-23-07, AMM 24-23-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242309-0101		CREW CAB AIR DRIVEN GENRATOR CONTROL UNIT					Component	ATA:24
PN:1714293	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0063	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-23-09, AMM 24-23-09PROC. REF: AMM 24-23-09, AMM 24-23-09								
242309-0102		RH RACK DIGITAL GENERATOR CONTROL UNIT					Component	ATA:24
PN:95043-8	MOS/MSC	06-May-16	O/C	TSN 0				
SN:224	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-31-03, AMM 24-31-03PROC. REF: AMM 24-31-03, AMM 24-31-03								
242309-0103		LH RACK DIGITAL GENERATOR CONTROL UNIT					Component	ATA:24
PN:95043-8	MOS/MSC	06-May-16	O/C	TSN 0				
SN:246	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-31-03, AMM 24-31-03PROC. REF: AMM 24-31-03, AMM 24-31-03								
242311-0101		RH FWD AIR DRIVEN GENERATOR RESTOW PUMP					Component	ATA:24
PN:5915560	MOS/MSC	06-May-16	O/C	TSN 0				
SN:C0058	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-23-11, AMM 24-23-11PROC. REF: AMM 24-23-11, AMM 24-23-11								
242403-0101		LH REAR INVERTER STATIC ASSY					Component	ATA:24
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-24-03, AMM 24-24-03PROC. REF: AMM 24-24-03, AMM 24-24-03								
243103-0101		RH RACK DIGITAL GENERATOR CONTROL UNIT					Component	ATA:24
PN:95043-8	MOS/MSC	06-May-16	O/C	TSN 0				
SN:228	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-31-03, AMM 24-31-03PROC. REF: AMM 24-31-03, AMM 24-31-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243113-0101	LH ENG DC ELECTRIC GENERATOR							Component ATA:24
PN:94982-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1039	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-31-01, AMM 24-31-01PROC. REF: AMM 24-31-01, AMM 24-31-01								
243113-0102	RH ENG DC ELECTRIC GENERATOR							Component ATA:24
PN:94982-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1050	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-31-01, AMM 24-31-01PROC. REF: AMM 24-31-01, AMM 24-31-01								
243213-0101	CENT FUS TRANSFORMER RECTIFIER UNIT							Component ATA:24
PN:5915825	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1388	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-32-01, AMM 24-32-01PROC. REF: AMM 24-32-01, AMM 24-32-01								
243401-0101	APU DC ELECTRIC GENERATOR							Component ATA:24
PN:95034-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1015	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-34-01, AMM 24-34-01PROC. REF: AMM 24-34-01, AMM 24-34-01								
243611-0101	NO. 1 40AH NICAD BATTERY							Component ATA:24
PN:416470	MOS/MSC	10-Jun-25	O/C					
SN:202300389	HRS	1446.4						
	AFL	1073						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243611-0102	NO. 2 40AH NICAD BATTERY							Component ATA:24
PN:416470	MOS/MSC	10-Jun-25	O/C					
SN:202207829	HRS	1446.4		TSO 0				
	AFL	1073		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246110-0101 LH RACK LEFT POWER DISTRIBUTION BOX ASSY								Component ATA:24
PN:129GC04Y06	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00062	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246120-0101 REAR FUS HALL EFFECT - GENERATOR SENSOR								Component ATA:24
PN:126GC04Y02	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00375	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-61-20, AMM 24-61-20PROC. REF: AMM 24-61-20, AMM 24-61-20								
246120-0102 REAR FUS HALL EFFECT - GENERATOR SENSOR								Component ATA:24
PN:126GC04Y02	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00376	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-61-20, AMM 24-61-20PROC. REF: AMM 24-61-20, AMM 24-61-20								
246120-0103 REAR FUS HALL EFFECT - GENERATOR SENSOR								Component ATA:24
PN:126GC04Y02	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-61-20, AMM 24-61-20PROC. REF: AMM 24-61-20, AMM 24-61-20								
246130-0101 RH RACK RIGHT POWER DISTRIBUTION BOX ASSY								Component ATA:24
PN:130GC04Y04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00045	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246150-0101 CENT FUS EMERGENCY POWER DISTRIBUTION BOX ASSY								Component ATA:24
PN:137GC04Y05	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00070	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-61-50, AMM 24-61-50PROC. REF: AMM 24-61-50, AMM 24-61-50								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246170-0101		REAR FUS EMERGENCY POWER DISTRIBUTION BOX ASSY					Component	ATA:24
PN:128GC04Y04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00056	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-61-70, AMM 24-61-70PROC. REF: AMM 24-61-70, AMM 24-61-70								
246202-0101		C FLOOR POWER DISTRIBUTION BOX ASSY					Component	ATA:24
PN:131GC04Y01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00229	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
246202-0102		C FLOOR POWER DISTRIBUTION BOX ASSY					Component	ATA:24
PN:131GC04Y01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00231	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
246202-0103		RH RACK POWER DISTRIBUTION BOX ASSY					Component	ATA:24
PN:131GC04Y01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00230	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
246202-0104		LH RACK POWER DISTRIBUTION BOX ASSY					Component	ATA:24
PN:131GC04Y01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00196	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
246203-0101		C FLOOR CPS POWER SUPPLY BOARD					Component	ATA:24
PN:130CE06Y05	MOS/MSC	06-May-16	O/C	TSN 0				
SN:730923IN00467	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-03, AMM 24-62-03PROC. REF: AMM 24-62-03, AMM 24-62-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246203-0102		C FLOOR CPS POWER SUPPLY BOARD					Component	ATA:24
PN:130CE06Y05	MOS/MSC	06-May-16	O/C	TSN 0				
SN:730923IN00472	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-03, AMM 24-62-03PROC. REF: AMM 24-62-03, AMM 24-62-03								
246203-0103		LH RACK CPS POWER SUPPLY BOARD					Component	ATA:24
PN:130CE06Y05	MOS/MSC	06-May-16	O/C	TSN 0				
SN:730923IN00465	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-03, AMM 24-62-03PROC. REF: AMM 24-62-03, AMM 24-62-03								
246203-0104		RH RACK CPS POWER SUPPLY BOARD					Component	ATA:24
PN:130CE06Y05	MOS/MSC	06-May-16	O/C	TSN 0				
SN:730923IN00471	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-03, AMM 24-62-03PROC. REF: AMM 24-62-03, AMM 24-62-03								
246205-0101		C FLOOR BPS POWER SUPPLY BOARD					Component	ATA:24
PN:120CE06Y04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00310	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-05, AMM 24-62-05PROC. REF: AMM 24-62-05, AMM 24-62-05								
246205-0102		C FLOOR BPS POWER SUPPLY BOARD					Component	ATA:24
PN:120CE06Y04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00316	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-05, AMM 24-62-05PROC. REF: AMM 24-62-05, AMM 24-62-05								
246205-0103		LH RACK BPS POWER SUPPLY BOARD					Component	ATA:24
PN:120CE06Y04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00394	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-05, AMM 24-62-05PROC. REF: AMM 24-62-05, AMM 24-62-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246205-0104		RH RACK BPS POWER SUPPLY BOARD					Component	ATA:24
PN:120CE06Y04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00396	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-05, AMM 24-62-05PROC. REF: AMM 24-62-05, AMM 24-62-05								
246207-0101		EMB1 POWER CONTROLLER BOARD					Component	ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0102		EMB1 POWER CONTROLLER BOARD					Component	ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00126	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0103		EMB1 POWER CONTROLLER BOARD					Component	ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00443	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0104		EMB1 POWER CONTROLLER BOARD					Component	ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00617	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0105		EMB1 POWER CONTROLLER BOARD					Component	ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00648	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246207-0106	EMB1 POWER CONTROLLER BOARD							Component ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00664	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0107	LH RACK EMB1 POWER CONTROLLER BOARD							Component ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00613	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0108	RH RACK EMB1 POWER CONTROLLER BOARD							Component ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00616	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0109	RH RACK EMB1 POWER CONTROLLER BOARD							Component ATA:24
PN:110CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00635	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0201	EMB2 POWER CONTROLLER BOARD							Component ATA:24
PN:111CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00421	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0202	EMB2 POWER CONTROLLER BOARD							Component ATA:24
PN:111CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00447	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246207-0203		RH RACK EMB2 POWER CONTROLLER BOARD					Component	ATA:24
PN:111CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00299	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0204		RH RACK EMB2 POWER CONTROLLER BOARD					Component	ATA:24
PN:111CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00424	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0205		LH RACK EMB2 POWER CONTROLLER BOARD					Component	ATA:24
PN:111CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00294	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0206		LH RACK EMB2 POWER CONTROLLER BOARD					Component	ATA:24
PN:111CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00433	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0301		C FLOOR EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00296	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0302		C FLOOR EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00774	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246207-0303		C FLOOR EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00798	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0304		C FLOOR EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00804	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0305		LH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00789	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0306		RH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00760	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0307		LH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00803	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0308		RH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00763	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246207-0309		LH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00832	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0310		RH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00766	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0311		C FLOOR EMB3 POWER CONTROLLER BOARD					Component	ATA:24
PN:112CE06Y11	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00813	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07								
246293-0101		RH RACK 28VDC DISPLAY UNIT					Component	ATA:24
PN:154TS11ABY04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00157	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-62-09, AMM 24-62-09PROC. REF: AMM 24-62-09, AMM 24-62-09								
246293-0102		CREW CAB 28VDC DISPLAY UNIT					Component	ATA:24
PN:154TS11ABY04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
246401-0101		LEFT CIRCUIT BREAKER PANEL ASSY					Component	ATA:24
PN:EB500800-807	MOS/MSC	06-May-16	O/C	TSN 0				
SN:161817-2-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-64-01, AMM 24-64-01PROC. REF: AMM 24-64-01, AMM 24-64-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246402-0101	RIGHT CIRCUIT BREAKER PANEL ASSY							Component ATA:24
PN:EB500800-810	MOS/MSC	06-May-16	O/C	TSN 0				
SN:165742-3-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-64-02, AMM 24-64-02PROC. REF: AMM 24-64-02, AMM 24-64-02								
57-10-03-901	WING STUB REAR BOX UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE AND FASTENERS (BY THE CABIN SIDE)							Service ATA:24
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
C24-23-01-001	FUNCTIONAL CHECK OF RAM AIR TURBINE (RAT) GENERATOR							Service ATA:24
	MOS	03-Jul-24	24		03-Jul-26		141 d	
	HRS	1267.3	1500		2767.3		1266.8	
	AFL	949						
PROC. REF: AMM 24-23-00PROC. REF: AMM 24-23-00								
C24-23-05-001	OPERATIONAL CHECK OF RAM AIR TURBINE (RAT) - MANUAL DEPLOYMENT							Service ATA:24
	MOS	03-Jul-24	24		03-Jul-26		141 d	
	HRS	1267.3	1500		2767.3		1266.8	
	AFL	949						
PROC. REF: AMM 24-23-00PROC. REF: AMM 24-23-00								
F190-001	INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSES AND SUPPORTS COVERED BY WING-TO-FUSELAGE FAIRING							Service ATA:24
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	10000		10000		8499.5	
	AFL	0						
PROC. REF: AMM 24-05-01PROC. REF: AMM 24-05-01								
F190-002	INTERNAL GENERAL VISUAL INSPECTION OF OTHER HARNESSES AND SUPPORTS COVERED BY WING-TO-FUSELAGE FAIRING							Service ATA:24
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	10000		10000		8499.5	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-05-01PROC. REF: AMM 24-05-01								
F190-004	INTERNAL GENERAL VISUAL INSPECTION OF BRAKE SYSTEM HARNESSSES BELOW THE WING STUB							Service ATA:24
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	10000		10000		8499.5	
	AFL	0						
PROC. REF: AMM 24-05-01PROC. REF: AMM 24-05-01								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-01-001 ^S	DETAILED INSPECTION OF COCKPIT SEATS ATTACHMENT							Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:15
25-11-01-002 ^S	DETAILED INSPECTION OF COCKPIT SEAT BELTS							Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:15
25-11-01-003 ^S	OPERATIONAL CHECK OF COCKPIT SEATS INERTIAL REEL AND BUCKLE							Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:15
25-11-01-004 ^S	OPERATIONAL CHECK OF COCKPIT SEATS BACKREST AND VERTICAL MOVEMENT							Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-02-001	DETAILED INSPECTION OF OBSERVER SEAT ATTACHMENT							Service ATA:25
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-11-02PROC. REF: AMM 25-11-02								
25-11-02-002	DETAILED INSPECTION OF OBSERVER SEAT SEAT BELT							Service ATA:25
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-11-02PROC. REF: AMM 25-11-02								
25-11-02-003	OPERATIONAL CHECK OF OBSERVER SEAT INERTIAL REEL AND BUCKLE							Service ATA:25
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-11-02PROC. REF: AMM 25-11-02								
25-11-02-004	OPERATIONAL CHECK OF OBSERVER SEAT							Service ATA:25
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-11-02PROC. REF: AMM 25-11-02								
25-21-01-001 ^S	OPERATIONAL CHECK OF PASSENGER SEATS							Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:15
25-21-01-002 ^S	DETAILED INSPECTION OF PASSENGER SEATS ATTACHMENT							Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-01-003	^S	OPERATIONAL CHECK OF PASSENGER SEATS INERTIAL REEL AND BUCKLE						Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:15
25-21-01-004	^S	DETAILED INSPECTION OF PASSENGER SEAT BELTS						Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:15
25-21-02-001	^S	DETAILED INSPECTION OF DIVAN ATTACHMENT						Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02								PKG:15
25-21-02-002	^S	OPERATIONAL CHECK OF DIVAN INERTIAL REEL AND BUCKLE						Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02								PKG:15
25-21-02-003	^S	DETAILED INSPECTION OF DIVAN BELTS						Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-02-004	^S	DETAILED INSPECTION OF DIVAN SLEEPER BELT						Service ATA:25
	MOS	06-May-16						CATEGORY 8
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02								
PKG:15								
25-21-03-002		DETAILED INSPECTION OF SIDE FACING SEAT ATTACHMENT						Service ATA:25
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-03PROC. REF: AMM 25-21-03								
25-21-03-003		DETAILED INSPECTION OF SIDE FACING SEAT BELT						Service ATA:25
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-03PROC. REF: AMM 25-21-03								
25-21-04-002		DETAILED INSPECTION OF NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM						Service ATA:25
PN:PN	MOS	03-Jul-24	48		03-Jul-28		872 d	CATEGORY 8
SN:UNKNOWN	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04								
25-21-04-003		FUNCTIONAL CHECK OF NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM						Service ATA:25
PN:PN	MOS	03-Jul-24	48		03-Jul-28		872 d	CATEGORY 8
SN:UNKNOWN	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04								
25-21-04-004		DISCARD OF THE AIRBAG INFLATOR GAS CYLINDER - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM						Service ATA:25
PN:PN	MOS	10-Jun-25	120		26-Mar-35		3329 d	LIFE LIMIT
SN:UNKNOWN	HRS	1446.4						
	AFL	1073						
Manufacture Date:: 26-Mar-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04								
25-21-04-005 RESTORATION (REPAIR) OF THE NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM ELECTRONIC MODULE ASSEMBLY (EMA)								
PN:508358-415	MOS	04-Mar-22	84		04-Mar-29		1116 d	RESTORE
SN:A04MAR22-70	HRS							
	AFL							
Manufacture Date:: 04-Mar-22								
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04								
25-21-05-002 DETAILED INSPECTION OF NO. 1 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM								
PN:510184-401	MOS	10-Jun-25	48		10-Jun-29		1214 d	CATEGORY 8
SN:AS2F1MEYATR	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 25-21-05PROC. REF: AMM 25-21-05								
25-21-05-002 DETAILED INSPECTION OF NO. 2 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM								
PN:510184-401	MOS	10-Jun-25	48		10-Jun-29		1214 d	CATEGORY 8
SN:AS2F1LEYABZ	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 25-21-05PROC. REF: AMM 25-21-05								
25-21-05-003 FUNCTIONAL CHECK OF NO. 1 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM								
PN:510184-401	MOS	10-Jun-25	48		10-Jun-29		1214 d	CATEGORY 8
SN:AS2F1MEYATR	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 25-21-05PROC. REF: AMM 25-21-05								
25-21-05-003 FUNCTIONAL CHECK OF NO. 2 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM								
PN:510184-401	MOS	10-Jun-25	48		10-Jun-29		1214 d	CATEGORY 8
SN:AS2F1LEYABZ	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 25-21-05PROC. REF: AMM 25-21-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-05-004	DISCARD OF THE NO. 1 PASSENGER-SEAT LAP BELT INFLATOR GAS CYLINDER							Service ATA:25
PN:512855-401	MOS	10-Jun-25	120		30-Mar-35 (M)		3333 d	LIFE LIMIT
SN:T3230009035	HRS	1446.4						
	AFL	1073						
Manufacture Date:: 26-Mar-25								
PROC. REF: AMM 25-21-05PROC. REF: AMM 25-21-05								
25-21-05-004	DISCARD OF THE NO. 2 PASSENGER-SEAT LAP BELT INFLATOR GAS CYLINDER							Service ATA:25
PN:512855-401	MOS	10-Jun-25	120		30-Mar-35 (M)		3333 d	LIFE LIMIT
SN:T3230009185	HRS	1446.4						
	AFL	1073						
Manufacture Date:: 26-Mar-25								
PROC. REF: AMM 25-21-05PROC. REF: AMM 25-21-05								
25-21-05-005	RESTORATION (REPAIR)OF THE NO. 1 PASSENGER-SEAT LAP BELT (EMA) ELECTRONIC MODULE ASSEMBLY - NOTE: REPLACE THE EMA (ELECTRONIC MODULE ASSEMBLY) INTERNAL BATTERY							Service ATA:25
PN:508358-415	MOS	04-Mar-22	84		04-Mar-29		1116 d	RESTORE
SN:A04MAR22-66	HRS							
	AFL							
Manufacture Date:: 04-Mar-22								
PROC. REF: AMM 25-21-05, AMM 25-21-05PROC. REF: AMM 25-21-05, AMM 25-21-05								
25-21-05-005	RESTORATION (REPAIR)OF THE NO. 2 PASSENGER-SEAT LAP BELT (EMA) ELECTRONIC MODULE ASSEMBLY - NOTE: REPLACE THE EMA (ELECTRONIC MODULE ASSEMBLY) INTERNAL BATTERY							Service ATA:25
PN:508358-415	MOS	04-Mar-22	84		04-Mar-29		1116 d	RESTORE
SN:A04MAR22-67	HRS							
	AFL							
Manufacture Date:: 04-Mar-22								
PROC. REF: AMM 25-21-05, AMM 25-21-05PROC. REF: AMM 25-21-05, AMM 25-21-05								
25-42-00-001 ^S	DETAILED INSPECTION OF TOILET SEAT BELT							Service ATA:25
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PKG:15								
PROC. REF: AMM 25-42-02PROC. REF: AMM 25-42-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-61-00-001	OPERATIONAL CHECK OF EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM							Service ATA:25
	MOS	10-Jun-25	12		10-Jun-26		118 d	
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00								WO#: N214EE-ADDONS
25-61-00-002	GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER (ELT)							Service ATA:25
	MOS	10-Jun-25	12		10-Jun-26		118 d	
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00								WO#: N214EE-ADDONS
25-61-04-001	DISCARD EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Service ATA:25
PN:S1820516-99	MOS/MSC	23-May-22	DUE		01-Oct-28 (M)		962 d	LIFE LIMIT
SN:TM0000241356	HRS	785.2						
	AFL	558						
PROC. REF: AMM 25-61-04PROC. REF: AMM 25-61-04								
25-61-05-001	RESTORATION OF ELT/NAV (INTERNAL MEMORY)							Service ATA:25
	MOS	EFF	120		26-Apr-26 *		73 d	CATEGORY 8
	HRS	EFF	16000		16000 *		14499.5	
	AFL							
PROC. REF: AMM 25-61-08PROC. REF: AMM 25-61-08								
25-62-01-001	GENERAL VISUAL INSPECTION OF FIRST AID KIT							Service ATA:25
PN:509229	MOS/MSC	10-Jun-25	DUE		01-Feb-26 (M)		OVD	
SN:020525001	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 25-62-01PROC. REF: AMM 25-62-01								WO#: N214EE-ADDONS
				Expiry Date: : 01-Feb-26				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-001	RESTORATION (OVERHAUL) CO-PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS	10-Jun-25	120		26-Feb-34		2936 d	OVERHAUL
SN:L6140832	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 26-Feb-24								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OBSERVER LIFE VEST							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS	10-Jun-25	120		26-Feb-34		2936 d	OVERHAUL
SN:L6140835	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 26-Feb-24								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) CO-PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS/MSC		N/A					
SN:L6140832	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 1 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS	28-Oct-25	60		31-Jul-30 (M)		1630 d	OVERHAUL
SN:2546037	HRS	1500.5						
	AFL	1118						
OverHaul Date:: 09-Sep-25								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-002	RESTORATION (OVERHAUL) NO. 10 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 2 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS	28-Oct-25	60		31-Jul-30 (M)		1630 d	OVERHAUL
SN:2546057	HRS	1500.5						
	AFL	1118						
OverHaul Date:: 09-Sep-25								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 3 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS/MSC		N/A					
SN:L4801537	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 4 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS	28-Oct-25	60		31-Jul-30 (M)		1630 d	OVERHAUL
SN:2546049	HRS	1500.5						
	AFL	1118						
OverHaul Date:: 09-Sep-25								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 5 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS/MSC		N/A					
SN:L4801539	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 6 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS/MSC		N/A					
SN:L4801540	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 7 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS	28-Oct-25	60		31-Jul-30 (M)		1630 d	OVERHAUL
SN:2546031	HRS	1500.5						
	AFL	1118						
OverHaul Date:: 09-Sep-25								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 8 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) NO. 9 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:PN	MOS/MSC	06-May-16	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) OBSERVER LIFE VEST							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-002	RESTORATION (OVERHAUL) PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS/MSC		N/A					
SN:L6140835	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-002	RESTORATION (OVERHAUL) TOILET LIFE VEST							Service ATA:25
PN:PN	MOS/MSC	06-May-16	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-003	RESTORATION (OVERHAUL) DIVAN NO. 1 LIFE VEST							Service ATA:25
PN:RSS-301P	MOS	10-Jun-25	120		24-Jun-34 (M)		3054 d	OVERHAUL
SN:2471531	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 25-Jun-24								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-003	RESTORATION (OVERHAUL) DIVAN NO. 2 LIFE VEST							Service ATA:25
PN:RSS-301P	MOS	10-Jun-25	120		24-Jun-34 (M)		3054 d	OVERHAUL
SN:2471532	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 25-Jun-24								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-004	RESTORATION (OVERHAUL) OF SIDE FACING SEAT LIFE VEST							Service ATA:25
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) DIVAN NO. 1 LIFE VEST							Service ATA:25
PN:RSS-301P	MOS/MSC		N/A					
SN:2471531	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) DIVAN NO. 2 LIFE VEST							Service ATA:25
PN:RSS-301P	MOS/MSC		N/A					
SN:2471532	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) DIVAN NO. 3 LIFE VEST							Service ATA:25
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 1 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS/MSC		N/A					
SN:2546037	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 10 PASSENGER CABIN LIFE VEST							Service ATA:25
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 2 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS/MSC		N/A					
SN:2546057	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 3 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	13-Oct-20	120		13-Oct-30		1704 d	OVERHAUL
SN:L4801537	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 4 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS/MSC		N/A					
SN:2546049	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 5 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	13-Oct-20	120		13-Oct-30		1704 d	OVERHAUL
SN:L4801539	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 6 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	13-Oct-20	120		13-Oct-30		1704 d	OVERHAUL
SN:L4801540	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 7 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS/MSC		N/A					
SN:2546031	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 8 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) NO. 9 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-005	RESTORATION (OVERHAUL) TOILET LIFE VEST							Service ATA:25
	MOS/MSC		N/A					
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-03-001		RESTORATION (OVERHAUL) NO. 1 LIFE RAFT						Service ATA:25
PN:812FASA-391-1-101	MOS	14-Mar-24	36		14-Mar-27		395 d	OVERHAUL
SN:8UL-00862	HRS	1223.9						
	AFL	926						
OverHaul Date:: 14-Mar-24								
PROC. REF: AMM 25-62-03PROC. REF: AMM 25-62-03								
25-62-03-001		RESTORATION (OVERHAUL) NO. 2 LIFE RAFT						Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 25-62-03PROC. REF: AMM 25-62-03								
25-62-05-001 ^S		GENERAL VISUAL INSPECTION LIFELINE						Service ATA:25
PN:PN	MOS	20-May-21	60 (+15d/-15d)					
SN:UNKNOWN	HRS	613.5						
	AFL	450						
PKG:40								
PROC. REF: AMM 25-62-05PROC. REF: AMM 25-62-05								
251101-0101		PILOT CL328 DUNE SHEEPSKIN SEAT						Component ATA:25
PN:1431-01DL	MOS/MSC	06-May-16	O/C	TSN 0				
SN:127-1431	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01, AMM 25-11-01PROC. REF: AMM 25-11-01, AMM 25-11-01								
251101-0102		COPILOT CL328 DUNE SHEEPSKIN SEAT						Component ATA:25
PN:1431-02DL	MOS/MSC	06-May-16	O/C	TSN 0				
SN:128-1431	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01, AMM 25-11-01PROC. REF: AMM 25-11-01, AMM 25-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
251101-0103	OBSERVER SEAT							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-11-02, AMM 25-11-02PROC. REF: AMM 25-11-02, AMM 25-11-02								
252101-0101	PAX CAB LEGACY 450/500 LH FWD FACING SEAT							Component ATA:25
PN:3AQF1113007EQBM	MOS/MSC	06-May-16	O/C	TSN 0				
SN:151211-13	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-01, AMM 25-21-01								
252101-0102	PAX CAB LEGACY 450/500 LH AFT FACING SEAT							Component ATA:25
PN:3AQF1113008EQBM	MOS/MSC	06-May-16	O/C	TSN 0				
SN:151211-12	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-01, AMM 25-21-01								
252101-0103	PAX CAB LEGACY 450/500 LH FWD FACING SEAT							Component ATA:25
PN:3AQF1113019EQBM	MOS/MSC	06-May-16	O/C	TSN 0				
SN:151207-09	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-01, AMM 25-21-01								
252101-0104	PAX CAB LEGACY 450/500 LH AFT FACING SEAT							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-03, AMM 25-21-03PROC. REF: AMM 25-21-03, AMM 25-21-03								
252101-0105	PAX CAB LEGACY 450/500 RH FWD FACING SEAT							Component ATA:25
PN:3AQF1113010EQBM	MOS/MSC	06-May-16	O/C	TSN 0				
SN:151211-11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-01, AMM 25-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252101-0106	PAX CAB LEGACY 450/500 RH AFT FACING SEAT							Component ATA:25
PN:3AQF1113005EQBM	MOS/MSC	06-May-16	O/C	TSN 0				
SN:151211-10	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-01, AMM 25-21-01								
252102-0101	PAX CAB LEGACY 450/500 RH DIVAN							Component ATA:25
PN:3DQF1113020EQBM	MOS/MSC	06-May-16	O/C	TSN 0				
SN:151211-14	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-02, AMM 25-21-02PROC. REF: AMM 25-21-02, AMM 25-21-02								
252102-0102	PAX CAB LEGACY 450/500 RH DIVAN							Component ATA:25
PN:3DQF1113024EQBM	MOS/MSC	06-May-16	O/C	TSN 0				
SN:151211-15	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-02, AMM 25-21-02PROC. REF: AMM 25-21-02, AMM 25-21-02								
252102-0103	PAX CAB LEGACY 450/500 RH DIVAN							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-02, AMM 25-21-02PROC. REF: AMM 25-21-02, AMM 25-21-02								
252103-0101	NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04								
252103-0102	NO. 1 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM							Component ATA:25
PN:510184-401	MOS/MSC	10-Jun-25	O/C	TSN 2				
SN:AS2F1MEYATR	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 25-21-05, AMM 25-21-05PROC. REF: AMM 25-21-05, AMM 25-21-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252103-0103		NO. 2 PASSENGER-SEAT SEATBELT AIRBAG SYSTEM					Component	ATA:25
PN:510184-401	MOS/MSC	10-Jun-25	O/C	TSN 2				
SN:AS2F1LEYABZ	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 25-21-05, AMM 25-21-05PROC. REF: AMM 25-21-05, AMM 25-21-05								
252104-0101		PAX CAB LEGACY 500 DIVAN					Component	ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-02, AMM 25-21-02PROC. REF: AMM 25-21-02, AMM 25-21-02								
252104-0102		PAX CAB LEGACY 450/500 DIVAN					Component	ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-02, AMM 25-21-02PROC. REF: AMM 25-21-02, AMM 25-21-02								
252104-0103		PAX CAB DIVAN ASSY					Component	ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-02, AMM 25-21-02PROC. REF: AMM 25-21-02, AMM 25-21-02								
252105-0101		AIRBAG CYLINDER INFLATOR, ACH COLD (PAX SEAT C5)					Component	ATA:25
PN:512855-401	MOS/MSC	10-Jun-25	H/T	TSN 0				
SN:T3230009035	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3								
252105-0102		AIRBAG CYLINDER INFLATOR, ACH COLD (PAX SEAT C6)					Component	ATA:25
PN:512855-401	MOS/MSC	10-Jun-25	H/T	TSN 0				
SN:T3230009185	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252106-0101	NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM							Component ATA:25
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-21-06, AMM 25-21-06PROC. REF: AMM 25-21-06, AMM 25-21-06								
252106-0201	ELECTRONIC MODULE ASSEMBLY (EMA) - NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-06, AMM 25-21-06PROC. REF: AMM 25-21-06, AMM 25-21-06								
252106-0301	AIRBAG INFLATOR GAS CYLINDER, ACH COLD - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Component ATA:25
PN:PN	MOS/MSC	10-Jun-25	H/T	TSN 3				
SN:UNKNOWN	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04								
252107-0101	ELECTRONIC MODULE ASSEMBLY (EMA) - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Component ATA:25
PN:508358-415	MOS/MSC	23-May-22	O/C	TSN 0				
SN:A04MAR22-70	HRS	785.2		TSN 0				
	AFL	558		TSN 0				
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04								
252108-0101	ELECTRONIC MODULE ASSEMBLY - NO. 1 PAX SEAT BELT AIRBAG SYSTEM							Component ATA:25
PN:508358-415	MOS/MSC	23-May-22	O/C	TSN 0				
SN:A04MAR22-66	HRS	785.2		TSN 0				
	AFL	558		TSN 0				
PROC. REF: AMM 25-21-05, AMM 25-21-05PROC. REF: AMM 25-21-05, AMM 25-21-05								
252108-0102	ELECTRONIC MODULE ASSEMBLY - NO. 2 PAX SEAT BELT AIRBAG SYSTEM							Component ATA:25
PN:508358-415	MOS/MSC	23-May-22	O/C	TSN 0				
SN:A04MAR22-67	HRS	785.2		TSN 0				
	AFL	558		TSN 0				
PROC. REF: AMM 25-21-05, AMM 25-21-05PROC. REF: AMM 25-21-05, AMM 25-21-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252109-0101	AIRBAG INFLATOR GAS CYLINDER, ACH COLD - NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM							Component ATA:25
PN:PN	MOS/MSC	06-May-16	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04								
252603-0101	SIDE FACING SEAT ASSEMBLY							Component ATA:25
PN:PN	MOS/MSC	06-May-16	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-26-03, AMM 25-26-03PROC. REF: AMM 25-26-03, AMM 25-26-03								
253101-0101	GALLEY BLURAY PLAYER							Component ATA:25
PN:990-E4750-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15129902344	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-31-01, AMM 25-31-01PROC. REF: AMM 25-31-01, AMM 25-31-01								
253101-0102	GALLEY BLURAY PLAYER							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-31-01, AMM 25-31-01PROC. REF: AMM 25-31-01, AMM 25-31-01								
253201-0101	GALLEY CABINET ELECTRICAL OVEN							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-32-01, AMM 25-32-01PROC. REF: AMM 25-32-01, AMM 25-32-01								
253202-0101	GALLEY CABINET MICROWAVE OVEN							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-32-01, AMM 25-32-01PROC. REF: AMM 25-32-01, AMM 25-32-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253204-0101 GALLEY ELECTRICAL NESPRESSO COFFEE MAKER								Component ATA:25
PN:400-1907-06	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15-11-03242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-32-04, AMM 25-32-04PROC. REF: AMM 25-32-04, AMM 25-32-04								
253205-0101 GALLEY ELECTRICAL REFRIGERATOR								Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-32-05, AMM 25-32-05PROC. REF: AMM 25-32-05, AMM 25-32-05								
254203-0101 TOILET SEAT LEG RESTRAINT ASSEMBLY								Component ATA:25
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-42-03, AMM 25-42-03PROC. REF: AMM 25-42-03, AMM 25-42-03								
254203-0301 AIRBAG CYLINDER INFLATOR, ACH COLD (TOILET LEG AIRBAG ASSEMBLY)								Component ATA:25
PN:PN	MOS/MSC	06-May-16	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3								
254203-0401 ELECTRONIC MODULE ASSEMBLY - TOILET SEAT LEG RESTRAINT								Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-42-03, AMM 25-42-03PROC. REF: AMM 25-42-03, AMM 25-42-03								
256100-0101 EMERGENCY LOCATOR TRANSMITTER								Component ATA:25
PN:S1821502-02	MOS/MSC	06-May-16	O/C	TSN 0				
SN:LX1100253095	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-01, AMM 25-61-01PROC. REF: AMM 25-61-01, AMM 25-61-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256101-0101	LH RACK INTERCONNECTION CABLE							Component ATA:25
PN:S1825503-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TM0000085270	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256102-0101	GND PROX/ELT ASSY CONTROL PANEL							Component ATA:25
PN:433700-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:433700AA0080	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-02, AMM 25-61-02PROC. REF: AMM 25-61-02, AMM 25-61-02								
256103-0101	WHITE ELT ANTENNA							Component ATA:25
PN:S65-1231	MOS/MSC	06-May-16	O/C	TSN 0				
SN:160-1324	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-03, AMM 25-61-03PROC. REF: AMM 25-61-03, AMM 25-61-03								
256104-0101	EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Component ATA:25
PN:S1820516-99	MOS/MSC	23-May-22	O/C	TSN 0				
SN:TM0000241356	HRS	785.2		TSN 0				
	AFL	558		TSN 0				
PROC. REF: AMM 25-61-01, AMM 25-61-01PROC. REF: AMM 25-61-01, AMM 25-61-01								
256105-0101	LH RACK ELT/NAV INTERFACE MODULE							Component ATA:25
PN:S1825502-02	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TM0000078492	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-05, AMM 25-61-05PROC. REF: AMM 25-61-05, AMM 25-61-05								
256201-0101	FIRST AID KIT							Component ATA:25
PN:509229	MOS/MSC	10-Jun-25	O/C					
SN:020525001	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256202-0101	PILOT LIFE VEST							Component ATA:25
PN:66601-505	MOS/MSC	10-Jun-25	O/C	TSN 16				
SN:L6140835	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0102	CO-PILOT LIFE VEST							Component ATA:25
PN:66601-505	MOS/MSC	10-Jun-25	O/C	TSN 16				
SN:L6140832	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4								
256202-0103	NO. 1 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:RSS-301	MOS/MSC	28-Oct-25	O/C	TSN 1				
SN:2546037	HRS	1500.5		TSN 0				
	AFL	1118		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0104	NO. 2 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:RSS-301	MOS/MSC	28-Oct-25	O/C	TSN 1				
SN:2546057	HRS	1500.5		TSN 0				
	AFL	1118		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0105	NO. 3 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	13-Oct-20	O/C	TSN 0				
SN:L4801537	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0106	NO. 4 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:RSS-301	MOS/MSC	28-Oct-25	O/C	TSN 1				
SN:2546049	HRS	1500.5		TSN 0				
	AFL	1118		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256202-0107	NO. 5 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	13-Oct-20	O/C	TSN 0				
SN:L4801539	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0108	NO. 6 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	13-Oct-20	O/C	TSN 0				
SN:L4801540	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0109	NO. 7 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:RSS-301	MOS/MSC	28-Oct-25	O/C	TSN 1				
SN:2546031	HRS	1500.5		TSN 0				
	AFL	1118		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0110	NO. 8 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0111	NO. 9 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0112	NO. 10 PASSENGER CABIN LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256202-0113	OBSERVER LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0114	TOILET LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0115	DIVAN NO. 1 LIFE VEST							Component ATA:25
PN:RSS-301P	MOS/MSC	10-Jun-25	O/C	TSN 12				
SN:2471531	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0116	DIVAN NO. 2 LIFE VEST							Component ATA:25
PN:RSS-301P	MOS/MSC	10-Jun-25	O/C	TSN 12				
SN:2471532	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0117	DIVAN NO. 3 LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256202-0118	SIDE FACING SEAT EMERGENCY LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	06-May-16	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256203-0101	NO. 1 LIFE RAFT							Component ATA:25
PN:812FASA-391-1-101	MOS/MSC	05-Apr-24	O/C					
SN:8UL-00862	HRS	1223.9		TSO 0				
	AFL	926		TSO 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
256205-0101	LIFELINE							Component ATA:25
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
7500-001 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF WING MAIN BOX, WING LEADING EDGE, SPOILER SURFACES AND WINGLET							Service ATA:25
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								
ATA 26 - FIRE PROTECTION								
26-20-00-001	RESTORATION (OVERHAUL) ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE A)							Service ATA:26
PN:33000101-2	MOS	10-Jun-25	120	01-Nov-34 (M)		3184 d		OVERHAUL
SN:92140B1	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 01-Nov-24								
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-001	RESTORATION (OVERHAUL) ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE B)							Service ATA:26
PN:33000101-2	MOS	10-Jun-25	120	01-Nov-34		3184 d		OVERHAUL
SN:92141B1	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 01-Nov-24								
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-00-002	^S	OPERATIONAL CHECK OF ENGINE / AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)						Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								PKG:15
26-21-00-001	^S	FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHING DISTRIBUTION SYSTEM						Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-21-05PROC. REF: AMM 26-21-05								PKG:15
26-21-01-001	^S	OPERATIONAL CHECK OF ENGINE FIRE EXTINGUISHING PUSHBUTTONS						Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								PKG:15
26-21-04-001		DISCARD NO. 1 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE						Service ATA:26
PN:30903962-1	MOS	10-Jun-25	120		01-Dec-34		3214 d	DISCARD
SN:0075EL	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04								Manufacture Date:: 01-Dec-24
26-21-04-001		DISCARD NO. 1 (BOTTLE B) ENGINE FIRE EXTINGUISHER CARTRIDGE						Service ATA:26
PN:30903962-1	MOS	10-Jun-25	120		01-Dec-34		3214 d	DISCARD
SN:0072EL	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04								Manufacture Date:: 01-Dec-24

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-04-001	DISCARD NO. 2 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE							Service ATA:26
PN:30903962-3	MOS	10-Jun-25	120		01-Dec-34		3214 d	DISCARD
SN:0325EK	HRS	1446.4						
	AFL	1073						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04								
26-21-04-001	DISCARD NO. 2 (BOTTLE B) ENGINE FIRE EXTINGUISHER CARTRIDGE							Service ATA:26
PN:30903963-1	MOS	10-Jun-25	120		01-Dec-34		3214 d	DISCARD
SN:0296EK	HRS	1446.4						
	AFL	1073						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04								
26-22-00-001 ^S	FUNCTIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING DISTRIBUTION SYSTEM							Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PKG:15								
PROC. REF: AMM 26-22-05PROC. REF: AMM 26-22-05								
26-22-01-001 ^S	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING PUSHBUTTON							Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
26-22-01-002 ^S	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FUEL SHUTOFF SYSTEM							Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PKG:15								
PROC. REF: AMM 28-22-01PROC. REF: AMM 28-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-22-01-901	^S	OPERATIONAL CHECK OF APU FIRE EXTINGUISHING PANEL						Service ATA:26
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
26-22-04-001		DISCARD APU (BOTTLE A) FIRE EXTINGUISHER CARTRIDGE						Service ATA:26
PN:30903899	MOS	10-Jun-25	120		01-Dec-34		3214 d	DISCARD
SN:0202EH	HRS	1446.4						
	AFL	1073						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 26-22-04PROC. REF: AMM 26-22-04								
26-22-04-001		DISCARD APU (BOTTLE B) FIRE EXTINGUISHER CARTRIDGE						Service ATA:26
PN:30903899	MOS	10-Jun-25	120		01-Dec-34		3214 d	DISCARD
SN:0268EH	HRS	1446.4						
	AFL	1073						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 26-22-04PROC. REF: AMM 26-22-04								
26-23-00-001	^S	OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PUSHBUTTON						Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
26-23-00-002		RESTORATION (OVERHAUL) AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (1050 CU IN) BOTTLE						Service ATA:26
PN:34550007-1	MOS	10-Jun-25	120		01-Oct-34		3153 d	OVERHAUL
SN:11732H1	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 01-Oct-24								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-23-00-002		RESTORATION (OVERHAUL) AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (630 CU IN) BOTTLE						Service ATA:26
PN:PN	MOS/MSC	06-May-16	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-002		RESTORATION (OVERHAUL) OF AFT CARGO COMPARTMENT HIGH-RATE FIRE EXTINGUISHING (86 CU IN) BOTTLE						Service ATA:26
PN:33100037-1	MOS	10-Jun-25	120		28-Feb-35 (M)		3303 d	OVERHAUL
SN:93338B1	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 01-Feb-25								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-003		DISCARD AFT CARGO COMPARTMENT HIGH-RATE FIRE EXTINGUISHING (86 CU IN) BOTTLE CARTRIDGE						Component ATA:26
PN:30903963	MOS	10-Jun-25	120	TSN 0	01-Feb-35		3276 d	LIFE LIMIT
SN:2212EM	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
Manufacture Date:: 01-Feb-25								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-003		DISCARD AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (1050 CU IN) BOTTLE CARTRIDGE						Component ATA:26
PN:30903962-1	MOS	10-Jun-25	120	TSN 7	01-Nov-34		3184 d	LIFE LIMIT
SN:2210EF	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
Manufacture Date:: 01-Nov-24								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-003		DISCARD AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (630 CU IN) BOTTLE CARTRIDGE						Component ATA:26
PN:PN	MOS/MSC	N/A						
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-23-00-004	^S	OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING BOTTLE PRESSURE SWITCHES						Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								PKG:15
26-23-00-005	^S	FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING DISTRIBUTION SYSTEM						Service ATA:26
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-006		RESTORATION (OVERHAUL) CARGO COMPARTMENT FIRE EXTINGUISHING FLOW METERING VALVE						Service ATA:26
PN:36500078-2	MOS	15-Oct-25	120		15-Oct-35		3532 d	OVERHAUL
SN:FM101567	HRS	1500.5						
	AFL	1118						
OverHaul Date:: 15-Oct-25								
PROC. REF: AMM 26-23-08PROC. REF: AMM 26-23-08								
26-23-00-901	^S	OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PANEL						Service ATA:26
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
26-23-00-902	^S	FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING SYSTEM						Service ATA:26
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-24-00-001	FUNCTIONAL CHECK COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:RT-A1200	MOS	10-Jun-25	12	Adj -11d	23-May-26		100 d	WEIGHT CHECK
SN:D58317507	HRS	1446.4						
	AFL	1073						
WeightCheck Date : : 03-Jun-25								WO#: N214EE-ADDONS
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-00-001	FUNCTIONAL CHECK PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:RT-A1200	MOS	10-Jun-25	12	Adj -11d	23-May-26		100 d	WEIGHT CHECK
SN:D58317652	HRS	1446.4						
	AFL	1073						
WeightCheck Date : : 03-Jun-25								WO#: N214EE-ADDONS
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-00-001	FUNCTIONAL CHECK VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:892480	MOS	10-Jun-25	12		03-Jun-26		111 d	WEIGHT CHECK
SN:50160	HRS	1446.4						
	AFL	1073						
WeightCheck Date : : 03-Jun-25								WO#: N214EE-ADDONS
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-00-002	FUNCTIONAL CHECK COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:RT-A1200	MOS/MSC		N/A					
SN:D58317507	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-00-002	FUNCTIONAL CHECK PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:RT-A1200	MOS/MSC		N/A					
SN:D58317652	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-24-00-002	FUNCTIONAL CHECK VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:892480	MOS/MSC		N/A					
SN:50160	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-00-003 ^U	MONTHLY COCKPIT FIRE EXTINGUISHER INSPECTION							Service ATA:26
	DAYS	05-Jan-26	31		05-Feb-26		OVD	
	HRS	1500.5						
	AFL	1118						
26-24-00-004 ^U	MONTHLY CABIN FIRE EXTINGUISHER INSPECTION							Service ATA:26
	DAYS	05-Jan-26	31		05-Feb-26		OVD	
	HRS	1500.5						
	AFL	1118						
26-24-00-005 ^U	MONTHLY VANITY FIRE EXTINGUISHER INSPECTION							Service ATA:26
	DAYS	05-Jan-26	31		05-Feb-26		OVD	
	HRS	1500.5						
	AFL	1118						
26-24-01-001	DISCARD COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:RT-A1200	MOS	01-Jan-21	144		01-Jan-33		2515 d	LIFE LIMIT
SN:D58317507	HRS							
	AFL							
Manufacture Date:: 01-Jan-21								
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-001	DISCARD PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:RT-A1200	MOS	01-Jan-21	144		01-Jan-33		2515 d	LIFE LIMIT
SN:D58317652	HRS							
	AFL							
Manufacture Date:: 01-Jan-21								
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-24-02-001	RESTORE (OVERHAUL) OF VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE							Service ATA:26
PN:892480	MOS	06-Jul-23	60		01-Apr-28 (M)		779 d	OVERHAUL
SN:50160	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-02-002	RESTORATION (OVERHAUL) COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:RT-A1200	MOS/MSC		N/A					
SN:D58317507	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-02-002	RESTORATION (OVERHAUL) PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:RT-A1200	MOS/MSC		N/A					
SN:D58317652	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-CUS-001 ^U	INSPECT (INTERNAL) COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:RT-A1200	MOS	29-Nov-21	72		29-Nov-27		655 d	
SN:D58317507	HRS	690.2						
	AFL	503						
26-24-CUS-001 ^U	INSPECT (INTERNAL) PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:RT-A1200	MOS	29-Nov-21	72		29-Nov-27		655 d	
SN:D58317652	HRS	690.2						
	AFL	503						
26-25-01-001	VISUAL CHECK LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE GAUGE							Service ATA:26
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 26-25-01PROC. REF: AMM 26-25-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-25-01-002	FUNCTIONAL CHECK LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 26-25-01PROC. REF: AMM 26-25-01								
261213-0101	APU ASSY FIRE DETECTOR							Component ATA:26
PN:3601-135-470/200C-3.5M	MOS/MSC	06-May-16	O/C	TSN 0				
SN:261693	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-12-01, AMM 26-12-01PROC. REF: AMM 26-12-01, AMM 26-12-01								
261301-0101	REAR FUS MODEL 602 DUAL CHANNEL SMOKE DETECTOR							Component ATA:26
PN:8930-222B60H401	MOS/MSC	06-May-16	O/C	TSN 0				
SN:24972	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-13-01, AMM 26-13-01PROC. REF: AMM 26-13-01, AMM 26-13-01								
261302-0101	TOILET MODEL 602 SINGLE CHANNEL SMOKE DETECTOR							Component ATA:26
PN:8930-214B60H411	MOS/MSC	06-May-16	O/C	TSN 0				
SN:25123	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-14-01, AMM 26-14-01PROC. REF: AMM 26-14-01, AMM 26-14-01								
261501-0101	MODE ELECTRONIC BAY SMOKE DETECTOR							Component ATA:26
PN:8930-212B63H142	MOS/MSC	06-May-16	O/C	TSN 0				
SN:24680	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-15-01, AMM 26-15-01PROC. REF: AMM 26-15-01, AMM 26-15-01								
261501-0102	C FLOOR MODE ELECTRONIC BAY SMOKE DETECTOR							Component ATA:26
PN:8930-212B63H142	MOS/MSC	06-May-16	O/C	TSN 0				
SN:24679	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-15-01, AMM 26-15-01PROC. REF: AMM 26-15-01, AMM 26-15-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261501-0103	RIGHT MODE ELECTRONIC BAY SMOKE DETECTOR							Component ATA:26
PN:8930-212B63H142	MOS/MSC	06-May-16	O/C	TSN 0				
SN:24677	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-15-01, AMM 26-15-01PROC. REF: AMM 26-15-01, AMM 26-15-01								
262101-0101	ENGINE/AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING (TCPS)TEMPERATURE COMPENSATED PRESSURE SWITCH							Component ATA:26
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
262102-0101	ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE A)							Component ATA:26
PN:33000101-2	MOS/MSC	10-Jun-25	O/C	TSN 7				
SN:92140B1	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-21-02, AMM 26-21-02PROC. REF: AMM 26-21-02, AMM 26-21-02								
262102-0102	ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE B)							Component ATA:26
PN:33000101-2	MOS/MSC	10-Jun-25	O/C	TSN 7				
SN:92141B1	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-20-00, AMM 26-20-00PROC. REF: AMM 26-20-00, AMM 26-20-00								
262104-0101	NO. 1 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:30903962-1	MOS/MSC	10-Jun-25	H/T	TSN 6				
SN:0075EL	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04								
262104-0101	NO. 2 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:30903962-3	MOS/MSC	10-Jun-25	H/T	TSN 6				
SN:0325EK	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262104-0102	NO. 1 (BOTTLE B) ENGINE/APU FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:30903962-1	MOS/MSC	10-Jun-25	H/T	TSN 6				
SN:0072EL	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04								
262104-0102	NO. 2 (BOTTLE B) ENGINE/APU FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:30903963-1	MOS/MSC	10-Jun-25	H/T	TSN 6				
SN:0296EK	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04								
262113-0101	CSL CENT ENGINE FIRE ASSY CONTROL PANEL							Component ATA:26
PN:432300-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:432300AA0065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-21-01, AMM 26-21-01PROC. REF: AMM 26-21-01, AMM 26-21-01								
262204-0101	APU (BOTTLE A) FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:30903899	MOS/MSC	10-Jun-25	H/T	TSN 6				
SN:0202EH	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-22-04PROC. REF: AMM 26-22-04								
262204-0102	APU (BOTTLE B) FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:30903899	MOS/MSC	10-Jun-25	H/T	TSN 6				
SN:0268EH	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-22-04PROC. REF: AMM 26-22-04								
262213-0101	OVERHEAD FIRE PROTECTION SYS CONTROL PANEL							Component ATA:26
PN:431100-002	MOS/MSC	20-Oct-17	O/C	TSN 13				
SN:431100AA0119	HRS	328.9		TSN 0				
	AFL	228		TSN 0				
PROC. REF: AMM 26-22-01, AMM 26-22-01PROC. REF: AMM 26-22-01, AMM 26-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262301-0101 AFT CARGO COMPARTMENT HIGH-RATE FIRE EXTINGUISHING (86 CU IN) BOTTLE								Component ATA:26
PN:33100037-1	MOS/MSC	10-Jun-25	O/C	TSN 4				
SN:93338B1	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-23-01, AMM 26-23-01PROC. REF: AMM 26-23-01, AMM 26-23-01								
262301-0102 AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (1050 CU IN) BOTTLE								Component ATA:26
PN:34550007-1	MOS/MSC	10-Jun-25	O/C	TSN 8				
SN:11732H1	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
PROC. REF: AMM 26-23-01, AMM 26-23-01PROC. REF: AMM 26-23-01, AMM 26-23-01								
262301-0103 AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (630 CU IN) BOTTLE								Component ATA:26
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-23-01, AMM 26-23-01PROC. REF: AMM 26-23-01, AMM 26-23-01								
262301-0301 CARGO COMPARTMENT FIRE EXTINGUISHING FLOW METERING VALVE								Component ATA:26
PN:36500078-2	MOS/MSC	15-Oct-25	O/C	TSN 0				
SN:FM101567	HRS	1500.5		TSN 0				
	AFL	1118		TSN 0				
PROC. REF: AMM 26-23-08, AMM 26-23-08PROC. REF: AMM 26-23-08, AMM 26-23-08								
262401-0101 COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE								Component ATA:26
PN:RT-A1200	MOS/MSC	23-May-22	O/C	TSN 6				
SN:D58317507	HRS	785.2		TSN 95				
	AFL	558		TSN 55				
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
262401-0102 PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE								Component ATA:26
PN:RT-A1200	MOS/MSC	23-May-22	O/C	TSN 6				
SN:D58317652	HRS	785.2		TSN 95				
	AFL	558		TSN 55				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262401-0103	VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE							Component ATA:26
PN:892480	MOS/MSC	03-Jul-24	O/C	TSN 12				
SN:50160	HRS	1267.3		TSN 0				
	AFL	949		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
262500-0101	LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE							Component ATA:26
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-25-01, AMM 26-25-01PROC. REF: AMM 26-25-01, AMM 26-25-01								
C26-22-01-001 ^S	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING PUSHBUTTON							Service ATA:26
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
C26-23-00-001 ^S	OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PUSHBUTTON							Service ATA:26
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
C26-23-00-002 ^S	FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING DISTRIBUTION SYSTEM							Service ATA:26
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
ATA 27 - FLIGHT CONTROLS								
27-00-00-001 ^S	OPERATIONAL CHECK (INTEGRITY TEST) OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
	AFL	1073						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-002	^S	OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) COMPENSATORS						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-901	^S	OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) -INTEGRITY TEST						Service ATA:27
	MOS	10-Jun-25						CMR
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-902	^S	OPERATIONAL CHECK OF FLIGHT CONTROLS POWER UNITS (PCUS) COMPENSATORS						Service ATA:27
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-01-00-001	^S	OPERATIONAL CHECK OF FLY-BY-WIRE BACKUP BATTERY SYSTEM						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
								PKG:15
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01								
27-01-01-003		OPERATIONAL CHECK OF THE FLY-BY-WIRE BACKUP BATTERY						Service ATA:27
PN:100-2410-08	MOS	10-Jun-25	12 (+15d/-15d)	Adj -21d	20-May-26	04-Jun-26	97 d (+15)	
SN:1159923	HRS	1446.4						
	AFL	1073						
								PKG:12
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-03-00-001	^S	OPERATIONAL CHECK OF SIDESTICK PRIORITY FUNCTION						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 27-05-01PROC. REF: AMM 27-05-01								
27-03-00-002	^S	OPERATIONAL CHECK OF SIDESTICK TACTILE WARNING						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 27-05-01PROC. REF: AMM 27-05-01								
PKG:1								
27-03-00-901	^S	OPERATIONAL CHECK OF SIDE STICK PRIORITY FUNCTION						Service ATA:27
	MOS	10-Jun-25					CMR	
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-05-01PROC. REF: AMM 27-05-01								
27-03-01-001	^S	OPERATIONAL CHECK OF FLIGHT CONTROL PANEL						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01								
27-03-01-901	^S	OPERATIONAL CHECK OF FLIGHT CONTROLS PANEL						Service ATA:27
	MOS	10-Jun-25					CMR	
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01								
27-12-01-001	^S	LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)						Service ATA:27
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-21-10PROC. REF: AMM 12-21-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-12-01-003	^S	FUNCTIONAL CHECK OF AILERON BACKLASH						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
27-12-01-901	^S	LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)						Service ATA:27
	MOS	10-Jun-25						CMR
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 12-21-10PROC. REF: AMM 12-21-10								
27-12-01-902	^S	FUNCTIONAL CHECK OF AILERON BACKLASH						Service ATA:27
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
27-21-02-901	^S	GENERAL VISUAL INSPECTION OF RUDDER PEDAL ASSEMBLY EXTENSION SPRINGS						Service ATA:27
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 27-21-02PROC. REF: AMM 27-21-02								
27-22-01-001	^S	LUBRICATION OF RUDDER POWER CONTROL UNITS (PCUS)						Service ATA:27
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-21-12PROC. REF: AMM 12-21-12								
27-22-01-003	^S	FUNCTIONAL CHECK OF RUDDER BACKLASH						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-22-01-901	^S	LUBRICATION OF RUDDER POWER CONTROL UNIT (PCUS)						Service ATA:27
	MOS	10-Jun-25						CMR
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 12-21-12PROC. REF: AMM 12-21-12								
27-22-01-902	^S	FUNCTIONAL CHECK OF RUDDER BACKLASH						Service ATA:27
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
27-32-01-001	^S	LUBRICATION OF ELEVATOR POWER CONTROL UNITS (PCUS)						Service ATA:27
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-21-11PROC. REF: AMM 12-21-11								
27-32-01-003	^S	FUNCTIONAL CHECK OF ELEVATOR BACKLASH						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
27-32-01-901	^S	LUBRICATION OF ELEVATOR POWER CONTROL UNITS (PCUS)						Service ATA:27
	MOS	10-Jun-25						CMR
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 12-21-11PROC. REF: AMM 12-21-11								
27-32-01-902	^S	FUNCTIONAL CHECK OF ELEVATOR BACKLASH						Service ATA:27
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-43-01-001	^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH						Service ATA:27
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01								
27-43-01-002	^S	FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
27-43-01-003	^S	OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY FUNCTION						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01								
27-43-01-901	^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH						Service ATA:27
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01								
27-43-01-902	^S	FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH						Service ATA:27
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
27-43-01-903	^S	OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY						Service ATA:27
	MOS	10-Jun-25						CMR
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-01-001	^S	LUBRICATION OF FLAP ACTUATOR BALLSCREW						Service ATA:27
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-21-13PROC. REF: AMM 12-21-13								PKG:12
27-51-01-002	^S	SERVICE FLAP ACTUATOR GEARBOX						Service ATA:27
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 12-21-13, AMM 12-21-13PROC. REF: AMM 12-21-13, AMM 12-21-13								PKG:24
27-51-01-003	^S	FUNCTIONAL CHECK OF FLAP ACTUATOR FORCE LIMITER						Service ATA:27
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								PKG:20
27-51-02-001	^S	DETAILED INSPECTION OF FLAP FLEXIBLE SHAFTS						Service ATA:27
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 27-51-02PROC. REF: AMM 27-51-02								PKG:24
27-51-03-001	^S	LUBRICATION OF FLAP ACTUATOR PIN INTERFACE WITH FLAP TRACK 3						Service ATA:27
	MOS	10-Jun-25	12 (+15d/-15d)					CATEGORY 9
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 27-51-04PROC. REF: AMM 27-51-04								PKG:12 WO#: N214EE-ADDONS

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-53-02-001	^S	FUNCTIONAL CHECK OF POWER DRIVE UNIT (PDU) SLIP CLUTCH						Service ATA:27
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-53-02PROC. REF: AMM 27-53-02								PKG:20
27-53-02-002	^S	FUNCTIONAL CHECK OF POWER DRIVE UNIT (PDU) TORQUE BRAKE						Service ATA:27
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-53-02PROC. REF: AMM 27-53-02								PKG:20
27-64-01-901	^S	OPERATIONAL CHECK OF THE SPOILERS PCU SELF RETRACTION FEATURE						Service ATA:27
	MOS	10-Jun-25						CMR
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-64-01PROC. REF: AMM 27-64-01								
27-65-01-001	^S	OPERATIONAL CHECK OF MULTIFUNCTION SPOILER DOWNLOCK VALVE						Service ATA:27
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 27-65-01PROC. REF: AMM 27-65-01								PKG:20
27-65-01-002	^S	OPERATIONAL CHECK OF MULTI FUNCTION SPOILER ELECTRO HYDRAULIC SERVO VALVE (EHSV)						Service ATA:27
	MOS	10-Jun-25						CATEGORY 8
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 27-64-01PROC. REF: AMM 27-64-01								
270000-0101		FLIGHT CONTROLS - POWER CONTROL UNIT						Component ATA:27
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
270100-0101	FLY-BY-WIRE BACKUP BATTERY							Component ATA:27
PN:100-2410-08	MOS/MSC	25-Apr-20	O/C					
SN:1159923	HRS	579.7						
	AFL	427						
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01								
270302-0101	C FLOOR (IIM) INCEPTOR INTERFACE MODULE							Component ATA:27
PN:493000-1009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0203	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-02, AMM 27-03-02PROC. REF: AMM 27-03-02, AMM 27-03-02								
270302-0102	LH RACK (IIM) INCEPTOR INTERFACE MODULE							Component ATA:27
PN:493000-1009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0206	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-02, AMM 27-03-02PROC. REF: AMM 27-03-02, AMM 27-03-02								
270302-0103	C FLOOR (IIM) INCEPTOR INTERFACE MODULE							Component ATA:27
PN:493100-1009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0054	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-02, AMM 27-03-02PROC. REF: AMM 27-03-02, AMM 27-03-02								
270302-0104	RH RACK (IIM) INCEPTOR INTERFACE MODULE							Component ATA:27
PN:493200-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-02, AMM 27-03-02PROC. REF: AMM 27-03-02, AMM 27-03-02								
270303-0101	C FLOOR (REU) REMOTE ELECTRONIC UNIT							Component ATA:27
PN:519700-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:16A1356	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03								
270303-0102	LH RACK (REU) REMOTE ELECTRONIC UNIT							Component ATA:27
PN:519700-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:16A1364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03								
270303-0103	LH RACK (REU) REMOTE ELECTRONIC UNIT							Component ATA:27
PN:519700-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:16A1370	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03								
270303-0104	RH RACK (REU) REMOTE ELECTRONIC UNIT							Component ATA:27
PN:519700-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:16A1367	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03								
270303-0105	CARGO CP (REU) REMOTE ELECTRONIC UNIT							Component ATA:27
PN:519800-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15J1238	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03								
270303-0106	CARGO CP (REU) REMOTE ELECTRONIC UNIT							Component ATA:27
PN:519800-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15J1239	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03								
270303-0107	RH RACK (REU) REMOTE ELECTRONIC UNIT							Component ATA:27
PN:519800-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:16A1348	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03								
270303-0108 CARGO CP (REU) REMOTE ELECTRONIC UNIT								Component ATA:27
PN:519800-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15J1247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03								
270304-0101 LH RACK ELECTRONICS MOTOR CONTROL								Component ATA:27
PN:493300-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-04, AMM 27-03-04PROC. REF: AMM 27-03-04, AMM 27-03-04								
270304-0102 CARGO CP ELECTRONICS MOTOR CONTROL								Component ATA:27
PN:493300-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0535	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-04, AMM 27-03-04PROC. REF: AMM 27-03-04, AMM 27-03-04								
270305-0101 C FLOOR (FCC) FLIGHT CONTROL COMPUTER								Component ATA:27
PN:494910-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00192	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-05, AMM 27-03-05PROC. REF: AMM 27-03-05, AMM 27-03-05								
270305-0102 LH RACK (FCC) FLIGHT CONTROL COMPUTER								Component ATA:27
PN:494910-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-05, AMM 27-03-05PROC. REF: AMM 27-03-05, AMM 27-03-05								
270313-0101 CSL CENT FLIGHT CONTROLS ASSY CONTROL PANEL								Component ATA:27
PN:432000-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:432000AA0066	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
270501-0101PILOT W/O EVS SIDESTICK								Component ATA:27
PN:493800-3009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0051	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-05-01, AMM 27-05-01PROC. REF: AMM 27-05-01, AMM 27-05-01								
270501-0102COPILOT W/O EVS SIDESTICK								Component ATA:27
PN:493800-3010	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0050	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-05-01, AMM 27-05-01PROC. REF: AMM 27-05-01, AMM 27-05-01								
271101-0101LEFT AILERON ASSY								Component ATA:27
PN:550-66101-407	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004342	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-11-01, AMM 27-11-01PROC. REF: AMM 27-11-01, AMM 27-11-01								
271101-0102RIGHT AILERON ASSY								Component ATA:27
PN:550-66101-408	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004339	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-11-01, AMM 27-11-01PROC. REF: AMM 27-11-01, AMM 27-11-01								
271201-0101LH OUTBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR								Component ATA:27
PN:484000-1005	MOS/MSC	23-May-22	O/C					
SN:0778	HRS	785.2		TSN 1143				
	AFL	558		TSN 806				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
271201-0102RH OUTBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR								Component ATA:27
PN:484000-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0264	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
271201-0103	LH INBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484000-1005	MOS/MSC	23-May-22	O/C					
SN:0773	HRS	785.2		TSN 1143				
	AFL	558		TSN 806				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
271201-0104	RH INBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484000-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0254	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
271301-0101	LH AILERON SINGLE LVDT POSITION SENSOR							Component ATA:27
PN:489600-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CWL0233	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-13-01, AMM 27-13-01PROC. REF: AMM 27-13-01, AMM 27-13-01								
271301-0102	RH AILERON SINGLE LVDT POSITION SENSOR							Component ATA:27
PN:489600-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CWL0225	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-13-01, AMM 27-13-01PROC. REF: AMM 27-13-01, AMM 27-13-01								
271301-0103	LH AILERON SINGLE LVDT POSITION SENSOR							Component ATA:27
PN:489600-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CWL0249	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-13-01, AMM 27-13-01PROC. REF: AMM 27-13-01, AMM 27-13-01								
271301-0104	RH AILERON SINGLE LVDT POSITION SENSOR							Component ATA:27
PN:489600-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CWL0246	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-13-01, AMM 27-13-01PROC. REF: AMM 27-13-01, AMM 27-13-01								
272101-0101	RUDDER RUDDER ASSY							Component ATA:27
PN:550-67805-407	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000890854	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-21-01, AMM 27-21-01PROC. REF: AMM 27-21-01, AMM 27-21-01								
272102-0101	LEFT RUDDER PEDAL ASSEMBLY							Component ATA:27
PN:3005-1M04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CH00171	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-21-02, AMM 27-21-02PROC. REF: AMM 27-21-02, AMM 27-21-02								
272102-0102	RIGHT RUDDER PEDAL ASSEMBLY							Component ATA:27
PN:3005-1M04	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CH00161	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-21-02, AMM 27-21-02PROC. REF: AMM 27-21-02, AMM 27-21-02								
272201-0101	RUDDER UPPER HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484200-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0134	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
272201-0102	RUDDER LOWER HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484200-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0135	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
272301-0101	RUDDER SINGLE LVDT POSITION SENSOR							Component ATA:27
PN:489800-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CWL0054	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-23-01, AMM 27-23-01PROC. REF: AMM 27-23-01, AMM 27-23-01								
273101-0101	LEFT ELEVATOR ASSY							Component ATA:27
PN:550-67905-407	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000888568	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01, AMM 27-31-01PROC. REF: AMM 27-31-01, AMM 27-31-01								
273101-0102	RIGHT ELEVATOR ASSY							Component ATA:27
PN:550-67905-408	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000888569	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01, AMM 27-31-01PROC. REF: AMM 27-31-01, AMM 27-31-01								
273201-0101	LH INBOARD ELEVATOR HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484100-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0266	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
273201-0102	RH INBOARD ELEVATOR HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484100-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0264	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
273201-0103	LH OUTBOARD ELEVATOR HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484100-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0255	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
273201-0104	RH OUTBOARD ELEVATOR HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484100-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0249	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
274101-0101	COMPLETION							Component ATA:27
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
274301-0101	PITCH TRIM ACTUATOR							Component ATA:27
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-43-01, AMM 27-43-01PROC. REF: AMM 27-43-01, AMM 27-43-01								
274301-0102	ELETROMECHANICAL ACTUATOR ASSY							Component ATA:27
PN:492600-1017	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
274302-0101	PITCH TRIM ACTUATOR SLIP CLUTCH							Component ATA:27
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
274303-0101	HORIZONTAL STABILIZER							Component ATA:27
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-41-01, AMM 27-41-01, AMM 55-10-08, AMM 55-10-08PROC. REF: AMM 27-41-01, AMM 27-41-01, AMM 55-10-08, AMM 55-10-08								
274333-0101	CSL CENT TRIM SYSTEM ASSY CONTROL PANEL							Component ATA:27
PN:432100-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:432100AA0059	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-43-03, AMM 27-43-03PROC. REF: AMM 27-43-03, AMM 27-43-03								
275101-0101	NO. 1 FLAP MECHANICAL ACTUATOR							Component ATA:27
PN:488200-1009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0354	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
275101-0102	NO. 1 FLAP MECHANICAL ACTUATOR							Component ATA:27
PN:488200-1009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
275101-0103	NO. 2 FLAP MECHANICAL ACTUATOR							Component ATA:27
PN:488200-2009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0376	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
275101-0104	NO. 2 FLAP MECHANICAL ACTUATOR							Component ATA:27
PN:488200-2010	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0366	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
275101-0105	NO. 3 FLAP MECHANICAL ACTUATOR							Component ATA:27
PN:488200-3009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0355	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
275101-0106	NO. 3 FLAP MECHANICAL ACTUATOR							Component ATA:27
PN:488200-3010	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0391	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
275102-0101	LH FLAP FLEXIBLE 1 SHAFT							Component ATA:27
PN:488310-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SSW0111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-02, AMM 27-51-02PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0102	RH FLAP FLEXIBLE 1 SHAFT							Component ATA:27
PN:488310-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SSW0117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-02, AMM 27-51-02PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0103	LH FLAP FLEXIBLE 2 SHAFT							Component ATA:27
PN:488310-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SSW0117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-02, AMM 27-51-02PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0104	RH FLAP FLEXIBLE 2 SHAFT							Component ATA:27
PN:488310-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SSW0115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-02, AMM 27-51-02PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0105	LH FLAP FLEXIBLE 3 SHAFT							Component ATA:27
PN:488310-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SSW0107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-02, AMM 27-51-02PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0106	RH FLAP FLEXIBLE 3 SHAFT							Component ATA:27
PN:488310-1005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SSW0103	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-51-02, AMM 27-51-02PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0107 LH FLAP FLEXIBLE 4 SHAFT								Component ATA:27
PN:488310-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SSW0100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-02, AMM 27-51-02PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0108 RH FLAP FLEXIBLE 4 SHAFT								Component ATA:27
PN:488310-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SSW0110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-02, AMM 27-51-02PROC. REF: AMM 27-51-02, AMM 27-51-02								
275103-0101 LH WING INBOARD FLAP ASSEMBLY								Component ATA:27
PN:550-65001-413	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SA11007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-03, AMM 27-51-03PROC. REF: AMM 27-51-03, AMM 27-51-03								
275103-0102 RH WING INBOARD FLAP ASSEMBLY								Component ATA:27
PN:550-65001-414	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SA11007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-03, AMM 27-51-03PROC. REF: AMM 27-51-03, AMM 27-51-03								
275104-0101 LH WING OUTBOARD FLAP ASSEMBLY								Component ATA:27
PN:550-65003-417	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SA1049	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04PROC. REF: AMM 27-51-04, AMM 27-51-04								
275104-0102 RH WING OUTBOARD FLAP ASSEMBLY								Component ATA:27
PN:550-65003-418	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SA1050	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-51-04, AMM 27-51-04PROC. REF: AMM 27-51-04, AMM 27-51-04								
275301-0101	LH WING FLAP TRANSMISSION BRAKE							Component ATA:27
PN:488400-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0121	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-01, AMM 27-53-01PROC. REF: AMM 27-53-01, AMM 27-53-01								
275301-0102	RH WING FLAP TRANSMISSION BRAKE							Component ATA:27
PN:488400-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0120	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-01, AMM 27-53-01PROC. REF: AMM 27-53-01, AMM 27-53-01								
275302-0101	W STUB FLAP CONTROL POWER DRIVE UNIT							Component ATA:27
PN:488100-1017	MOS/MSC	03-Jul-24	O/C					
SN:0224	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 27-53-02, AMM 27-53-02PROC. REF: AMM 27-53-02, AMM 27-53-02								
275304-0101	LEFT FLAP ACTUATOR DISCONNECTION SENSOR							Component ATA:27
PN:488300-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:WMP0155	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-04, AMM 27-53-04PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0102	RIGHT FLAP ACTUATOR DISCONNECTION SENSOR							Component ATA:27
PN:488300-1004	MOS/MSC	06-May-16	O/C	TSN 0				
SN:WMP0152	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-04, AMM 27-53-04PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0103	LEFT FLAP ACTUATOR DISCONNECTION SENSOR							Component ATA:27
PN:488300-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:WMP0159	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-53-04, AMM 27-53-04PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0104 RIGHT FLAP ACTUATOR DISCONNECTION SENSOR								Component ATA:27
PN:488300-1004	MOS/MSC	06-May-16	O/C	TSN 0				
SN:WMP0153	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-04, AMM 27-53-04PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0105 LH FLAP ACTUATOR DISCONNECTION SENSOR								Component ATA:27
PN:488300-2003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:WMP0081	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-04, AMM 27-53-04PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0106 RH FLAP ACTUATOR DISCONNECTION SENSOR								Component ATA:27
PN:488300-2004	MOS/MSC	06-May-16	O/C	TSN 0				
SN:WMP0080	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-04, AMM 27-53-04PROC. REF: AMM 27-53-04, AMM 27-53-04								
275333-0101 CSL CENT FLAP SELECTOR LEVER								Component ATA:27
PN:494200-1009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0112	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-03, AMM 27-53-03PROC. REF: AMM 27-53-03, AMM 27-53-03								
276013-0101 CSL CENT SPEED BRAKE LEVER								Component ATA:27
PN:494300-1007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0106	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-61-01, AMM 27-61-01PROC. REF: AMM 27-61-01, AMM 27-61-01								
276401-0101 LH SPOILER 1 ASSY								Component ATA:27
PN:550-66301-409	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004415	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-64-01, AMM 27-64-01PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0102 RH SPOILER 1 ASSY								Component ATA:27
PN:550-66301-410	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004601	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-64-01, AMM 27-64-01PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0103 LH SPOILER 2 ASSY								Component ATA:27
PN:550-66401-409	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004422	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-64-01, AMM 27-64-01PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0104 RH SPOILER 2 ASSY								Component ATA:27
PN:550-66401-410	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004348	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-64-01, AMM 27-64-01PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0105 LH SPOILER 3 ASSY								Component ATA:27
PN:550-66501-409	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004645	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-64-01, AMM 27-64-01PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0106 RH SPOILER 3 ASSY								Component ATA:27
PN:550-66501-410	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004636	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-64-01, AMM 27-64-01PROC. REF: AMM 27-64-01, AMM 27-64-01								
276501-0101 LH SPOILER HYDROMECHANIC LINEAR ACTUATOR								Component ATA:27
PN:483900-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0126	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
276501-0102 RH SPOILER HYDROMECHANIC LINEAR ACTUATOR								Component ATA:27
PN:483900-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
276501-0103 LH SPOILER HYDROMECHANIC LINEAR ACTUATOR								Component ATA:27
PN:484300-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0260	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
276501-0104 RH SPOILER HYDROMECHANIC LINEAR ACTUATOR								Component ATA:27
PN:484300-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
276501-0105 LH SPOILER HYDROMECHANIC LINEAR ACTUATOR								Component ATA:27
PN:484300-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0274	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
276501-0106 RH SPOILER HYDROMECHANIC LINEAR ACTUATOR								Component ATA:27
PN:484300-1003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0234	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
C27-00-00-001	^S	OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) - INTEGRITY TEST						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								PKG:1
C27-00-00-002	^S	OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) COMPENSATORS						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								PKG:15
C27-03-00-001	^S	OPERATIONAL CHECK OF SIDESTICK PRIORITY FUNCTION						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-05-01PROC. REF: AMM 27-05-01								PKG:1
C27-03-01-001	^S	OPERATIONAL CHECK OF FLIGHT CONTROLS PANEL						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01								PKG:1
C27-12-01-001	^S	FUNCTIONAL CHECK OF AILERON BACKLASH						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
C27-12-01-002	LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	10-Jun-25	12		10-Jun-26		118 d	
	HRS	1446.4	750		2196.4		695.9	
	AFL	1073						
								WO#: N214EE-ADDONS
PROC. REF: AMM 12-21-10PROC. REF: AMM 12-21-10								
C27-22-01-001 ^S	FUNCTIONAL CHECK OF RUDDER BACKLASH							Service ATA:27
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
								PKG:15
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
C27-22-01-002	LUBRICATION OF RUDDER POWER CONTROL UNIT (PCUS)							Service ATA:27
	MOS	10-Jun-25	12		10-Jun-26		118 d	
	HRS	1446.4	750		2196.4		695.9	
	AFL	1073						
								WO#: N214EE-ADDONS
PROC. REF: AMM 12-21-12PROC. REF: AMM 12-21-12								
C27-32-01-001 ^S	FUNCTIONAL CHECK OF ELEVATOR BACKLASH							Service ATA:27
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
								PKG:15
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
C27-32-01-002	LUBRICATION OF ELEVATOR POWER CONTROL UNIT (PCUS)							Service ATA:27
	MOS	10-Jun-25	12		10-Jun-26		118 d	
	HRS	1446.4	750		2196.4		695.9	
	AFL	1073						
								WO#: N214EE-ADDONS
PROC. REF: AMM 12-21-11PROC. REF: AMM 12-21-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
C27-43-01-001	^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH						Service ATA:27
	MOS	06-May-16						
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01								PKG:20
C27-43-01-002	^S	FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH						Service ATA:27
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								PKG:15
C27-43-01-003	^S	OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY FUNCTION						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01								PKG:1
C27-65-01-001	^S	OPERATIONAL CHECK OF MULTI FUNCTION SPOILER ELECTRO HYDRAULIC SERVO VALVE (EHSV)						Service ATA:27
	MOS	10-Jun-25						
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: AMM 27-64-01PROC. REF: AMM 27-64-01								PKG:1
ATA 28 - FUEL								
28-01-00-001	^S	OPERATIONAL CHECK OF FUEL BACKUP BATTERY SYSTEM						Service ATA:28
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-01-01PROC. REF: AMM 28-01-01								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-01-01-003	OPERATIONAL CHECK OF THE FUEL BACKUP BATTERY							Service ATA:28
PN:100-2410-08	MOS	10-Jun-25	12 (+15d/-15d)	Adj -21d	20-May-26	04-Jun-26	97 d (+15)	
SN:1146639	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 28-01-01PROC. REF: AMM 28-01-01								PKG:12
28-11-00-001 ^S	FUNCTIONAL CHECK OF FUEL TANKS FOR MICROORGANISMS AND BIOCIDES APPLICATION							Service ATA:28
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 28-11-00PROC. REF: AMM 28-11-00								PKG:12
28-11-01-001 ^S	DETAILED INSPECTION OF FUEL TANK FLAPPER AND BAFFLE VALVES							Service ATA:28
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-11-01PROC. REF: AMM 28-11-01								PKG:20
28-11-03-001 ^S	DRAINING WATER FROM THE FUEL TANKS							Service ATA:28
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-11-00PROC. REF: AMM 12-11-00								PKG:12
28-12-01-001 ^S	OPERATIONAL CHECK OF FLOAT VENT VALVE							Service ATA:28
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-12-01PROC. REF: AMM 28-12-01								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-12-02-001	^S	DETAILED INSPECTION OF FLAME ARRESTOR						Service ATA:28
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-12-02PROC. REF: AMM 28-12-02								PKG:20
28-12-03-001	^S	OPERATIONAL CHECK OF VENTING TUBE FLOAT DRAIN VALVE						Service ATA:28
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-12-03PROC. REF: AMM 28-12-03								PKG:20
28-12-04-001	^S	GENERAL VISUAL INSPECTION OF NACA AIR INLET						Service ATA:28
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 28-12-04PROC. REF: AMM 28-12-04								PKG:1
28-21-00-901	^S	OPERATIONAL CHECK OFCROSSFEED SYSTEM						Service ATA:28
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06								
28-21-01-001	^S	OPERATIONAL CHECK OF FUEL SUCTION CHECK VALVE						Service ATA:28
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-21-01PROC. REF: AMM 28-21-01								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-04-001	^S	OPERATIONAL CHECK OF ENGINE FUEL SHUTOFF VALVE (SOV)						Service ATA:28
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-21-04PROC. REF: AMM 28-21-04								
28-21-04-901	^S	OPERATIONAL CHECK OF ENGINE SHUTOFF SYSTEM						Service ATA:28
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 28-21-04PROC. REF: AMM 28-21-04								
28-21-06-001	^S	OPERATIONAL CHECK OF FUEL CROSS-FEED VALVE						Service ATA:28
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06								
28-21-10-001	^S	FUNCTIONAL CHECK OF ENGINE FUEL FEED LINES SHROUD AND DRAINS						Service ATA:28
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-21-10PROC. REF: AMM 28-21-10								PKG:20
28-22-01-001	^S	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) SHUTOFF VALVE (SOV)						Service ATA:28
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-22-01PROC. REF: AMM 28-22-01								
28-22-01-902	^S	OPERATIONAL CHECK OF APU FUEL SOV IN THE FUEL TANK						Service ATA:28
	MOS	06-May-16						CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 28-22-01PROC. REF: AMM 28-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-22-04-001	^S	FUNCTIONAL CHECK OF AUXILIARY POWER UNIT (APU) FUEL FEED LINE SHROUD AND DRAIN						Service ATA:28
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-22-04PROC. REF: AMM 28-22-04								PKG:20
280100-0101		FUEL BACKUP BATTERY						Component ATA:28
PN:100-2410-08	MOS/MSC	25-Apr-20	O/C					
SN:1146639	HRS	579.7						
	AFL	427						
PROC. REF: AMM 28-01-01, AMM 28-01-01PROC. REF: AMM 28-01-01, AMM 28-01-01								
281103-0101		LH WING DRAIN VALVE						Component ATA:28
PN:100-0576-01	MOS/MSC	20-May-21	O/C	TSN 0				
SN:1077	HRS	613.5		TSN 0				
	AFL	450		TSN 0				
PROC. REF: AMM 28-11-03, AMM 28-11-03PROC. REF: AMM 28-11-03, AMM 28-11-03								
281103-0102		RH WING DRAIN VALVE						Component ATA:28
PN:100-0576-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00228	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-03, AMM 28-11-03PROC. REF: AMM 28-11-03, AMM 28-11-03								
281103-0103		LH WSTUB DRAIN VALVE						Component ATA:28
PN:100-0576-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00221	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-03, AMM 28-11-03PROC. REF: AMM 28-11-03, AMM 28-11-03								
281103-0104		RH WSTUB DRAIN VALVE						Component ATA:28
PN:100-0576-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00220	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-03, AMM 28-11-03PROC. REF: AMM 28-11-03, AMM 28-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281105-0101	LH WING REFUEL GRAVITY ADAPTOR CAP							Component ATA:28
PN:2940030-301	MOS/MSC	06-May-16	O/C	TSN 0				
SN:5807	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05PROC. REF: AMM 28-11-05, AMM 28-11-05								
281105-0102	RH WING REFUEL GRAVITY ADAPTOR CAP							Component ATA:28
PN:2940030-301	MOS/MSC	06-May-16	O/C	TSN 0				
SN:5817	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05PROC. REF: AMM 28-11-05, AMM 28-11-05								
281201-0101	LH WING FUEL SYSTEM VENT FLOAT VALVE							Component ATA:28
PN:2060091-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:01627	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01, AMM 28-12-01PROC. REF: AMM 28-12-01, AMM 28-12-01								
281201-0102	RH WING FUEL SYSTEM VENT FLOAT VALVE							Component ATA:28
PN:2060091-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:01776	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01, AMM 28-12-01PROC. REF: AMM 28-12-01, AMM 28-12-01								
281202-0101	LH WING STEEL FUEL TANK FLAME ARRESTOR							Component ATA:28
PN:2990050-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2768	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-02, AMM 28-12-02PROC. REF: AMM 28-12-02, AMM 28-12-02								
281202-0102	RH WING STEEL FUEL TANK FLAME ARRESTOR							Component ATA:28
PN:2990050-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2761	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-02, AMM 28-12-02PROC. REF: AMM 28-12-02, AMM 28-12-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281203-0101	LH WING AL TK FUEL SYSTEM DRAIN FLOAT VALVE							Component ATA:28
PN:2990076-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:7643	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03, AMM 28-12-03PROC. REF: AMM 28-12-03, AMM 28-12-03								
281203-0102	RH WING AL TK FUEL SYSTEM DRAIN FLOAT VALVE							Component ATA:28
PN:2990076-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:7648	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03, AMM 28-12-03PROC. REF: AMM 28-12-03, AMM 28-12-03								
282013-0101	OVERHEAD FUEL SYSTEM CONTROL PANEL ASSY							Component ATA:28
PN:431000-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:431000AA0060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-01, AMM 28-20-01PROC. REF: AMM 28-20-01, AMM 28-20-01								
282100-0101	LH STUB AL FUEL LINE ASSY CHECK VALVE							Component ATA:28
PN:2090096-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
282100-0102	RH STUB AL FUEL LINE ASSY CHECK VALVE							Component ATA:28
PN:2090096-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0095	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
282101-0101	LH STUB SUCTION-FUEL SYSTEM CHECK VALVE							Component ATA:28
PN:2100072-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:AAL0541	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282101-0102	RH STUB FUEL SYSTEM SUCTION CHECK VALVE							Component ATA:28
PN:2100072-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:AAL0540	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01								
282102-0101	LH STUB ALUMINUM FUEL PUMP CANISTER							Component ATA:28
PN:11C13-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:10BM91	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02, AMM 28-21-02PROC. REF: AMM 28-21-02, AMM 28-21-02								
282102-0102	RH STUB ALUMINUM FUEL PUMP CANISTER							Component ATA:28
PN:11C13-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:10BM90	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02, AMM 28-21-02PROC. REF: AMM 28-21-02, AMM 28-21-02								
282102-0103	LH STUB ALUMINUM FUEL PUMP CANISTER							Component ATA:28
PN:11C13-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:10BM95	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02, AMM 28-21-02PROC. REF: AMM 28-21-02, AMM 28-21-02								
282102-0104	RH STUB ALUMINUM FUEL PUMP CANISTER							Component ATA:28
PN:11C13-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:10BM92	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02, AMM 28-21-02PROC. REF: AMM 28-21-02, AMM 28-21-02								
282103-0101	LH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component ATA:28
PN:11C12-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:11BM87	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282103-0102	RH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component ATA:28
PN:11C12-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:12BM101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
282103-0103	LH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component ATA:28
PN:11C12-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:11BM91	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
282103-0104	RH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component ATA:28
PN:11C12-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:12BM104	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
282104-0101	LH TCOLL AL FUEL TANK ASSY 1.000IN VALVE							Component ATA:28
PN:2070158-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0383	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
282104-0102	RH TCOLL AL FUEL TANK ASSY 1.000IN VALVE							Component ATA:28
PN:2070158-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
282104-0103	LH WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component ATA:28
PN:2070158-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282104-0104	RH WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component ATA:28
PN:2070158-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0387	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
282104-0105	MD WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component ATA:28
PN:2070158-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0384	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
282104-0106	MD WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component ATA:28
PN:2070158-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0386	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3								
282105-0101	LH TCOLL AL FUEL TANK ASSY SOV ACTUATOR							Component ATA:28
PN:2090049-107	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0021	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05, AMM 28-21-05PROC. REF: AMM 28-21-05, AMM 28-21-05								
282105-0102	RH TCOLL AL FUEL TANK ASSY SOV ACTUATOR							Component ATA:28
PN:2090049-107	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0394	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05, AMM 28-21-05PROC. REF: AMM 28-21-05, AMM 28-21-05								
282107-0101	LH TCOLL AL FUEL TANK ASSY SOV ACTUATOR							Component ATA:28
PN:2090049-108	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0319	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282107-0102	RH TCOLL AL FUEL TANK ASSY SOV ACTUATOR							Component ATA:28
PN:2090049-108	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0398	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
282108-0101	LH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component ATA:28
PN:2070157-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0219	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08								
282108-0102	RH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component ATA:28
PN:2070157-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0220	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08								
282108-0103	LH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component ATA:28
PN:2070157-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0229	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08								
282108-0104	RH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component ATA:28
PN:2070157-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0222	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08								
282109-0101	RH TCOLL AL FUEL TANK ASSY 0.375IN VALVE							Component ATA:28
PN:2070159-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282301-0101	CENT FUS FUEL ASSY PRESS REFUEL CONTROL PANEL							Component ATA:28
PN:366-223-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1145	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-01, AMM 28-23-01PROC. REF: AMM 28-23-01, AMM 28-23-01								
282302-0101	RH CENT FUEL REPEATER INDICATOR							Component ATA:28
PN:366-927-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:236	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-02, AMM 28-23-02PROC. REF: AMM 28-23-02, AMM 28-23-02								
282304-0101	LH WSTUB AL FUEL TANK ASSY SOV ACTUATOR							Component ATA:28
PN:2090049-109	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0412	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-04, AMM 28-23-04PROC. REF: AMM 28-23-04, AMM 28-23-04								
282304-0102	MD WSTUB AL FUEL TANK ASSY SOV ACTUATOR							Component ATA:28
PN:2090049-109	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-04, AMM 28-23-04PROC. REF: AMM 28-23-04, AMM 28-23-04								
282304-0103	RH WSTUB AL FUEL TANK ASSY SOV ACTUATOR							Component ATA:28
PN:2090049-109	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0424	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-04, AMM 28-23-04PROC. REF: AMM 28-23-04, AMM 28-23-04								
282307-0101	CENT FUS PRESSURE REFUELING/DEFUELING ADAPTER ASSY							Component ATA:28
PN:2960006-103	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0599	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-07, AMM 28-23-07, AMM 28-23-08, AMM 28-23-08PROC. REF: AMM 28-23-07, AMM 28-23-07, AMM 28-23-08, AMM 28-23-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284102-0101	LH STUB AL FUEL TANK PROBE 2 ASSY							Component ATA:28
PN:020-261-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0104	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0102	RH STUB AL FUEL TANK PROBE 2 ASSY							Component ATA:28
PN:020-261-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0106	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0103	LH STUB AL FUEL TANK PROBE 3 ASSY							Component ATA:28
PN:020-261-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0104	RH STUB AL FUEL TANK PROBE 3 ASSY							Component ATA:28
PN:020-261-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0120	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0105	LH WING AL FUEL TANK PROBE 4 ASSY							Component ATA:28
PN:020-261-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0106	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0106	RH WING AL FUEL TANK PROBE 4 ASSY							Component ATA:28
PN:020-261-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284102-0107	LH WING AL FUEL TANK PROBE 5 ASSY							Component ATA:28
PN:020-261-004	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0108	RH WING AL FUEL TANK PROBE 5 ASSY							Component ATA:28
PN:020-261-004	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0109	LH WING AL FUEL TANK PROBE 6 ASSY							Component ATA:28
PN:020-261-005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0135	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0110	RH WING AL FUEL TANK PROBE 6 ASSY							Component ATA:28
PN:020-261-005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0144	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0111	LH WING AL FUEL TANK PROBE 7 ASSY							Component ATA:28
PN:020-261-006	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0112	RH WING AL FUEL TANK PROBE 7 ASSY							Component ATA:28
PN:020-261-006	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0095	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284102-0113	LH WING AL FUEL TANK PROBE 8 ASSY							Component ATA:28
PN:020-261-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0114	RH WING AL FUEL TANK PROBE 8 ASSY							Component ATA:28
PN:020-261-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0105	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0115	LH WING AL FUEL TANK PROBE 9 ASSY							Component ATA:28
PN:020-261-008	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0149	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0116	RH WING AL FUEL TANK PROBE 9 ASSY							Component ATA:28
PN:020-261-008	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0117	LH WING AL FUEL TANK PROBE 10 ASSY							Component ATA:28
PN:020-261-009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0114	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284102-0118	RH WING AL FUEL TANK PROBE 10 ASSY							Component ATA:28
PN:020-261-009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284103-0101	LH STUB AL FUEL TANK COMP PROBE 1 ASSY							Component ATA:28
PN:021-071-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284103-0102	RH STUB AL FUEL TANK COMP PROBE 1 ASSY							Component ATA:28
PN:021-071-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0104	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284113-0101	RH RACK FUEL SIGNAL CONDITIONING UNIT							Component ATA:28
PN:367-510-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1067	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
284143-0101	LH WING FUEL QUANTITY GAUGING SYSTEM HARNESS							Component ATA:28
PN:080-386-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0207	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-04, AMM 28-41-04PROC. REF: AMM 28-41-04, AMM 28-41-04								
284143-0102	RH WING FUEL QUANTITY GAUGING SYSTEM HARNESS							Component ATA:28
PN:080-386-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0208	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-04, AMM 28-41-04PROC. REF: AMM 28-41-04, AMM 28-41-04								
284301-0101	STUB FUEL TEMPERATURE SENSOR							Component ATA:28
PN:862-015-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-01, AMM 28-43-01PROC. REF: AMM 28-43-01, AMM 28-43-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284302-0101	LEFT FUEL PRESSURE SWITCH							Component ATA:28
PN:F7-1168-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-02, AMM 28-43-02PROC. REF: AMM 28-43-02, AMM 28-43-02								
284302-0102	RIGHT FUEL PRESSURE SWITCH							Component ATA:28
PN:F7-1168-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-02, AMM 28-43-02PROC. REF: AMM 28-43-02, AMM 28-43-02								
284304-0101	LH WING FUEL TANK HI LO LEVEL SENSOR							Component ATA:28
PN:057-031-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0256	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03								
284304-0102	RH WING FUEL TANK HI LO LEVEL SENSOR							Component ATA:28
PN:057-031-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0269	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03								
284304-0103	LH STUB FUEL TANK HI LO LEVEL SENSOR							Component ATA:28
PN:057-031-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0199	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03								
284304-0104	RH STUB FUEL TANK HI LO LEVEL SENSOR							Component ATA:28
PN:057-031-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0202	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
C28-21-04-001	^S	OPERATIONAL CHECK OF ENGINE FUEL SHUTOFF VALVE (SOV)						Service ATA:28
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 28-21-04PROC. REF: AMM 28-21-04								PKG:15
C28-21-06-001	^S	OPERATIONAL CHECK OF FUEL CROSS-FEED VALVE						Service ATA:28
	MOS	06-May-16						
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06								PKG:20
C28-22-01-001	^S	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) SHUTOFF VALVE (SOV)						Service ATA:28
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 28-22-01PROC. REF: AMM 28-22-01								PKG:15
F100-001		INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM HARNESS OUTSIDE THE FUEL TANK						Service ATA:28
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	15000		15000		13499.5	
	AFL	0						
PROC. REF: AMM 28-41-04PROC. REF: AMM 28-41-04								
F100-002		INTERNAL GENERAL VISUAL INSPECTION OF FUEL TEMPERATURE SENSOR HARNESS INSTALLATION						Service ATA:28
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	15000		15000		13499.5	
	AFL	0						
PROC. REF: AMM 28-41-04PROC. REF: AMM 28-41-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
F130-001	INTERNAL GENERAL VISUAL INSPECTION OF THERMAL INSULATION FELT							Service ATA:28
	MOS	06-May-16						FUEL SYSTEM LIMITATION
	HRS	0	7500		7500		5999.5	
	AFL	0						
PROC. REF: AMM 28-11-00PROC. REF: AMM 28-11-00								
F130-005	INTERNAL GENERAL VISUAL INSPECTION OF GLUED STANDOFFS OVER THE WING STUB							Service ATA:28
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	10000		10000		8499.5	
	AFL	0						
PROC. REF: AMM 28-11-00PROC. REF: AMM 28-11-00								
F130-006	INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSES AND SUPPORTS BETWEEN FLOOR AND WING STUB							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								
F140-001	INTERNAL GENERAL VISUAL INSPECTION OF AIR TEMPERATURE SENSOR HARNESS INSTALLATION							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-17-01PROC. REF: AMM 36-17-01								
F140-002	DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON VENTILATION LINE							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-15-06PROC. REF: AMM 28-15-06								
F140-003	DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON PRESSURIZATION LINE							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-14-05PROC. REF: AMM 28-14-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
F140-004	DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON INTERCONNECTION LINE							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-14-05PROC. REF: AMM 28-14-05								
F190-003	INTERNAL GENERAL VISUAL INSPECTION INTERNAL GENERAL VISUAL INSPECTION OF PRESSURE REFUEL LINE, COUPLINGS, BONDING JUMPERS AND SUPPORTS, AT WING TO FUSELAGE FAIRING.							Service ATA:28
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	15000		15000		13499.5	
	AFL	0						
PROC. REF: AMM 28-23-09PROC. REF: AMM 28-23-09								
F190-005	INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE FWD FUEL TANK							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								
F190-006	INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE VTRL FUEL TANK							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								
F190-007	INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM INTANK HARNESS AND ITS INSTALLATION – FWD TK							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
F190-008	INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM INTANK HARNESS AND ITS INSTALLATION – VTRL TK							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								
F190-009	DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS – FWD TK							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-41-07PROC. REF: AMM 28-41-07								
F190-010	DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS – VTRL TK							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-41-08PROC. REF: AMM 28-41-08								
F190-011	INTERNAL GENERAL VISUAL INSPECTION OF HYDRAULIC LINES AND SUPPORTS, INSIDE THE FUEL TANK.							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								
F190-012	DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON VENTILATION LINE							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-15-05PROC. REF: AMM 28-15-05								
F190-013	DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON PRESSURIZATION LINE							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-13-05PROC. REF: AMM 28-13-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
F190-014	DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON INTERCONNECTION LINE							Service ATA:28
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-13-05PROC. REF: AMM 28-13-05								
F500-002	DETAILED INSPECTION OF FUEL PUMP ELECTRICAL BONDING							Service ATA:28
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	10000		10000		8499.5	
	AFL	0						
PROC. REF: AMM 28-21-02PROC. REF: AMM 28-21-02								
F500-004	DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS							Service ATA:28
	MOS	06-May-16	120		06-May-26		83 d	FUEL SYSTEM LIMITATION
	HRS	0	15000		15000		13499.5	
	AFL	0						
PROC. REF: AMM 28-41-04PROC. REF: AMM 28-41-04								
ATA 29 - HYDRAULIC POWER								
29-11-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 RESERVOIR FLUID LEVEL							Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-11-08PROC. REF: AMM 29-11-08								PKG:1
29-11-00-002 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-11-00-003	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 ECOLOGY BOTTLE FLUID LEVEL						Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-11-16PROC. REF: AMM 29-11-16								PKG:1
29-11-00-004	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 PRESSURE GAUGE/ FILL POINT ACCUMULATOR						Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00								PKG:1
29-11-00-005	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40								PKG:20
29-11-00-006	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 RELIEF VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-11-41PROC. REF: AMM 29-11-41								PKG:20
29-11-00-007	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 BLEED / RELIEF VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-11-10PROC. REF: AMM 29-11-10								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-11-00-901	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATORS(DPI)						Service ATA:29
	MOS	10-Jun-25						CMR
	HRS	1446.4	1500					
	AFL	1073						
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40								
29-11-00-902	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS						Service ATA:29
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 29-11-04PROC. REF: AMM 29-11-04								
29-11-11-001	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 1 SHUTOFF VALVE (SOV)						Service ATA:29
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-11-11PROC. REF: AMM 29-11-11								
29-11-19-001	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 1 CHECK VALVES						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-11-19PROC. REF: AMM 29-11-19								
29-11-20-001	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 BOOTSTRAP PRIORITY VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-11-20PROC. REF: AMM 29-11-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-12-00-001	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 RESERVOIR FLUID LEVEL						Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-12-08PROC. REF: AMM 29-12-08								PKG:1
29-12-00-002 ^S VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI) Service ATA:29								
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-12-40PROC. REF: AMM 29-12-40								
29-12-00-003 ^S VISUAL CHECK OF HYDRAULIC SYSTEM 2 ECOLOGY BOTTLE FLUID LEVEL Service ATA:29								
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-12-16PROC. REF: AMM 29-12-16								PKG:1
29-12-00-004 ^S VISUAL CHECK OF HYDRAULIC SYSTEM 2 PRESSURE GAUGE/FILL POINT ACCUMULATOR Service ATA:29								
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-12-00PROC. REF: AMM 29-12-00								PKG:1
29-12-00-005 ^S FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 BLEED / RELIEF VALVE Service ATA:29								
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-12-10PROC. REF: AMM 29-12-10								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-12-00-006	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-12-40PROC. REF: AMM 29-12-40								PKG:20
29-12-00-007	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 RELIEF VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-12-41PROC. REF: AMM 29-12-41								PKG:20
29-12-00-901	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATORS (DPI)						Service ATA:29
	MOS	10-Jun-25						CMR
	HRS	1446.4	1500					
	AFL	1073						
PROC. REF: AMM 29-12-40PROC. REF: AMM 29-12-40								
29-12-00-902	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS						Service ATA:29
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 29-12-04PROC. REF: AMM 29-12-04								PKG:20
29-12-11-001	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 2 SHUTOFF VALVE (SOV)						Service ATA:29
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-12-11PROC. REF: AMM 29-12-11								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-12-19-001	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 2 CHECK VALVES						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-12-19PROC. REF: AMM 29-12-19								PKG:20
29-12-20-001	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 BOOTSTRAP PRIORITY VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-12-20PROC. REF: AMM 29-12-20								PKG:15
29-13-00-001	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 3 RESERVOIR FLUID LEVEL						Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-13-08PROC. REF: AMM 29-13-08								PKG:1
29-13-00-002	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 3 PRESSURE GAUGE/FILL POINT ACCUMULATOR						Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-13-00PROC. REF: AMM 29-13-00								PKG:1
29-13-00-003	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 3 DIFFERENTIAL PRESSURE INDICATOR (DPI)						Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-13-40PROC. REF: AMM 29-13-40								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-13-00-004	^S	VISUAL CHECK OF HYDRAULIC SYSTEM 3 ECOLOGY BOTTLE FLUID LEVEL						Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-13-16PROC. REF: AMM 29-13-16								PKG:1
29-13-00-005	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-13-40PROC. REF: AMM 29-13-40								PKG:20
29-13-00-006	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 RELIEF VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-13-41PROC. REF: AMM 29-13-41								PKG:20
29-13-00-007	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 BLEED / RELIEF VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-13-10PROC. REF: AMM 29-13-10								PKG:20
29-13-00-901	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION						Service ATA:29
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 29-13-00PROC. REF: AMM 29-13-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-13-19-001	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 CHECK VALVES						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-13-19PROC. REF: AMM 29-13-19								PKG:20
29-13-20-001	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 BOOTSTRAP PRIORITY VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-13-20PROC. REF: AMM 29-13-20								PKG:15
29-21-00-001	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00								
29-21-00-002	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU) PRIORITY VALVE						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-21-03PROC. REF: AMM 29-21-03								PKG:20
29-21-00-901	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)						Service ATA:29
	MOS	06-May-16					CMR	
	HRS	0	15000					
	AFL	0						
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-31-00-001	^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM PRESSURE SWITCH						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-31-00PROC. REF: AMM 29-31-00								PKG:20
29-31-00-002	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM PRESSURE TRANSDUCER						Service ATA:29
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-31-01PROC. REF: AMM 29-31-01								PKG:20
29-33-01-001	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM TEMPERATURE TRANSDUCERS						Service ATA:29
	MOS	03-Jul-24						
	HRS	1267.3	1500 (+37/-37)					
	AFL	949						
PROC. REF: AMM 29-33-01PROC. REF: AMM 29-33-01								PKG:5
29-33-02-001	^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM TEMPERATURE SWITCHES						Service ATA:29
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-33-02PROC. REF: AMM 29-33-02								PKG:15
291001-0101		RH ENGINE DRIVEN HYDRAULIC PUMP						Component ATA:29
PN:53102-02	MOS/MSC	06-May-16	O/C	TSN 0				
SN:K0152	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-01, AMM 29-12-01PROC. REF: AMM 29-12-01, AMM 29-12-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291001-0102	LH ENGINE DRIVEN HYDRAULIC PUMP							Component ATA:29
PN:53102-02	MOS/MSC	06-May-16	O/C	TSN 0				
SN:K0153	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-01, AMM 29-11-01PROC. REF: AMM 29-11-01, AMM 29-11-01								
291013-0101	OVERHEAD HYDRAULIC SYSTEM CONTROL PANEL ASSY							Component ATA:29
PN:430500-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:430500AA0054	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-01, AMM 29-10-01PROC. REF: AMM 29-10-01, AMM 29-10-01								
291100-0101	HYDRAULIC SYSTEM PRESSURE SWITCH							Component ATA:29
PN:945196-351	MOS/MSC	06-May-16	O/C	TSN 0				
SN:985050177	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291101-0101	NO. 1 HYDRAULIC SYSTEM (DPI) DIFFERENTIAL PRESSURE INDICATOR							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291102-0101	HYDRAULIC BRUSHLESS MOTOR DRIVEN DC PUMP							Component ATA:29
PN:53104-05	MOS/MSC	22-Jun-19	O/C	TSN 1				
SN:0221	HRS	487		TSN 0				
	AFL	368		TSN 0				
PROC. REF: AMM 29-11-02, AMM 29-11-02PROC. REF: AMM 29-11-02, AMM 29-11-02								
291103-0101	NO. 1 HYDRAULIC SYSTEM ECOLOGY BOTTLE							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-16, AMM 29-11-16PROC. REF: AMM 29-11-16, AMM 29-11-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291108-0101	HYDRAULIC BOOTSTRAP RESERVOIR							Component ATA:29
PN:960466-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0064	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-08, AMM 29-11-08PROC. REF: AMM 29-11-08, AMM 29-11-08								
291110-0101	NO. 1 HYDRAULIC SYSTEM BLEED / RELIEF VALVE							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291119-0101	CHECK VALVE							Component ATA:29
PN:975254-12	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0734	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-19, AMM 29-11-19PROC. REF: AMM 29-11-19, AMM 29-11-19								
291119-0102	CHECK VALVE							Component ATA:29
PN:975254-14	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0072	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-19, AMM 29-11-19PROC. REF: AMM 29-11-19, AMM 29-11-19								
291119-0103	CHECK VALVE							Component ATA:29
PN:975254-9	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0245	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-19, AMM 29-11-19PROC. REF: AMM 29-11-19, AMM 29-11-19								
291119-0104	CHECK VALVE							Component ATA:29
PN:975254-9	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-19, AMM 29-11-19PROC. REF: AMM 29-11-19, AMM 29-11-19								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291119-0201	CHECK VALVE							Component ATA:29
PN:975254-9	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0246	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-19, AMM 29-11-19PROC. REF: AMM 29-11-19, AMM 29-11-19								
291119-0202	CHECK VALVE							Component ATA:29
PN:975254-9	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-19, AMM 29-11-19PROC. REF: AMM 29-11-19, AMM 29-11-19								
291200-0101	NO. 2 HYDRAULIC SYSTEM (DPI) DIFFERENTIAL PRESSURE INDICATOR							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291203-0101	NO. 2 HYDRAULIC SYSTEM ECOLOGY BOTTLE							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-16, AMM 29-12-16PROC. REF: AMM 29-12-16, AMM 29-12-16								
291204-0101	HYDRAULIC SYSTEMS 1 & 2 FILTER MANIFOLD							Component ATA:29
PN:945196-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:18350/0127	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04								
291204-0102	HYDRAULIC SYSTEMS 1 & 2 FILTER MANIFOLD							Component ATA:29
PN:945196-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:18350/0132	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291208-0101	HYDRAULIC BOOTSTRAP RESERVOIR							Component ATA:29
PN:960467-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0072	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-08, AMM 29-12-08PROC. REF: AMM 29-12-08, AMM 29-12-08								
291210-0101	NO. 2 HYDRAULIC SYSTEM BLEED / RELIEF VALVE							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291211-0101	HYDRAULIC SYSTEM A SHUTOFF VALVE							Component ATA:29
PN:975358-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0135	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-11, AMM 29-12-11PROC. REF: AMM 29-12-11, AMM 29-12-11								
291211-0102	HYDRAULIC SYSTEM A SHUTOFF VALVE							Component ATA:29
PN:975358-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0138	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-11, AMM 29-12-11PROC. REF: AMM 29-12-11, AMM 29-12-11								
291212-0101	75 IN GAS HYDRAULIC ACCUMULATOR							Component ATA:29
PN:623600-0751	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0155	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-12, AMM 29-12-12PROC. REF: AMM 29-12-12, AMM 29-12-12								
291212-0102	75 IN GAS HYDRAULIC ACCUMULATOR							Component ATA:29
PN:623600-0751	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0168	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-12, AMM 29-12-12PROC. REF: AMM 29-12-12, AMM 29-12-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291212-0103		GEN 3 75 IN GAS HYDRAULIC ACCUMULATOR					Component	ATA:29
PN:623600-0751	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0161	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-12, AMM 29-12-12PROC. REF: AMM 29-12-12, AMM 29-12-12								
291219-0101		CHECK VALVE					Component	ATA:29
PN:975254-10	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2814	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-19, AMM 29-12-19PROC. REF: AMM 29-12-19, AMM 29-12-19								
291219-0102		CHECK VALVE					Component	ATA:29
PN:975254-8	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4814	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-19, AMM 29-12-19PROC. REF: AMM 29-12-19, AMM 29-12-19								
291219-0201		CHECK VALVE					Component	ATA:29
PN:975254-8	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4809	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-19, AMM 29-12-19PROC. REF: AMM 29-12-19, AMM 29-12-19								
291220-0101		BOOST HYDRAULIC SYSTEM PRIORITY VALVE					Component	ATA:29
PN:975361-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0169	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20								
291220-0102		BOOST HYDRAULIC SYSTEM PRIORITY VALVE					Component	ATA:29
PN:975361-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0168	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291220-0103		GEN 3 BOOST HYDRAULIC SYSTEM PRIORITY VALVE					Component	ATA:29
PN:975361-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0171	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20								
291226-0101		HYDRAULIC DUMP/THERMAL RELIEF VALVE					Component	ATA:29
PN:975362-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0177	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291226-0102		HYDRAULIC DUMP/THERMAL RELIEF VALVE					Component	ATA:29
PN:975362-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0176	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291226-0103		GEN 3 HYDRAULIC DUMP/THERMAL RELIEF VALVE					Component	ATA:29
PN:975362-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0171	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291230-0101		GROUND SERVICE,FILL,CRE CHECK VALVE					Component	ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-30, AMM 29-12-30PROC. REF: AMM 29-12-30, AMM 29-12-30								
291230-0102		GROUND SERVICE,FILL,CRE CHECK VALVE					Component	ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-30, AMM 29-12-30PROC. REF: AMM 29-12-30, AMM 29-12-30								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291230-0103	GEN 3 GROUND SERVICE,FILL,CRE CHECK VALVE							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-30, AMM 29-12-30PROC. REF: AMM 29-12-30, AMM 29-12-30								
291231-0101	PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component ATA:29
PN:975384-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0173	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-31, AMM 29-12-31PROC. REF: AMM 29-12-31, AMM 29-12-31								
291231-0102	PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component ATA:29
PN:975384-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0218	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-31, AMM 29-12-31PROC. REF: AMM 29-12-31, AMM 29-12-31								
291231-0103	GEN 3 PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component ATA:29
PN:975384-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0171	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-31, AMM 29-12-31PROC. REF: AMM 29-12-31, AMM 29-12-31								
291300-0101	NO. 3 HYDRAULIC SYSTEM (DPI) DIFFERENTIAL PRESSURE INDICATOR							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
291302-0101	GEN 3 BRUSHLESS DC MOTOR DRIVEN HYDRAULIC PUMP							Component ATA:29
PN:53117	MOS/MSC	06-May-16	O/C	TSN 0				
SN:K0062	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-13-02, AMM 29-13-02PROC. REF: AMM 29-13-02, AMM 29-13-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291303-0101	NO. 3 HYDRAULIC SYSTEM ECOLOGY BOTTLE							Component ATA:29
PN:920344-3	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	540.2		TSN 0				
	AFL	407		TSN 0				
PROC. REF: AMM 29-13-16, AMM 29-13-16PROC. REF: AMM 29-13-16, AMM 29-13-16								
291304-0101	GEN 3 HYDRAULIC SYSTEM 3 FILTER MANIFOLD							Component ATA:29
PN:945197-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:18350/0069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-13-04, AMM 29-13-04PROC. REF: AMM 29-13-04, AMM 29-13-04								
291308-0101	GEN 3 HYDRAULIC BOOTSTRAP RESERVOIR							Component ATA:29
PN:960469-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0061	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-13-08, AMM 29-13-08PROC. REF: AMM 29-13-08, AMM 29-13-08								
291310-0101	NO. 3 HYDRAULIC SYSTEM BLEED / RELIEF VALVE							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-13-10, AMM 29-13-10PROC. REF: AMM 29-13-10, AMM 29-13-10								
291319-0101	CHECK VALVE							Component ATA:29
PN:975254-7	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2606	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-13-19, AMM 29-13-19PROC. REF: AMM 29-13-19, AMM 29-13-19								
291319-0102	CHECK VALVE							Component ATA:29
PN:975254-7	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2607	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-13-19, AMM 29-13-19PROC. REF: AMM 29-13-19, AMM 29-13-19								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291319-0103	CHECK VALVE							Component ATA:29
PN:975254-7	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2614	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-13-19, AMM 29-13-19PROC. REF: AMM 29-13-19, AMM 29-13-19								
291319-0201	CHECK VALVE							Component ATA:29
PN:975254-7	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-13-19, AMM 29-13-19PROC. REF: AMM 29-13-19, AMM 29-13-19								
292101-0101	HYDRAULIC POWER TRANSFER UNIT							Component ATA:29
PN:53103-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:K0062	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-21-01, AMM 29-21-01PROC. REF: AMM 29-21-01, AMM 29-21-01								
292102-0101	HYDRAULIC SYSTEM PTU SELECT VALVE							Component ATA:29
PN:975359-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CR0142	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-21-02, AMM 29-21-02PROC. REF: AMM 29-21-02, AMM 29-21-02								
292102-0102	HYDRAULIC SYSTEM PTU SELECT VALVE							Component ATA:29
PN:975359-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CR0146	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-21-02, AMM 29-21-02PROC. REF: AMM 29-21-02, AMM 29-21-02								
292103-0101	HYDRAULIC SYS AL PTU PRIORITY VALVE							Component ATA:29
PN:975360-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0122	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-21-03, AMM 29-21-03PROC. REF: AMM 29-21-03, AMM 29-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
292103-0102	HYDRAULIC SYS AL PTU PRIORITY VALVE							Component ATA:29
PN:975360-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PN0118	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-21-03, AMM 29-21-03PROC. REF: AMM 29-21-03, AMM 29-21-03								
293201-0101	NO. 1 HYDRAULIC RESERVOIR SYSTEM FLUID QUANTITY INDICATOR							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-32-01, AMM 29-32-01PROC. REF: AMM 29-32-01, AMM 29-32-01								
293201-0102	NO. 2 HYDRAULIC RESERVOIR SYSTEM FLUID QUANTITY INDICATOR							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-32-01, AMM 29-32-01PROC. REF: AMM 29-32-01, AMM 29-32-01								
293201-0103	NO. 3 HYDRAULIC RESERVOIR SYSTEM FLUID QUANTITY INDICATOR							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-32-01, AMM 29-32-01PROC. REF: AMM 29-32-01, AMM 29-32-01								
293302-0101	NO. 1 HYDRAULIC SYSTEM TEMPERATURE SWITCH							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-33-02, AMM 29-33-02PROC. REF: AMM 29-33-02, AMM 29-33-02								
293302-0102	NO. 2 HYDRAULIC SYSTEM TEMPERATURE SWITCH							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-33-02, AMM 29-33-02PROC. REF: AMM 29-33-02, AMM 29-33-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
293302-0103	NO. 3 HYDRAULIC SYSTEM TEMPERATURE SWITCH							Component ATA:29
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-33-02, AMM 29-33-02PROC. REF: AMM 29-33-02, AMM 29-33-02								
C29-11-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATORS (DPI)							Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40								
C29-12-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATORS (DPI)							Service ATA:29
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 29-12-40PROC. REF: AMM 29-12-40								
C29-21-00-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)							Service ATA:29
	MOS	06-May-16						
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00								
ATA 30 - ICE AND RAIN PROTECTION								
30-00-01-001 ^S	OPERATIONAL CHECK OF WING/STAB ANTI-ICING SYSTEM (MANUAL OVERRIDE)							Service ATA:30
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 30-12-00PROC. REF: AMM 30-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-03-900-801-A	WING PICCOLO TUBE							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-03, AMM 30-12-03PROC. REF: AMM 30-12-03, AMM 30-12-03								
30-12-05-900-801-A	VERTICAL-STABILIZER ANTI-ICING DUCTS							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05PROC. REF: AMM 30-12-05, AMM 30-12-05								
30-12-06-900-801-A	TELESCOPIC DUCT							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-06, AMM 30-12-06PROC. REF: AMM 30-12-06, AMM 30-12-06								
30-20-00-710-801-A	ENGINE ANTI-ICE SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
30-30-00-710-801-A	AIR-DATA HEATING SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS/MSC	03-Jul-24	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 30-30-00PROC. REF: AMM 30-30-00								
30-42-00-001	OPERATIONAL CHECK OF INTERFACE BETWEEN WINDSHIELD HEATING SYSTEM INDICATION							Service ATA:30
	MOS/MSC	05-Dec-19	O/C					
	HRS	540.2						
	AFL	407						
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-43-00-001	^S	FUNCTIONAL CHECK OF WINDSHIELD RAIN REPELLENT COATING						Service ATA:30
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 30-43-01PROC. REF: AMM 30-43-01								PKG:12
300101-0101 LEFT ICE DETECTOR Component ATA:30								
PN:0871LM3-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1514	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-81-01, AMM 30-81-01PROC. REF: AMM 30-81-01, AMM 30-81-01								
300101-0102 RIGHT ICE DETECTOR Component ATA:30								
PN:0871LM3-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1468	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-81-01, AMM 30-81-01PROC. REF: AMM 30-81-01, AMM 30-81-01								
300103-0101 OVERHEAD ICE PROTECTION SYSTEM CONTROL PANEL Component ATA:30								
PN:431200-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:431200AA0068	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-00-01, AMM 30-00-01PROC. REF: AMM 30-00-01, AMM 30-00-01								
300203-0101 OVERHEAD HEATERS SYSTEM CONTROL PANEL ASSY Component ATA:30								
PN:430400-001	MOS/MSC	22-Nov-23	O/C	TSR 7				
SN:430400AA0269	HRS	1158.5		TSN 487.1, TSR 0				
	AFL	871		TSN 292, TSR 0				
PROC. REF: AMM 30-00-02, AMM 30-00-02PROC. REF: AMM 30-00-02, AMM 30-00-02								
301001-0101 LH CENTER LIGHTNING TRAP DEVICE Component ATA:30								
PN:LTD-43-72-30-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:425	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301001-0102		LIGHTNING TRAP DEVICE					Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:420	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
301001-0103		LIGHTNING TRAP DEVICE					Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:424	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
301001-0201		LH ENG LIGHTNING TRAP DEVICE					Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:430	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
301001-0202		RH ENG LIGHTNING TRAP DEVICE					Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:429	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
301001-0203		LH ENG LIGHTNING TRAP DEVICE					Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:431	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
301001-0204		RH ENG LIGHTNING TRAP DEVICE					Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:441	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301207-0101	LH WING PRESSURE TRANSDUCER SENSOR							Component ATA:30
PN:APTE-668B-1000-50G	MOS/MSC	06-May-16	O/C	TSN 0				
SN:8225-1-554	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-07, AMM 30-12-07PROC. REF: AMM 30-12-07, AMM 30-12-07								
301207-0102	RH WING PRESSURE TRANSDUCER SENSOR							Component ATA:30
PN:APTE-668B-1000-50G	MOS/MSC	06-May-16	O/C	TSN 0				
SN:8225-1-538	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-07, AMM 30-12-07PROC. REF: AMM 30-12-07, AMM 30-12-07								
301207-0103	PRESSURE TRANSDUCER SENSOR							Component ATA:30
PN:APTE-668B-1000-50G	MOS/MSC	06-May-16	O/C	TSN 0				
SN:8307-1-385	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-07, AMM 30-12-07PROC. REF: AMM 30-12-07, AMM 30-12-07								
301207-0104	PRESSURE TRANSDUCER SENSOR							Component ATA:30
PN:APTE-668B-1000-50G	MOS/MSC	06-May-16	O/C	TSN 0				
SN:8307-1-404	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-07, AMM 30-12-07PROC. REF: AMM 30-12-07, AMM 30-12-07								
301213-0101	REAR ANTI-ICE SHUTOFF VALVE							Component ATA:30
PN:424345-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0256	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-01, AMM 30-12-01PROC. REF: AMM 30-12-01, AMM 30-12-01								
302101-0101	LH ENG PRESSURE REGULATING AND SHUT OFF VALVE							Component ATA:30
PN:WBA3020G103-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1669	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302101-0102	RH ENG PRESSURE REGULATING AND SHUT OFF VALVE							Component ATA:30
PN:WBA3020G103-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1926	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
302102-0101	LH ENG LOW / HIGH PRESSURE SWITCH							Component ATA:30
PN:WBA3020G107-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0523	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02PROC. REF: AMM 30-21-02, AMM 30-21-02								
302102-0102	RH ENG LOW / HIGH PRESSURE SWITCH							Component ATA:30
PN:WBA3020G107-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0524	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02PROC. REF: AMM 30-21-02, AMM 30-21-02								
302102-0201	LH ENGINE - TUBE ASSY, ANTI-ICING SYSTEM							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-03, AMM 30-21-03PROC. REF: AMM 30-21-03, AMM 30-21-03								
302102-0202	RH ENGINE - TUBE ASSY, ANTI-ICING SYSTEM							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-03, AMM 30-21-03PROC. REF: AMM 30-21-03, AMM 30-21-03								
302103-0101	LH ENGINE ANTI-ICING TUBE, INCONEL							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-03, AMM 30-21-03PROC. REF: AMM 30-21-03, AMM 30-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302103-0102	RH ENGINE ANTI-ICING TUBE, INCONEL							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-03, AMM 30-21-03PROC. REF: AMM 30-21-03, AMM 30-21-03								
302104-0101	LH ENGINE ANTI-ICING TUBE							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-03, AMM 30-21-03PROC. REF: AMM 30-21-03, AMM 30-21-03								
302104-0102	RH ENGINE ANTI-ICING TUBE							Component ATA:30
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-03, AMM 30-21-03PROC. REF: AMM 30-21-03, AMM 30-21-03								
304201-0101	WINDSHIELD HEATING CONTROL UNIT							Component ATA:30
PN:10864B04M01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15090202	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01PROC. REF: AMM 30-42-01, AMM 30-42-01								
304201-0102	WINDSHIELD HEATING CONTROL UNIT							Component ATA:30
PN:10864B04M01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15090205	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01PROC. REF: AMM 30-42-01, AMM 30-42-01								
H430-003 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF THE ELECTRICAL-HYDRAULIC PRIMARY LOCK (EHPL)							Service ATA:30
	MOS	06-May-16	60 (+15d/-15d)					
	HRS	0						
	AFL	0						
	APH	0						

PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: AMM 78-32-03PROC. REF: AMM 78-32-03								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-01-001	^S	FUNCTIONAL CHECK OF FLIGHT DATA RECORDER (FDR)						Service ATA:31
	MOS	03-Jul-24						
	HRS	1267.3	1500 (+37/-37)					
	AFL	949						
PROC. REF: AMM 31-31-00PROC. REF: AMM 31-31-00								PKG:5
31-31-04-001		DISCARD FDR (ULB) UNDERWATER LOCATOR BEACON BATTERY						Service ATA:31
PN:DK120/90	MOS/MSC	06-Aug-21	DUE		01-Jun-27 (M)		474 d	LIFE LIMIT
SN:AT150782	HRS	639.4						
	AFL	469						
PROC. REF: AMM 31-31-04PROC. REF: AMM 31-31-04								
31-61-01-001	^S	OPERATIONAL CHECK OF REVERSION CONTROL PANEL						Service ATA:31
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 31-61-03PROC. REF: AMM 31-61-03								
31-61-01-901	^S	OPERATIONAL CHECK OF REVERSIONARY SWITCH PANEL						Service ATA:31
	MOS	06-May-16						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 31-61-03PROC. REF: AMM 31-61-03								
31-64-01-001		OPERATIONAL CHECK OF HEAD UP BREAKAWAYPOSITION						Service ATA:31
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 31-64-01PROC. REF: AMM 31-64-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
312206-0101	LH RACK (APM) AIRCRAFT PERSONALITY MODULE							Component ATA:31
PN:822-2195-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478GYC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-06, AMM 42-22-06PROC. REF: AMM 42-22-06, AMM 42-22-06								
312207-0101	LH RACK (APM) AIRCRAFT PERSONALITY MODULE							Component ATA:31
PN:822-2195-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478GYD	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-06, AMM 42-22-06PROC. REF: AMM 42-22-06, AMM 42-22-06								
313102-0101	LEFT IMPACT SWITCH							Component ATA:31
PN:2098-5-000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:124	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-03, AMM 31-31-03PROC. REF: AMM 31-31-03, AMM 31-31-03								
313102-0102	RIGHT IMPACT SWITCH							Component ATA:31
PN:2098-5-000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:127	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-03, AMM 31-31-03PROC. REF: AMM 31-31-03, AMM 31-31-03								
313103-0101	CENT FUS TRI AXIAL ACCELEROMETER							Component ATA:31
PN:3001-01-111	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1015-DT3133A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
313104-0101	FDR (ULB) UNDERWATER LOCATOR BEACON							Component ATA:31
PN:DK120/90	MOS/MSC	06-Aug-21	O/C	TSN 0				
SN:AT150782	HRS	639.4		TSN 0				
	AFL	469		TSN 0				
PROC. REF: AMM 31-31-04, AMM 31-31-04PROC. REF: AMM 31-31-04, AMM 31-31-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313113-0101 (FDR) FLIGHT DATA RECORDER								Component ATA:31
PN:5013-3100-00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:001079854	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-01, AMM 31-31-01PROC. REF: AMM 31-31-01, AMM 31-31-01								
313201-0101 LH RACK QAR QUICK ACCESS RECORDER								Component ATA:31
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-32-01, AMM 31-32-01PROC. REF: AMM 31-32-01, AMM 31-32-01								
315113-0101 CSL CENT TAKEOFF CONF/EVENT CONTROL PANEL								Component ATA:31
PN:432400-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:432400AA0059	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
316101-0101 LEFT AFD 15.1" ADAPTIVE FLIGHT DISPLAY								Component ATA:31
PN:822-2332-300	MOS/MSC	15-Oct-25	O/C	TSO 0				
SN:403D0G	HRS	1500.5		TSO 0				
	AFL	1118		TSO 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								
316101-0102 MID AFD 15.1" ADAPTIVE FLIGHT DISPLAY								Component ATA:31
PN:822-2332-300	MOS/MSC	23-May-22	O/C	TSO 11				
SN:46R6C6	HRS	785.2		TSO 0				
	AFL	558		TSO 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								
316101-0103 RIGHT AFD 15.1" ADAPTIVE FLIGHT DISPLAY								Component ATA:31
PN:822-2332-300	MOS/MSC	06-May-16	O/C	TSN 0				
SN:472C8H	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
316101-0104	AFD 15.1" ADAPTIVE FLIGHT DISPLAY							Component ATA:31
PN:822-2332-300	MOS/MSC	18-Dec-20	O/C	TSO 0				
SN:472C76	HRS	594.4		TSO 0				
	AFL	438		TSO 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								
316102-0101	LH PANEL DCP-5080 DISPLAY CONTROL PANEL							Component ATA:31
PN:822-2839-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46RFNL	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-02, AMM 31-61-02PROC. REF: AMM 31-61-02, AMM 31-61-02								
316102-0102	RH PANEL DCP-5080 DISPLAY CONTROL PANEL							Component ATA:31
PN:822-2839-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46RHH3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-02, AMM 31-61-02PROC. REF: AMM 31-61-02, AMM 31-61-02								
316103-0101	LEFT RSP REVERSION SWITCH PANEL							Component ATA:31
PN:866-0218-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:41DCVG	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-03, AMM 31-61-03PROC. REF: AMM 31-61-03, AMM 31-61-03								
316103-0102	RIGHT RSP REVERSION SWITCH PANEL							Component ATA:31
PN:866-0218-100	MOS/MSC	06-May-16	O/C	TSN 0				
SN:41DCV9	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-03, AMM 31-61-03PROC. REF: AMM 31-61-03, AMM 31-61-03								
316143-0101	PILOT CCP-6120 CURSOR CONTROL PANEL							Component ATA:31
PN:822-2837-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46RH7P	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-04, AMM 31-61-04PROC. REF: AMM 31-61-04, AMM 31-61-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
316143-0102	COPILOT CCP-6120 CURSOR CONTROL PANEL							Component ATA:31
PN:822-2837-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46RH80	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-04, AMM 31-61-04PROC. REF: AMM 31-61-04, AMM 31-61-04								
316153-0101	NO. 1 MKP MULTIFUNCTION KEYBOARD PANEL							Component ATA:31
PN:822-2858-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:429NN4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-05, AMM 31-61-05PROC. REF: AMM 31-61-05, AMM 31-61-05								
316153-0102	NO. 2 MKP MULTIFUNCTION KEYBOARD PANEL							Component ATA:31
PN:822-2858-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46T73V	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-05, AMM 31-61-05PROC. REF: AMM 31-61-05, AMM 31-61-05								
316173-0101	IMT-6500 INSTRUMENT MOUNTING TRAY							Component ATA:31
PN:822-2337-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4728LV	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-07, AMM 31-61-07PROC. REF: AMM 31-61-07, AMM 31-61-07								
316173-0102	IMT-6500 INSTRUMENT MOUNTING TRAY							Component ATA:31
PN:822-2337-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4728FN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-07, AMM 31-61-07PROC. REF: AMM 31-61-07, AMM 31-61-07								
316173-0103	IMT-6500 INSTRUMENT MOUNTING TRAY							Component ATA:31
PN:822-2337-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:47217L	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-07, AMM 31-61-07PROC. REF: AMM 31-61-07, AMM 31-61-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
316173-0104	IMT-6500 INSTRUMENT MOUNTING TRAY							Component ATA:31
PN:822-2337-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:472FX9	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-07, AMM 31-61-07PROC. REF: AMM 31-61-07, AMM 31-61-07								
316213-0101	RH RACK SVM-6110 SYNTHETIC VISION MODULE							Component ATA:31
PN:822-2323-101	MOS/MSC	20-Dec-16	O/C	TSN 1				
SN:491GV1	HRS	183		TSN 0				
	AFL	119		TSN 0				
PROC. REF: AMM 31-62-01, AMM 31-62-01PROC. REF: AMM 31-62-01, AMM 31-62-01								
C31-61-01-001 ^S	OPERATIONAL CHECK OF REVERSION CONTROL PANEL							Service ATA:31
	MOS	06-May-16						
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 31-61-03PROC. REF: AMM 31-61-03								
PKG:15								
ATA 32 - LANDING GEAR								
32-01-00-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION							Service ATA:32
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-13-00PROC. REF: AMM 29-13-00								
32-11-00-001 ^S	LUBRICATION OF LH AND RH MAIN LANDING GEAR							Service ATA:32
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
PKG:12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-00-002	RESTORATION LEFT MAIN LANDING GEAR ASSEMBLY (OVERHAUL)							Service ATA:32
PN:PN	MOS/MSC	06-May-16	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3								
32-11-00-002	RESTORATION RIGHT MAIN LANDING GEAR ASSEMBLY (OVERHAUL)							Service ATA:32
PN:PN	MOS/MSC	06-May-16	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3								
32-11-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SHOCK STRUT ASSEMBLY							Service ATA:32
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: NDT 32-11-00PROC. REF: NDT 32-11-00								PKG:24
32-11-01-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - DRESSED SHOCK STRUT ASSEMBLY (LH)							Service ATA:32
PN:200-3625-023	MOS	06-May-16	120		06-May-26		83 d	
SN:H0109	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-01-003	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - DRESSED SHOCK STRUT ASSEMBLY (RH)							Service ATA:32
PN:200-3625-024	MOS	06-May-16	120		06-May-26		83 d	
SN:H0110	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-03-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SIDE STAY						Service ATA:32
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: NDT 32-11-00PROC. REF: NDT 32-11-00								PKG:24
32-11-04-001	^S	SERVICE LH AND RH MAIN LANDING GEAR SHOCK ABSORBER						Service ATA:32
	MOS	10-Jun-25	60 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-14-01, AMM 12-14-01, AMM 12-14-01PROC. REF: AMM 12-14-01, AMM 12-14-01, AMM 12-14-01								PKG:40
32-11-04-002	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SHOCK ABSORBER						Service ATA:32
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: NDT 32-11-00PROC. REF: NDT 32-11-00								PKG:24
32-11-04-003	^S	FUNCTIONAL CHECK OF THE MAIN LANDING GEAR SHOCK ABSORBER						Service ATA:32
	MOS	06-May-16	12 (+15d/-15d)					
	HRS	0						
	AFL	0						
	APH	0						
PROC. REF: AMM 32-11-04PROC. REF: AMM 32-11-04								PKG:12
32-21-01-001	^S	LUBRICATION OF NOSE LANDING GEAR						Service ATA:32
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								PKG:12

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-01-002	RESTORATION NOSE LANDING GEAR ASSEMBLY (OVERHAUL)							Service ATA:32
PN:PN	MOS/MSC	06-May-16	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3								
32-21-01-003 ^S	SERVICE NOSE LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	10-Jun-25	60 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PKG:40								
PROC. REF: AMM 12-14-02, AMM 12-14-02PROC. REF: AMM 12-14-02, AMM 12-14-02								
32-21-01-004 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF NOSE LANDING GEAR SHOCK STRUT ASSEMBLY							Service ATA:32
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PKG:24								
PROC. REF: NDT 32-21-00PROC. REF: NDT 32-21-00								
32-21-01-005	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRESSED SHOCK STRUT ASSEMBLY							Service ATA:32
PN:200-4025-027	MOS	06-May-16	120		06-May-26		83 d	
SN:H0060	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-01-006 ^S	FUNCTIONAL CHECK OF THE NOSE LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	06-May-16	12 (+15d/-15d)					
	HRS	0						
	AFL	0						
	APH	0						
PKG:12								
PROC. REF: AMM 32-21-04PROC. REF: AMM 32-21-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-02-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF NOSE LANDING GEAR DRAG STRUT						Service ATA:32
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: NDT 32-21-00PROC. REF: NDT 32-21-00								PKG:24
32-30-00-001	^S	OPERATIONAL CHECK OF LANDING GEAR LEVER OVERRIDE FUNCTION						Service ATA:32
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-33-01PROC. REF: AMM 32-33-01								PKG:20
32-31-01-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - RETRACT ACTUATOR (LH)						Service ATA:32
PN:200-3800-009	MOS	06-May-16	120		06-May-26		83 d	
SN:H0124	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-31-01-003		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - RETRACT ACTUATOR (RH)						Service ATA:32
PN:200-3800-009	MOS	06-May-16	120		06-May-26		83 d	
SN:H0121	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-31-05-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SIDE STAY ASSEMBLY (LH)						Service ATA:32
PN:200-3700-005	MOS	06-May-16	120		06-May-26		83 d	
SN:PCX01U-0126	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-31-05-003	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SIDE STAY ASSEMBLY (RH)							Service ATA:32
PN:200-3700-005	MOS	06-May-16	120		06-May-26		83 d	
SN:PCX01U-0127	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-31-10-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCK LINK ASSEMBLY (LH)							Service ATA:32
PN:200-3750-005	MOS	06-May-16	120		06-May-26		83 d	
SN:CFN02C-0140	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-31-10-003	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCK LINK ASSEMBLY (RH)							Service ATA:32
PN:200-3750-005	MOS	06-May-16	120		06-May-26		83 d	
SN:CFN02C-0132	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-32-01-002	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - RETRACT ACTUATOR							Service ATA:32
PN:200-4200-001	MOS	06-May-16	120		06-May-26		83 d	
SN:H0065	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-32-05-002	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSEMBLY							Service ATA:32
PN:200-4100-007	MOS	06-May-16	120		06-May-26		83 d	
SN:PCX01U-0087	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-32-10-002	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCK LINK ASSEMBLY							Service ATA:32
PN:200-4150-003	MOS	06-May-16	120		06-May-26		83 d	
SN:CFN02C-0100	HRS	0						
	AFL	0	8500		8500		7382	
	APH	0						
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-34-00-001 ^S	FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM							Service ATA:32
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 32-34-00PROC. REF: AMM 32-34-00								
32-34-00-002 ^S	GENERAL VISUAL INSPECTION OF LANDING GEAR EMERGENCY EXTENSION LINKAGES							Service ATA:32
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 32-34-00PROC. REF: AMM 32-34-00								
32-41-00-001	OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	24-Jun-23	C/C					
SN:AUG15-0303	HRS	1047.4						
	AFL	788						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-001	OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	24-Jun-23	C/C					
SN:AUG15-0301	HRS	1047.4						
	AFL	788						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-00-001	OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	24-Jun-23	C/C					
SN:AUG15-0309	HRS	1047.4						
	AFL	788						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-001	OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	24-Jun-23	C/C					
SN:AUG15-0304	HRS	1047.4						
	AFL	788						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-901	OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	06-May-16	N/A					
SN:AUG15-0303	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-901	OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	06-May-16	N/A					
SN:AUG15-0301	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-901	OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	06-May-16	N/A					
SN:AUG15-0309	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-901	OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	06-May-16	N/A					
SN:AUG15-0304	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-00-001	^S	FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE SYSTEM						Service ATA:32
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-44-00, AMM 32-44-00PROC. REF: AMM 32-44-00, AMM 32-44-00								PKG:20
32-44-00-002	^S	FUNCTIONAL CHECK OF EMERGENCY / PARKING BRAKE ACCUMULATOR						Service ATA:32
	MOS	03-Jul-24						
	HRS	1267.3	1500 (+37/-37)					
	AFL	949						
PROC. REF: AMM 32-44-04PROC. REF: AMM 32-44-04								
32-44-03-001	^S	GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE CABLE/MECHANISM						Service ATA:32
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:20
32-44-04-901	^S	FUNCTIONAL CHECK OF EMERGENCY / PARKING BRAKE ACCUMULATOR						Service ATA:32
	MOS	03-Jul-24					CMR	
	HRS	1267.3	1500					
	AFL	949						
PROC. REF: AMM 32-44-04PROC. REF: AMM 32-44-04								
32-44-06-001	^S	DISCARD OF L/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE						Service ATA:32
PN:90009634	MOS	06-May-16					CATEGORY 8	
SN:APR15-0128	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-44-08PROC. REF: AMM 32-44-08								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-44-06-001 ^S DISCARD OF R/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE								Service ATA:32
PN:90009634	MOS	06-May-16						CATEGORY 8
SN:APR15-0131	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-44-08PROC. REF: AMM 32-44-08								PKG:20
32-49-01-002 RESTORATION (OVERHAUL) OF LH INBOARD MAIN WHEEL ASSEMBLY								Service ATA:32
PN:PN	MOS	22-Nov-23						
SN:NOV18-0962	HRS	1158.5						
	AFL	871	1500	TAC 206	2165		1047	
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01								
32-49-01-002 RESTORATION (OVERHAUL) OF LH OUTBOARD MAIN WHEEL ASSEMBLY								Service ATA:32
PN:PN	MOS	22-Nov-23						
SN:FEB16-0443	HRS	1158.5						
	AFL	871	1500		2371		1253	
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01								
32-49-01-002 RESTORATION (OVERHAUL) OF RH INBOARD MAIN WHEEL ASSEMBLY								Service ATA:32
PN:PN-UNKNOWN	MOS	08-Aug-23						
SN:UNKNOWN	HRS	1081.7						
	AFL	814	1500	TAC 139	2175		1057	
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01								
32-49-01-002 RESTORATION (OVERHAUL) OF RH OUTBOARD MAIN WHEEL ASSEMBLY								Service ATA:32
PN:PN	MOS/MSC	08-Aug-23	T/C					
SN:DEC19-1028	HRS	1081.7						
	AFL	814	1500		2314		1196	
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01								
32-49-04-002 RESTORATION (OVERHAUL) OF LEFT NOSE WHEEL ASSEMBLY								Service ATA:32
PN:90006965	MOS	01-Feb-22						
SN:MAY16-0279	HRS	714.9						
	AFL	516	1500		2016		898	
PROC. REF: AMM 32-49-04, AMM 32-49-04PROC. REF: AMM 32-49-04, AMM 32-49-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-49-04-002	RESTORATION (OVERHAUL) OF RIGHT NOSE WHEEL ASSEMBLY							Service ATA:32
PN:90006965	MOS	01-Feb-22						
SN:APR15-0126	HRS	714.9						
	AFL	516	1500		2016		898	
PROC. REF: AMM 32-49-04, AMM 32-49-04PROC. REF: AMM 32-49-04, AMM 32-49-04								
320100-0101	LEFT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01								
320100-0102	RIGHT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01								
320101-0101	NOSE LANDING GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-01, AMM 32-21-01, AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01, AMM 32-21-01, AMM 32-21-01								
320113-0101	RH RACK LANDING GEAR AND HYDRAULIC CONTROL							Component ATA:32
PN:80-230021-03	MOS/MSC	16-May-17	O/C					
SN:NSN	HRS	269.3						
	AFL	183						
PROC. REF: AMM 32-01-01, AMM 32-01-01PROC. REF: AMM 32-01-01, AMM 32-01-01								
320113-0102	LH RACK LANDING GEAR AND HYDRAULIC CONTROL							Component ATA:32
PN:80-230021-03	MOS/MSC	16-May-17	O/C					
SN:NSN	HRS	269.3						
	AFL	183						
PROC. REF: AMM 32-01-01, AMM 32-01-01PROC. REF: AMM 32-01-01, AMM 32-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321102-0101	LEFT MLG DRESSED SHOCK STRUT ASSY							Component ATA:32
PN:200-3625-023	MOS/MSC	06-May-16	O/C	TSN 0				
SN:H0109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
321102-0102	RIGHT MLG DRESSED SHOCK STRUT ASSY							Component ATA:32
PN:200-3625-024	MOS/MSC	06-May-16	O/C	TSN 0				
SN:H0110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
321103-0101	LEFT MLG MAIN FITTING							Component ATA:32
PN:200-3651-003	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:WHM0121	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01								
321103-0102	RIGHT MLG MAIN FITTING							Component ATA:32
PN:200-3651-004	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:WHM0139	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01								
321103-0301	LEFT MLG FWD TRUNNION PIN							Component ATA:32
PN:200-3690-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0061	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
321103-0302	RIGHT MLG AFT TRUNNION PIN							Component ATA:32
PN:200-3686-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0037	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321103-0303	LEFT MLG AFT TRUNNION PIN							Component ATA:32
PN:200-3686-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0036	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
321103-0304	RIGHT MLG FWD TRUNNION PIN							Component ATA:32
PN:200-3690-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0062	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
321104-0101	LEFT MLG SHOCK ABSORBER (OLEO) ASSY							Component ATA:32
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
321104-0102	RIGHT MLG SHOCK ABSORBER (OLEO) ASSY							Component ATA:32
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
321105-0101	LEFT MLG OLEO ASSY METERING PIN/END CAP							Component ATA:32
PN:200-3628-105	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:H0128	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
321105-0102	RIGHT MLG OLEO ASSY METERING PIN/END CAP							Component ATA:32
PN:200-3628-105	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:H0124	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321106-0101	LEFT MLG TRAILING ARM							Component ATA:32
PN:200-3653-005	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:H0117	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
321106-0102	RIGHT MLG TRAILING ARM							Component ATA:32
PN:200-3653-005	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:H0149	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
321107-0101	LEFT MLG TRAILING ARM ASSY PIN							Component ATA:32
PN:200-3685-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0149	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
321107-0102	RIGHT MLG TRAILING ARM ASSY PIN							Component ATA:32
PN:200-3685-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0155	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
321108-0101	LEFT MLG OLEO ASSY CYLINDER							Component ATA:32
PN:200-3626-101	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:H0128	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
321108-0102	RIGHT MLG OLEO ASSY CYLINDER							Component ATA:32
PN:200-3626-101	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:H0127	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321109-0101	LEFT MLG LOWER OLEO ASSY PIN							Component ATA:32
PN:200-3687-001	MOS	20-May-21						LIFE LIMIT
SN:TEC04C-0506	HRS	613.5						
	AFL	450	17000	TSN 0	17450		16332	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
321109-0102	RIGHT MLG LOWER OLEO ASSY PIN							Component ATA:32
PN:200-3687-001	MOS	20-May-21						LIFE LIMIT
SN:TEC04C-0507	HRS	613.5						
	AFL	450	17000	TSN 0	17450		16332	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
321109-0103	LEFT MLG UPPER OLEO ASSY PIN							Component ATA:32
PN:200-3688-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0136	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
321109-0104	RIGHT MLG UPPER OLEO ASSY PIN							Component ATA:32
PN:200-3688-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0137	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
321207-0101	LH MLG MAIN LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:625800-1001	MOS/MSC	23-May-22	O/C					
SN:0092	HRS	785.2		TSN 1524				
	AFL	558		TSN 1083				
PROC. REF: AMM 32-12-07, AMM 32-12-07PROC. REF: AMM 32-12-07, AMM 32-12-07								
321207-0102	RH MLG MAIN LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:625800-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-12-07, AMM 32-12-07PROC. REF: AMM 32-12-07, AMM 32-12-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322101-0101	NOSE LANDING GEAR SHOCK ABSORBER ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
322102-0101	NLG DRESSED SHOCK STRUT ASSEMBLY							Component ATA:32
PN:200-4025-027	MOS/MSC	06-May-16	O/C	TSN 0				
SN:H0060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
322102-0102	NLG SHOCK STRUT ASSY CYLINDER							Component ATA:32
PN:200-4053-009	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:WHM0065	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
322102-0103	NLG SHOCK STRUT ASSY PISTON							Component ATA:32
PN:200-4051-005	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:H0093	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
322102-0201	NLG SHOCK STRUT ASSY TRUNNION LH PIN							Component ATA:32
PN:200-4005-101	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0090	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
322102-0202	NLG SHOCK STRUT ASSY TRUNNION RH PIN							Component ATA:32
PN:200-4005-101	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0092	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322105-0101	NLG SHOCK STRUT ASSY TORQUE ARM							Component ATA:32
PN:200-4075-101	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:ELI01C-0138	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-21-05, AMM 32-21-05PROC. REF: AMM 32-21-05, AMM 32-21-05								
322105-0102	NLG SHOCK STRUT ASSY TORQUE ARM PIN							Component ATA:32
PN:200-4040-101	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0136	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
322105-0103	NLG SHOCK STRUT ASSY TORQUE ARM APEX PIN							Component ATA:32
PN:200-4091-101	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:H0095	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
322205-0101	NLG NOSE LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:625700-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0119	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-22-05, AMM 32-22-05PROC. REF: AMM 32-22-05, AMM 32-22-05								
322205-0102	NLG NOSE LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:625700-1001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0121	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-22-05, AMM 32-22-05PROC. REF: AMM 32-22-05, AMM 32-22-05								
323101-0101	LEFT MLG RETRACT ACTUATOR							Component ATA:32
PN:200-3800-009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:H0124	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01, AMM 32-31-01PROC. REF: AMM 32-31-01, AMM 32-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323101-0102		RIGHT MLG RETRACT ACTUATOR					Component	ATA:32
PN:200-3800-009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:H0121	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01, AMM 32-31-01PROC. REF: AMM 32-31-01, AMM 32-31-01								
323103-0101		LEFT MLG UNLOCK ACTUATOR ASSY					Component	ATA:32
PN:200-3850-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TAC01U-0111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-03, AMM 32-31-03PROC. REF: AMM 32-31-03, AMM 32-31-03								
323103-0102		RIGHT MLG UNLOCK ACTUATOR ASSY					Component	ATA:32
PN:200-3850-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TAC01U-0131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-03, AMM 32-31-03PROC. REF: AMM 32-31-03, AMM 32-31-03								
323104-0101		LEFT MLG UPLOCK ASSY					Component	ATA:32
PN:200-4410-009	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TAC01U-0081	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-04, AMM 32-31-04PROC. REF: AMM 32-31-04, AMM 32-31-04								
323104-0102		RIGHT MLG UPLOCK ASSY					Component	ATA:32
PN:200-4410-010	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TAC01U-0168	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-04, AMM 32-31-04PROC. REF: AMM 32-31-04, AMM 32-31-04								
323104-0103		NLG UPLOCK ASSY					Component	ATA:32
PN:200-4410-010	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TAC01U-0167	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-04, AMM 32-32-04PROC. REF: AMM 32-32-04, AMM 32-32-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323105-0101	LEFT MLG SIDE STAY ASSY							Component ATA:32
PN:200-3700-005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PCX01U-0126	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
323105-0102	RIGHT MLG SIDE STAY ASSY							Component ATA:32
PN:200-3700-005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PCX01U-0127	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
323105-0103	LEFT MLG UPPER SIDE STAY ASSY							Component ATA:32
PN:200-3701-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPX01U-0146	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
323105-0104	RIGHT MLG UPPER SIDE STAY ASSY							Component ATA:32
PN:200-3701-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPX01U-0148	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
323105-0105	LEFT MLG LOWER SIDE STAY ASSY							Component ATA:32
PN:200-3702-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:PCX01U-0134	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
323105-0106	RIGHT MLG LOWER SIDE STAY ASSY							Component ATA:32
PN:200-3702-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:PCX01U-0133	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323105-0107	LEFT MLG SIDE STAY ASSY APEX PIN							Component ATA:32
PN:200-3705-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPX01U-0109	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
323105-0108	RIGHT MLG SIDE STAY ASSY APEX PIN							Component ATA:32
PN:200-3705-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPX01U-0110	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
323105-0201	LEFT MLG LOWER SIDE STAY ASSY PIN							Component ATA:32
PN:200-3689-105	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0135	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
323105-0202	RIGHT MLG LOWER SIDE STAY ASSY PIN							Component ATA:32
PN:200-3689-105	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0136	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
323105-0203	LEFT MLG UPPER SIDE STAY ASSY PIN							Component ATA:32
PN:200-3712-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPX01U-0131	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
323105-0204	RIGHT MLG UPPER SIDE STAY ASSY PIN							Component ATA:32
PN:200-3712-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPX01U-0132	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323110-0101 LEFT MLG LOCK LINKS ASSY-LOWER LOCK LINK								Component ATA:32
PN:200-3751-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CFN02C-0148	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0102 RIGHT MLG LOCK LINKS ASSY-LOWER LOCK LINK								Component ATA:32
PN:200-3751-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CFN02C-0159	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0103 LEFT MLG LOCK LINKS ASSY-UPPER LOCK LINK								Component ATA:32
PN:200-3752-003	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CFN02C-0157	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0104 RIGHT MLG LOCK LINKS ASSY-UPPER LOCK LINK								Component ATA:32
PN:200-3752-003	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CFN02C-0140	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0201 LEFT MLG UPPER LOCK LINK ASSY PIN								Component ATA:32
PN:200-3753-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0133	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0202 RIGHT MLG UPPER LOCK LINK ASSY PIN								Component ATA:32
PN:200-3753-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0134	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323110-0203		LEFT MLG LOWER LOCK LINK ASSY PIN					Component	ATA:32
PN:200-3756-003	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:CFN02C-0154	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0204		RIGHT MLG LOWER LOCK LINK ASSY PIN					Component	ATA:32
PN:200-3756-003	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:CFN02C-0147	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0205		LEFT MLG LOCK LINKS ASSY APEX PIN					Component	ATA:32
PN:200-3754-001	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:CFN02C-0146	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
323110-0206		RIGHT MLG LOCK LINKS ASSY APEX PIN					Component	ATA:32
PN:200-3754-001	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:CFN02C-0139	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
323201-0101		NLG RETRACT ACTUATOR ASSY					Component	ATA:32
PN:200-4200-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:H0065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-01, AMM 32-32-01PROC. REF: AMM 32-32-01, AMM 32-32-01								
323203-0101		NLG UNLOCK ACTUATOR ASSY					Component	ATA:32
PN:200-4300-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TAC01U-0069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-03, AMM 32-32-03PROC. REF: AMM 32-32-03, AMM 32-32-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323205-0101	NLG DRAG BRACE ASSY							Component ATA:32
PN:200-4100-007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PCX01U-0087	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05								
323205-0103	NLG SHOCK STRUT ASSY LOWER DRAG BRACE PIN							Component ATA:32
PN:200-4037-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CPS01C-0090	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05								
323205-0201	NLG DRAG BRACE ASSY-UPPER DRAG BRACE							Component ATA:32
PN:200-4110-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPXC01U-0115	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05								
323205-0202	NLG DRAG BRACE ASSY-LOWER DRAG BRACE							Component ATA:32
PN:200-4120-001	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPXC01U-0086	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05								
323205-0301	NLG DRAG BRACE ASSY-APEX PIN							Component ATA:32
PN:200-4136-105	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPXC01U-0043	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05								
323205-0302	NLG DRAG BRACE ASSY PIN							Component ATA:32
PN:200-4137-103	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:SPXC01U-0047	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323205-0303		NLG DRAG BRACE ASSY TRUNNION PIN					Component	ATA:32
PN:200-4139-101	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:SPXC01U-0096	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
323210-0101		NLG LOCK LINK ASSY					Component	ATA:32
PN:200-4150-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CFN02C-0100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-10, AMM 32-32-10, AMM 32-32-10, AMM 32-32-10PROC. REF: AMM 32-32-10, AMM 32-32-10, AMM 32-32-10, AMM 32-32-10								
323210-0102		NLG LOCK LINKS ASSY APEX PIN					Component	ATA:32
PN:200-4182-101	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:CFN0111	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
323210-0103		NLG LOCK LINKS ASSY-LOWER LOCK LINK					Component	ATA:32
PN:200-4160-001	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:CFN02C-0105	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-32-10, AMM 32-32-10PROC. REF: AMM 32-32-10, AMM 32-32-10								
323210-0104		NLG LOCK LINKS ASSY-UPPER LOCK LINK					Component	ATA:32
PN:200-4170-003	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:CFN02C-0106	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM 32-32-10, AMM 32-32-10PROC. REF: AMM 32-32-10, AMM 32-32-10								
323210-0105		NLG SHOCK STRUT ASSY UPPER LOCK LINKS PIN					Component	ATA:32
PN:200-4188-101	MOS	06-May-16		TSN 0			LIFE LIMIT	
SN:H0091	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323301-0101	LANDING GEAR CONTROL LEVER							Component ATA:32
PN:72500	MOS/MSC	06-May-16	O/C	TSN 0				
SN:00065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-33-01, AMM 32-33-01PROC. REF: AMM 32-33-01, AMM 32-33-01								
323302-0101	LANDING GEAR CONTROL MANIFOLD							Component ATA:32
PN:72512-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0067	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-33-02, AMM 32-33-02PROC. REF: AMM 32-33-02, AMM 32-33-02								
323401-0101	FREE-FALL SELECTOR VALVE							Component ATA:32
PN:72501-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-34-01, AMM 32-34-01PROC. REF: AMM 32-34-01, AMM 32-34-01								
324103-0101	LH STUB SHUT OFF VALVE							Component ATA:32
PN:90007136	MOS/MSC	06-May-16	O/C	TSN 0				
SN:APR15-0143	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-03, AMM 32-41-03PROC. REF: AMM 32-41-03, AMM 32-41-03								
324103-0202	RH STUB SHUT OFF VALVE							Component ATA:32
PN:90007136	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUN15-0156	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-03, AMM 32-41-03PROC. REF: AMM 32-41-03, AMM 32-41-03								
324104-0101	LH STUB DUAL BRAKE CONTROL VALVE							Component ATA:32
PN:90007135-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DEC15-0149	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-04, AMM 32-41-04PROC. REF: AMM 32-41-04, AMM 32-41-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324104-0102	RH STUB DUAL BRAKE CONTROL VALVE							Component ATA:32
PN:90007135-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DEC15-0155	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-04, AMM 32-41-04PROC. REF: AMM 32-41-04, AMM 32-41-04								
324105-0101	LH WING PRESSURE TRANSDUCER							Component ATA:32
PN:90007137-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUL15-0225	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05, AMM 32-41-05PROC. REF: AMM 32-41-05, AMM 32-41-05								
324105-0102	RH WING PRESSURE TRANSDUCER							Component ATA:32
PN:90007137-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUL15-0228	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05, AMM 32-41-05PROC. REF: AMM 32-41-05, AMM 32-41-05								
324105-0103	LH WING PRESSURE TRANSDUCER							Component ATA:32
PN:90007137-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUL15-0227	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05, AMM 32-41-05PROC. REF: AMM 32-41-05, AMM 32-41-05								
324105-0104	RH WING PRESSURE TRANSDUCER							Component ATA:32
PN:90007137-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUL15-0232	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05, AMM 32-41-05PROC. REF: AMM 32-41-05, AMM 32-41-05								
324106-0101	LH OUTBOARD WHEEL SPEED TRANSDUCER							Component ATA:32
PN:90007139-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUL15-0320	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-06, AMM 32-41-06PROC. REF: AMM 32-41-06, AMM 32-41-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324106-0102	LH INBOARD WHEEL SPEED TRANSDUCER							Component ATA:32
PN:90007139-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUN15-0304	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-06, AMM 32-41-06PROC. REF: AMM 32-41-06, AMM 32-41-06								
324106-0103	RH INBOARD WHEEL SPEED TRANSDUCER							Component ATA:32
PN:90007139-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUN15-0305	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-06, AMM 32-41-06PROC. REF: AMM 32-41-06, AMM 32-41-06								
324106-0104	RH OUTBOARD WHEEL SPEED TRANSDUCER							Component ATA:32
PN:90007139-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:JUN15-0302	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-06, AMM 32-41-06PROC. REF: AMM 32-41-06, AMM 32-41-06								
324107-0101	LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Component ATA:32
PN:90007143	MOS/MSC	06-May-16	O/C	TSN 0				
SN:AUG15-0301	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07, AMM 32-41-07PROC. REF: AMM 32-41-07, AMM 32-41-07								
324107-0102	RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Component ATA:32
PN:90007143	MOS/MSC	06-May-16	O/C	TSN 0				
SN:AUG15-0304	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07, AMM 32-41-07PROC. REF: AMM 32-41-07, AMM 32-41-07								
324107-0103	LEFT HAND AFT WING HYDRAULIC BRAKE FUSE							Component ATA:32
PN:90007143	MOS/MSC	06-May-16	O/C	TSN 0				
SN:AUG15-0303	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07, AMM 32-41-07PROC. REF: AMM 32-41-07, AMM 32-41-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324107-0104	RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE							Component ATA:32
PN:90007143	MOS/MSC	06-May-16	O/C	TSN 0				
SN:AUG15-0309	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07, AMM 32-41-07PROC. REF: AMM 32-41-07, AMM 32-41-07								
324108-0101	LH STUB SHUTTLE VALVE							Component ATA:32
PN:90007433	MOS/MSC	06-May-16	O/C	TSN 0				
SN:014PF	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-08, AMM 32-41-08PROC. REF: AMM 32-41-08, AMM 32-41-08								
324108-0102	RH STUB SHUTTLE VALVE							Component ATA:32
PN:90007433	MOS/MSC	06-May-16	O/C	TSN 0				
SN:115PG	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-08, AMM 32-41-08PROC. REF: AMM 32-41-08, AMM 32-41-08								
324108-0103	LH STUB SHUTTLE VALVE							Component ATA:32
PN:90007433	MOS/MSC	06-May-16	O/C	TSN 0				
SN:114PG	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-08, AMM 32-41-08PROC. REF: AMM 32-41-08, AMM 32-41-08								
324108-0104	RH STUB SHUTTLE VALVE							Component ATA:32
PN:90007433	MOS/MSC	06-May-16	O/C	TSN 0				
SN:116PG	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-08, AMM 32-41-08PROC. REF: AMM 32-41-08, AMM 32-41-08								
324109-0101	AUTOBRAKE SWITCH							Component ATA:32
PN:24448	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0515-0048	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-09, AMM 32-41-09PROC. REF: AMM 32-41-09, AMM 32-41-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324112-0101	BRAKE CONTROL UNIT							Component ATA:32
PN:90007262-5	MOS/MSC	20-May-21	O/C					
SN:APR20-0292	HRS	613.5						
	AFL	450						
PROC. REF: AMM 32-41-01, AMM 32-41-01PROC. REF: AMM 32-41-01, AMM 32-41-01								
324113-0101	LH OUTBOARD HUB CAP							Component ATA:32
PN:90007140-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:055PE	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
324113-0102	LH INBOARD HUB CAP							Component ATA:32
PN:90007140-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:065PE	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
324113-0103	RH INBOARD HUB CAP							Component ATA:32
PN:90007140-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:073PD	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
324113-0104	RH OUTBOARD HUB CAP							Component ATA:32
PN:90007140-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:056PE	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
324402-0101	CENT FUS EMERGENCY/PARKING BRAKE VALVE							Component ATA:32
PN:90007141-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:014PJ	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-02, AMM 32-44-02PROC. REF: AMM 32-44-02, AMM 32-44-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324404-0101	LH FUS EMERGENCY/PARKING BRAKE ACCUMULATOR							Component ATA:32
PN:90007145-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SEP14-0069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-04, AMM 32-44-04PROC. REF: AMM 32-44-04, AMM 32-44-04								
324404-0102	RH FUS EMERGENCY/PARKING BRAKE ACCUMULATOR							Component ATA:32
PN:90007145-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SEP15-0133	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-04, AMM 32-44-04PROC. REF: AMM 32-44-04, AMM 32-44-04								
324405-0101	LH STUB PRESSURE SWITCH							Component ATA:32
PN:90007147-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:AUG15-0216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
324405-0102	RH STUB PRESSURE SWITCH							Component ATA:32
PN:90007147-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:AUG15-0225	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
324408-0101	L/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE							Component ATA:32
PN:90009634	MOS/MSC	06-May-16	H/T	TSN 0				
SN:APR15-0128	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-08, AMM 32-44-08PROC. REF: AMM 32-44-08, AMM 32-44-08								
324408-0102	R/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE							Component ATA:32
PN:90009634	MOS/MSC	06-May-16	H/T	TSN 0				
SN:APR15-0131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-08, AMM 32-44-08PROC. REF: AMM 32-44-08, AMM 32-44-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324409-0101	LH FUS CHECK VALVE							Component ATA:32
PN:90007142	MOS/MSC	06-May-16	O/C	TSN 0				
SN:MAR15-0399	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-09, AMM 32-44-09PROC. REF: AMM 32-44-09, AMM 32-44-09								
324409-0102	RH FUS CHECK VALVE							Component ATA:32
PN:90007142	MOS/MSC	06-May-16	O/C	TSN 0				
SN:MAR15-0400	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-09, AMM 32-44-09PROC. REF: AMM 32-44-09, AMM 32-44-09								
324409-0103	LH STUB CHECK VALVE							Component ATA:32
PN:90007142	MOS/MSC	06-May-16	O/C	TSN 0				
SN:MAR15-0403	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-09, AMM 32-44-09PROC. REF: AMM 32-44-09, AMM 32-44-09								
324409-0104	RH STUB CHECK VALVE							Component ATA:32
PN:90007142	MOS/MSC	06-May-16	O/C	TSN 0				
SN:MAR15-0404	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-44-09, AMM 32-44-09PROC. REF: AMM 32-44-09, AMM 32-44-09								
324902-0101	LH OUTBOARD MAIN WHEEL							Component ATA:32
PN:PN	MOS/MSC	22-Nov-23	O/C					
SN:FEB16-0443	HRS	1158.5						
	AFL	871						
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01								
324902-0102	LH INBOARD MAIN WHEEL							Component ATA:32
PN:PN	MOS/MSC	22-Nov-23	O/C	TSR 1				
SN:NOV18-0962	HRS	1158.5		TSR 0				
	AFL	871		TSO 206, TSR 0				
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324902-0103		RH INBOARD MAIN WHEEL					Component	ATA:32
PN:PN-UNKNOWN	MOS/MSC	08-Aug-23	O/C	TSR 1				
SN:UNKNOWN	HRS	1081.7		TSR 0				
	AFL	814		TSO 139, TSR 0				
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01								
324902-0104		RH OUTBOARD MAIN WHEEL					Component	ATA:32
PN:PN	MOS/MSC	08-Aug-23	O/C	TSO 2				
SN:DEC19-1028	HRS	1081.7		TSO 0				
	AFL	814		TSO 0				
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01								
324903-0101		LH OUTBOARD WHEEL/TIRE ASSY					Component	ATA:32
PN:550-14205-601	MOS/MSC	22-Nov-23	O/C	TSO 0				
SN:FEB16-0443	HRS	1158.5		TSO 0				
	AFL	871		TSO 0				
PROC. REF: AMM 32-49-02, AMM 32-49-02PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0102		LH INBOARD WHEEL/TIRE ASSY					Component	ATA:32
PN:550-14205-601	MOS/MSC	22-Nov-23	O/C	TSR 1				
SN:NOV18-0962	HRS	1158.5		TSR 0				
	AFL	871		TSO 206, TSR 0				
PROC. REF: AMM 32-49-02, AMM 32-49-02PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0103		RH INBOARD WHEEL/TIRE ASSY					Component	ATA:32
PN:550-14205-601	MOS/MSC	08-Aug-23	O/C	TSR 1				
SN:JULY18-0907	HRS	1081.7		TSR 0				
	AFL	814		TSO 139, TSR 0				
PROC. REF: AMM 32-49-02, AMM 32-49-02PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0104		RH OUTBOARD WHEEL/TIRE ASSY					Component	ATA:32
PN:550-14205-601	MOS/MSC	08-Aug-23	O/C	TSO 2				
SN:DEC19-1028	HRS	1081.7		TSO 0				
	AFL	814		TSO 0				
PROC. REF: AMM 32-49-02, AMM 32-49-02PROC. REF: AMM 32-49-02, AMM 32-49-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324903-0105	LH OUTBOARD TIRE							Component ATA:32
PN:PN	MOS/MSC	22-Nov-23	O/C					
SN:UNKNOWN	HRS	1158.5						
	AFL	871						
PROC. REF: AMM 32-49-02, AMM 32-49-02PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0106	LH INBOARD TIRE							Component ATA:32
PN:PN	MOS/MSC	22-Nov-23	O/C					
SN:UNKNOWN	HRS	1158.5						
	AFL	871						
PROC. REF: AMM 32-49-02, AMM 32-49-02PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0107	RH INBOARD TIRE							Component ATA:32
PN:PN	MOS/MSC	08-Aug-23	O/C					
SN:UNKNOWN	HRS	1081.7						
	AFL	814						
PROC. REF: AMM 32-49-02, AMM 32-49-02PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0108	RH OUTBOARD TIRE							Component ATA:32
PN:PN-UNKNOWN	MOS/MSC	08-Aug-23	O/C					
SN:UNKNOWN	HRS	1081.7						
	AFL	814						
PROC. REF: AMM 32-49-02, AMM 32-49-02PROC. REF: AMM 32-49-02, AMM 32-49-02								
324904-0101	LEFT NLG WHEEL/TIRE ASSY							Component ATA:32
PN:550-14602-601	MOS/MSC	01-Feb-22	O/C	TSO 0				
SN:MAY16-0279	HRS	714.9		TSO 0				
	AFL	516		TSO 0				
PROC. REF: AMM 32-49-05, AMM 32-49-05PROC. REF: AMM 32-49-05, AMM 32-49-05								
324904-0102	RIGHT NLG WHEEL/TIRE ASSY							Component ATA:32
PN:550-14602-601	MOS/MSC	01-Feb-22	O/C	TSO 0				
SN:APR15-0126	HRS	714.9		TSO 0				
	AFL	516		TSO 0				
PROC. REF: AMM 32-49-05, AMM 32-49-05PROC. REF: AMM 32-49-05, AMM 32-49-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324905-0101	LEFT NOSE WHEEL							Component ATA:32
PN:90006965	MOS/MSC	01-Feb-22	O/C	TSO 0				
SN:MAY16-0279	HRS	714.9		TSO 0				
	AFL	516		TSO 0				
PROC. REF: AMM 32-49-04, AMM 32-49-04PROC. REF: AMM 32-49-04, AMM 32-49-04								
324905-0102	RIGHT NOSE WHEEL							Component ATA:32
PN:90006965	MOS/MSC	01-Feb-22	O/C	TSO 0				
SN:APR15-0126	HRS	714.9		TSO 0				
	AFL	516		TSO 0				
PROC. REF: AMM 32-49-04, AMM 32-49-04PROC. REF: AMM 32-49-04, AMM 32-49-04								
324905-0103	LEFT NOSE TIRE							Component ATA:32
PN:178K03-1	MOS/MSC	01-Feb-22	O/C	TSN 0				
SN:00600378	HRS	714.9		TSN 0				
	AFL	516		TSN 0				
PROC. REF: AMM 32-49-05, AMM 32-49-05PROC. REF: AMM 32-49-05, AMM 32-49-05								
324905-0104	RIGHT NOSE TIRE							Component ATA:32
PN:178K03-1	MOS/MSC	01-Feb-22	O/C	TSN 0				
SN:10710429	HRS	714.9		TSN 0				
	AFL	516		TSN 0				
PROC. REF: AMM 32-49-05, AMM 32-49-05PROC. REF: AMM 32-49-05, AMM 32-49-05								
324906-0101	LH OUTBOARD CARBON BRAKE AND BTMS ASSY							Component ATA:32
PN:90006967-3PR	MOS/MSC	24-Jun-23	O/C	TSO 7				
SN:SEP21-0914	HRS	1047.4		TSO 0				
	AFL	788		TSO 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
324906-0102	LH INBOARD CARBON BRAKE AND BTMS ASSY							Component ATA:32
PN:90006967-3PR	MOS/MSC	24-Jun-23	O/C	TSR 3				
SN:JUN15-0179	HRS	1047.4		TSR 0				
	AFL	788		TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324906-0103	RH INBOARD CARBON BRAKE AND BTMS ASSY							Component ATA:32
PN:90006967-3PR	MOS/MSC	24-Jun-23	O/C	TSR 3				
SN:MAR21-0876	HRS	1047.4		TSR 0				
	AFL	788		TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
324906-0104	RH OUTBOARD CARBON BRAKE AND BTMS ASSY							Component ATA:32
PN:90006967-3PR	MOS/MSC	24-Jun-23	O/C	TSO 3				
SN:SEP21-0916	HRS	1047.4		TSO 0				
	AFL	788		TSO 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
325001-0101	NLG SHOCK STRUT ASSY STEERING RACK							Component ATA:32
PN:200-4030-105	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CFN02C-0068	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4								
325001-0102	NLG SHOCK STRUT ASSY STEERING COLLAR							Component ATA:32
PN:200-4080-003	MOS	06-May-16		TSN 0				LIFE LIMIT
SN:CFN02C-0075	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15882	
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
325002-0101	LH FWD W297 STEERING DISCONNECT PANEL							Component ATA:32
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
325201-0101	NOSE WHEEL STEERING CONTROL MANIFOLD							Component ATA:32
PN:72493-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0081	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-52-01, AMM 32-52-01PROC. REF: AMM 32-52-01, AMM 32-52-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
325307-0101	CREW CAB 2PDT SWITCH							Component ATA:32
PN:72546	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
326101-0101	NLG WOW NO. 1 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:59563	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-63-01, AMM 32-63-01PROC. REF: AMM 32-63-01, AMM 32-63-01								
326101-0102	NLG WOW NO. 2 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:61947	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-63-01, AMM 32-63-01PROC. REF: AMM 32-63-01, AMM 32-63-01								
326101-0103	NLG OVERTRAVEL STEERING PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:62712	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-03, AMM 32-61-03, AMM 32-53-13, AMM 32-53-13PROC. REF: AMM 32-61-03, AMM 32-61-03, AMM 32-53-13, AMM 32-53-13								
326101-0104	NLG DOWNLOCK NO. 1 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:61801	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-01, AMM 32-61-01PROC. REF: AMM 32-61-01, AMM 32-61-01								
326101-0105	NLG DOWNLOCK NO. 2 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:61829	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-01, AMM 32-61-01PROC. REF: AMM 32-61-01, AMM 32-61-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
326101-0106	NLG DOOR NO. 1 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:61922	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-03, AMM 32-61-03PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0107	NLG DOOR NO. 2 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:62718	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-03, AMM 32-61-03PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0108	NLG DOOR NO. 3 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:62744	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-03, AMM 32-61-03PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0109	NLG DOOR NO. 4 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:62756	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-03, AMM 32-61-03PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0110	NLG DOOR NO. 5 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:61909	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-03, AMM 32-61-03PROC. REF: AMM 32-61-03, AMM 32-61-03								
326104-0101	LH MLG LOCK LINK ASSY							Component ATA:32
PN:200-3750-005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CFN02C-0140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
326104-0102	RH MLG LOCK LINK ASSY							Component ATA:32
PN:200-3750-005	MOS/MSC	06-May-16	O/C	TSN 0				
SN:CFN02C-0132	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10								
C32-01-00-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION							Service ATA:32
	MOS	06-May-16						
	HRS	0	7500					
	AFL	0						
PKG:20								
PROC. REF: AMM 29-13-00PROC. REF: AMM 29-13-00								
C32-41-00-001	OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	24-Jun-23	C/C					
SN:AUG15-0303	HRS	1047.4						
	AFL	788						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
C32-41-00-001	OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	24-Jun-23	C/C					
SN:AUG15-0301	HRS	1047.4						
	AFL	788						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
C32-41-00-001	OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	24-Jun-23	C/C					
SN:AUG15-0309	HRS	1047.4						
	AFL	788						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
C32-41-00-001	OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	24-Jun-23	C/C					
SN:AUG15-0304	HRS	1047.4						
	AFL	788						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
C32-44-04-001	^S	FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE ACUMULATOR						Service ATA:32
	MOS	03-Jul-24						
	HRS	1267.3	1500					
	AFL	949						
PROC. REF: AMM 32-44-04PROC. REF: AMM 32-44-04								PKG:5
ATA 33 - LIGHTS								
33-43-00-001		DISCARD LH WING POSITION RED (NAVIGATION) LIGHT ASSY						Service ATA:33
PN:03-9000-4003-N	MOS	06-May-16						LIFE LIMIT
SN:163730-1-1	HRS	0	15000 (+37/-37)		15000	15037	13499.5 (+37)	
	AFL	0						
PROC. REF: AMM 33-43-00PROC. REF: AMM 33-43-00								
33-43-00-001		DISCARD RH WING POSITION GREEN (NAVIGATION) LIGHT ASSY						Service ATA:33
PN:03-9000-4004-N	MOS	06-May-16						LIFE LIMIT
SN:163514-2-1	HRS	0	15000 (+37/-37)		15000	15037	13499.5 (+37)	
	AFL	0						
PROC. REF: AMM 33-43-00PROC. REF: AMM 33-43-00								
33-47-00-001		DISCARD LH WING ANTICOLLISION (STROBE) LIGHT ASSY						Service ATA:33
PN:03-9506-0003-N	MOS	06-May-16						LIFE LIMIT
SN:174602-1-2	HRS	0	15000 (+37/-37)		15000	15037	13499.5 (+37)	
	AFL	0						
PROC. REF: AMM 33-47-00PROC. REF: AMM 33-47-00								
33-47-00-001		DISCARD RH WING ANTICOLLISION (STROBE) LIGHT ASSY						Service ATA:33
PN:03-9506-0003-N	MOS	06-May-16						LIFE LIMIT
SN:174602-1-1	HRS	0	15000 (+37/-37)		15000	15037	13499.5 (+37)	
	AFL	0						
PROC. REF: AMM 33-47-00PROC. REF: AMM 33-47-00								
33-47-00-001		DISCARD TAIL ANTICOLLISION (STROBE) LIGHT ASSY						Service ATA:33
PN:03-9507-0001	MOS	24-Jun-23						LIFE LIMIT
SN:213891-1-3	HRS	1047.4	15000 (+37/-37)		16047.4	16084.4	14546.9 (+37)	
	AFL	788						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-47-00PROC. REF: AMM 33-47-00								
33-51-01-001 FUNCTIONAL CHECK FORWARD ELECTRONIC COMPARTMENT EMERGENCY LIGHTING BATTERY Service ATA:33								
PN:7450LS-00	MOS	10-Jun-25	12		10-Jun-26		118 d	
SN:005606	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 33-51-01PROC. REF: AMM 33-51-01								
33-51-01-001 FUNCTIONAL CHECK LEFT RACK EMERGENCY LIGHTING BATTERY Service ATA:33								
PN:7450LS-00	MOS	10-Jun-25	12		10-Jun-26		118 d	
SN:005683	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 33-51-01PROC. REF: AMM 33-51-01								
33-52-01-001 ^S OPERATIONAL CHECK OF FLASHLIGHT Service ATA:33								
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
								PKG:12
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								
33-52-01-002 DISCARD NO. 1 FLASHLIGHT BATTERY Service ATA:33								
PN:P2-07-0025-001	MOS	01-Jun-23	60		01-Jun-28		840 d	LIFE LIMIT
SN:UNKNOWN	HRS	1267.3						
	AFL	949						
				Manufacture Date:: 01-Jun-23				
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								
33-52-01-002 DISCARD NO. 2 FLASHLIGHT BATTERY Service ATA:33								
PN:P2-07-0025-001	MOS	01-Jun-23	60		01-Jun-28		840 d	LIFE LIMIT
SN:UNKNOWN	HRS	1267.3						
	AFL	949						
				Manufacture Date:: 01-Jun-23				
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331013-0101	OVERHEAD COCKPIT LIGHTS CONTROL PANEL ASSY							Component ATA:33
PN:430900-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:430900AA0061	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01, AMM 33-10-01PROC. REF: AMM 33-10-01, AMM 33-10-01								
331213-0101	C FLOOR LIGHTING DIMMER ASSY							Component ATA:33
PN:434300-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:434300AA0057	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-12-01, AMM 33-12-01PROC. REF: AMM 33-12-01, AMM 33-12-01								
332001-0101	OVERHEAD PAX CABIN SYSTEM NO SMOKE CONTROL PANEL							Component ATA:33
PN:430800-002	MOS/MSC	21-Sep-17	O/C	TSN 12				
SN:430800AA0087	HRS	310.7		TSN 0				
	AFL	217		TSN 0				
PROC. REF: AMM 33-20-01, AMM 33-20-01PROC. REF: AMM 33-20-01, AMM 33-20-01								
332113-0101	RH RACK LED LIGHT DIMMER							Component ATA:33
PN:AL-2038-910-000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:199	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
333201-0101	SERVICE COMPARTMENT LIGHT							Component ATA:33
PN:03-4000-0000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:164533-21-12	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
333201-0102	SERVICE COMPARTMENT LIGHT							Component ATA:33
PN:03-4000-0000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:164533-21-15	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
333201-0103 REAR FUS SERVICE COMPARTMENT LIGHT								Component ATA:33
PN:03-4000-0000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:164533-21-19	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-32-01, AMM 33-32-01PROC. REF: AMM 33-32-01, AMM 33-32-01								
333201-0104 NOSE SERVICE COMPARTMENT LIGHT								Component ATA:33
PN:03-4000-0000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:164533-21-5	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-32-01, AMM 33-32-01PROC. REF: AMM 33-32-01, AMM 33-32-01								
333201-0105 APU SERVICE COMPARTMENT LIGHT								Component ATA:33
PN:03-4000-0000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:164533-21-6	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-32-01, AMM 33-32-01PROC. REF: AMM 33-32-01, AMM 33-32-01								
334001-0101 OVERHEAD EXTERNAL LIGHTS CONTROL PANEL ASSY								Component ATA:33
PN:431600-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:431600AA0030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01, AMM 33-40-01PROC. REF: AMM 33-40-01, AMM 33-40-01								
334101-0101 LEFT LANDING/TAXI LIGHT ASSY								Component ATA:33
PN:03-4301-0007	MOS/MSC	06-May-16	O/C	TSN 0				
SN:172284-2-2	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334101-0102 RIGHT LANDING/TAXI LIGHT ASSY								Component ATA:33
PN:03-4301-0008	MOS/MSC	06-May-16	O/C	TSN 0				
SN:169664-2-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-41-01, AMM 33-41-01PROC. REF: AMM 33-41-01, AMM 33-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334300-0101	LH WING POSITION RED (NAVIGATION) LIGHT ASSY							Component ATA:33
PN:03-9000-4003-N	MOS/MSC	06-May-16	O/C	TSN 0				
SN:163730-1-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-43-00PROC. REF: AMM 33-43-00								
334300-0102	RH WING POSITION GREEN (NAVIGATION) LIGHT ASSY							Component ATA:33
PN:03-9000-4004-N	MOS/MSC	06-May-16	O/C	TSN 0				
SN:163514-2-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-43-00PROC. REF: AMM 33-43-00								
334303-0101	TAIL CONE REAR POSITION LIGHT ASSY							Component ATA:33
PN:03-9200-2400-N	MOS/MSC	06-May-16	O/C	TSN 0				
SN:168817-41-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
334303-0102	REAR POSITION LIGHT ASSY							Component ATA:33
PN:03-9200-3000-N	MOS/MSC	06-May-16	O/C	TSN 0				
SN:164533-15-3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
334401-0101	FORWARD FAIRING INSPECTION LIGHT							Component ATA:33
PN:03-4200-0001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:165896-5-3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
334501-0101	RED BEACON TAIL LIGHT ASSY							Component ATA:33
PN:03-3100-0001	MOS/MSC	24-Jun-23	O/C	TSN 6				
SN:5674554	HRS	1047.4		TSN 0				
	AFL	788		TSN 0				
PROC. REF: AMM 33-45-01, AMM 33-45-01PROC. REF: AMM 33-45-01, AMM 33-45-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334601-0101	LH PYLON LOGOTYPE LIGHT ASSY							Component ATA:33
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-46-01, AMM 33-46-01PROC. REF: AMM 33-46-01, AMM 33-46-01								
334601-0102	RH PYLON LOGOTYPE LIGHT ASSY							Component ATA:33
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-46-01, AMM 33-46-01PROC. REF: AMM 33-46-01, AMM 33-46-01								
334701-0101	LH WING ANTICOLLISION (STROBE) LIGHT ASSY							Component ATA:33
PN:03-9506-0003-N	MOS/MSC	06-May-16	O/C	TSN 0				
SN:174602-1-2	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-47-01, AMM 33-47-01PROC. REF: AMM 33-47-01, AMM 33-47-01								
334701-0102	RH WING ANTICOLLISION (STROBE) LIGHT ASSY							Component ATA:33
PN:03-9506-0003-N	MOS/MSC	06-May-16	O/C	TSN 0				
SN:174602-1-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-47-01, AMM 33-47-01PROC. REF: AMM 33-47-01, AMM 33-47-01								
334703-0101	TAIL ANTICOLLISION (STROBE) LIGHT ASSY							Component ATA:33
PN:03-9507-0001	MOS/MSC	24-Jun-23	O/C	TSN 48				
SN:213891-1-3	HRS	1047.4		TSN 0				
	AFL	788		TSN 0				
PROC. REF: AMM 33-47-03, AMM 33-47-03PROC. REF: AMM 33-47-03, AMM 33-47-03								
335101-0101	FORWARD ELECTRONIC COMPARTMENT EMERGENCY LIGHTING BATTERY							Component ATA:33
PN:7450LS-00	MOS/MSC	10-Jun-25	O/C					
SN:005606	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 33-51-01, AMM 33-51-01PROC. REF: AMM 33-51-01, AMM 33-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335101-0102	LEFT RACK EMERGENCY LIGHTING BATTERY							Component ATA:33
PN:7450LS-00	MOS/MSC	10-Jun-25	O/C					
SN:005683	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 33-51-01, AMM 33-51-01PROC. REF: AMM 33-51-01, AMM 33-51-01								
335201-0101	NO. 1 FLASHLIGHT							Component ATA:33
PN:P2-07-0025-001	MOS/MSC	25-Apr-20	O/C	TSN 0				
SN:NSN	HRS	579.7		TSN 0				
	AFL	427		TSN 0				
PROC. REF: AMM 33-52-01, AMM 33-52-01PROC. REF: AMM 33-52-01, AMM 33-52-01								
335201-0102	NO. 2 FLASHLIGHT							Component ATA:33
PN:P2-07-0025-001	MOS/MSC	25-Apr-20	O/C	TSN 0				
SN:NSN	HRS	579.7		TSN 0				
	AFL	427		TSN 0				
PROC. REF: AMM 33-52-01, AMM 33-52-01PROC. REF: AMM 33-52-01, AMM 33-52-01								
335202-0101	NO. 1 FLASHLIGHT BATTERY							Component ATA:33
PN:P2-07-0025-001	MOS/MSC	03-Jul-24	O/C	TSN 0				
SN:UNKNOWN	HRS	1267.3		TSN 0				
	AFL	949		TSN 0				
PROC. REF: AMM 33-52-01, AMM 33-52-01PROC. REF: AMM 33-52-01, AMM 33-52-01								
335202-0102	NO. 2 FLASHLIGHT BATTERY							Component ATA:33
PN:P2-07-0025-001	MOS/MSC	03-Jul-24	O/C	TSN 0				
SN:UNKNOWN	HRS	1267.3		TSN 0				
	AFL	949		TSN 0				
PROC. REF: AMM 33-52-01, AMM 33-52-01PROC. REF: AMM 33-52-01, AMM 33-52-01								
ATA 34 - NAVIGATION								
34-15-01-001	FUNCTIONAL CHECK OF AIR DATA SYSTEM (ADS)							Service ATA:34
	MOS	08-Jun-24	24		08-Jun-26		116 d	SYSTEM
	HRS	1267.3						
	AFL	949						
Calibration Date: : 08-Jun-24								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-15-00PROC. REF: AMM 34-15-00								
34-15-01-002	SPECIAL DETAILED INSPECTION (DIMENSIONAL MEASUREMENT) OF SMART PROBE AND RVSM CRITICAL REGION							Service ATA:34
	MOS	03-Jul-24	48 (+15d/-15d)		03-Jul-28	18-Jul-28	872 d (+15)	
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 34-15-00PROC. REF: AMM 34-15-00								
34-23-01-001 ^S	FUNCTIONAL CHECK STANDBY MAGNETIC COMPASS							Service ATA:34
PN:KCA0120W	MOS	03-Jul-24	24 (+15d/-15d)					
SN:BN4020915	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00								
34-41-01-001 ^S	OPERATIONAL CHECK OF TERRAIN AWARENESS WARNING SYSTEM (TAWS) - AUTO TEST							Service ATA:34
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 34-41-00PROC. REF: AMM 34-41-00								
34-52-01-001	FUNCTIONAL CHECK OF TRANSPONDER SYSTEM							Service ATA:34
	MOS	08-Jun-24	24		08-Jun-26		116 d	SYSTEM
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
34-60-01-001 ^U	UPDATE FMS DATABASE							Service ATA:34
	MOS/MSC	05-Jan-26	DUE		?		?	
	HRS	1500.5						
	AFL	1118						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-60-01-002 ^U UPDATE I-NAV CHARTS Service ATA:34								
	MOS/MSC	05-Jan-26	DUE		?		?	
	HRS	1500.5						
	AFL	1118						
341100-0101 MAGNETOMETER RELAY Component ATA:34								
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-02, AMM 34-11-02PROC. REF: AMM 34-11-02, AMM 34-11-02								
341101-0101 STANDBY FLIGHT INSTRUMENT SYSTEM Component ATA:34								
PN:866-0205-200	MOS/MSC	06-May-16	O/C	TSN 0				
SN:45FTY	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-01, AMM 34-11-01PROC. REF: AMM 34-11-01, AMM 34-11-01								
341102-0101 LH WING MGR-3000 MAGNETIC SENSOR UNIT Component ATA:34								
PN:866-0206-020	MOS/MSC	06-May-16	O/C	TSN 0				
SN:45FTG	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
341103-0101 CSL CENT OCM OPTIONS CONFIGURATION MODULE Component ATA:34								
PN:866-0210-010	MOS/MSC	06-May-16	O/C	TSN 0				
SN:45FDL	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-03, AMM 34-11-03PROC. REF: AMM 34-11-03, AMM 34-11-03								
341501-0101 LEFT UP ADSP AIR DATA SMART PROBE Component ATA:34								
PN:2015TB-1	MOS/MSC	23-May-22	O/C	TSN 68				
SN:0148	HRS	785.2		TSN 646.9				
	AFL	558		TSN 466				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341501-0102	RIGHT LW ADSP AIR DATA SMART PROBE							Component ATA:34
PN:2015TB-1	MOS/MSC	23-May-22	O/C	TSN 72				
SN:0234	HRS	785.2		TSN 785.2				
	AFL	558		TSN 558				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
341501-0103	LEFT LW ADSP AIR DATA SMART PROBE							Component ATA:34
PN:2015TC-1	MOS/MSC	23-May-22	O/C					
SN:0824	HRS	785.2						
	AFL	558						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
341501-0104	RIGHT UP ADSP AIR DATA SMART PROBE							Component ATA:34
PN:2015TC-1	MOS/MSC	23-May-22	O/C	TSN 72				
SN:0330	HRS	785.2		TSN 785.2				
	AFL	558		TSN 558				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
341502-0101	LH FWD TOTAL TEMPERATURE SENSOR							Component ATA:34
PN:102EW1DF	MOS/MSC	06-May-16	O/C	TSN 0				
SN:B38302	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-15-02, AMM 34-15-02PROC. REF: AMM 34-15-02, AMM 34-15-02								
341502-0102	RH FWD TOTAL TEMPERATURE SENSOR							Component ATA:34
PN:102EW1DF	MOS/MSC	06-May-16	O/C	TSN 0				
SN:B38901	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-15-02, AMM 34-15-02PROC. REF: AMM 34-15-02, AMM 34-15-02								
342101-0101	C FLOOR AHC3 ATTITUDE AND HEADING COMPUTER							Component ATA:34
PN:822-1110-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44Y02T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-01PROC. REF: AMM 34-21-01, AMM 34-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342103-0101	LEFT AHC4000 INSTALLATION DATA MODULE							Component ATA:34
PN:866-0123-041	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1747	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-03, AMM 34-21-03PROC. REF: AMM 34-21-03, AMM 34-21-03								
342103-0102	RIGHT AHC4000 INSTALLATION DATA MODULE							Component ATA:34
PN:866-0123-041	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1742	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-03, AMM 34-21-03PROC. REF: AMM 34-21-03, AMM 34-21-03								
342104-0101	AHC4 ATTITUDE AND HEADING COMPUTER							Component ATA:34
PN:866-0123-110	MOS/MSC	06-May-16	O/C	TSN 0				
SN:6779	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-04, AMM 34-21-04PROC. REF: AMM 34-21-04, AMM 34-21-04								
342104-0102	RIGHT AHC4 ATTITUDE AND HEADING COMPUTER							Component ATA:34
PN:866-0123-110	MOS/MSC	06-May-16	O/C	TSN 0				
SN:7570	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-04, AMM 34-21-04PROC. REF: AMM 34-21-04, AMM 34-21-04								
342133-0101	LH RACK DIGITAL SWITCHING MODULE							Component ATA:34
PN:822-2133-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:459V4C	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-03, AMM 42-21-03PROC. REF: AMM 42-21-03, AMM 42-21-03								
342133-0101	RH RACK DIGITAL SWITCHING MODULE							Component ATA:34
PN:822-2133-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478V27	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-03, AMM 42-21-03PROC. REF: AMM 42-21-03, AMM 42-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342273-0101	DCU-3110 DATA CONCENTRATOR UNIT							Component ATA:34
PN:822-2575-201	MOS/MSC	06-May-16	O/C	TSN 0				
SN:46YXL6	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-07, AMM 42-22-07PROC. REF: AMM 42-22-07, AMM 42-22-07								
342301-0101	STANDBY MAGNETIC COMPASS							Component ATA:34
PN:KCA0120W	MOS/MSC	06-May-16	O/C	TSN 0				
SN:BN4020915	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-23-01, AMM 34-23-01PROC. REF: AMM 34-23-01, AMM 34-23-01								
343101-0101	C FLOOR RADIO ALTIMETER							Component ATA:34
PN:822-0615-206	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4R700	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01, AMM 34-31-01PROC. REF: AMM 34-31-01, AMM 34-31-01								
343102-0101	RAR 1 RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-45	MOS/MSC	06-May-16	O/C	TSN 0				
SN:553-7590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-02, AMM 34-31-02PROC. REF: AMM 34-31-02, AMM 34-31-02								
343102-0102	RAT 1 RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-45	MOS/MSC	06-May-16	O/C	TSN 0				
SN:553-7591	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-02, AMM 34-31-02PROC. REF: AMM 34-31-02, AMM 34-31-02								
343201-0101	LH RACK VOR/ILS/MB/ADF RECEIVER							Component ATA:34
PN:822-1465-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4RD02	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
343201-0202		RH RACK VOR/ILS/MB RECEIVER					Component	ATA:34
PN:822-1579-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4RD80	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
343202-0101		LEFT VOR/LOC ANTENNA ASSY					Component	ATA:34
PN:S65-247170	MOS/MSC	06-May-16	O/C	TSN 0				
SN:173-4840	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-02, AMM 34-32-02PROC. REF: AMM 34-32-02, AMM 34-32-02								
343202-0102		RIGHT VOR/LOC ANTENNA ASSY					Component	ATA:34
PN:S65-247170	MOS/MSC	06-May-16	O/C	TSN 0				
SN:173-4846	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-02, AMM 34-32-02PROC. REF: AMM 34-32-02, AMM 34-32-02								
343205-0101		NOSE DUAL GS ANTENNA					Component	ATA:34
PN:S41422	MOS/MSC	06-May-16	O/C	TSN 0				
SN:108-24504	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-05, AMM 34-32-05PROC. REF: AMM 34-32-05, AMM 34-32-05								
343206-0101		MARKER BEACON ANTENNA					Component	ATA:34
PN:S35-1000-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:102-11639	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-06, AMM 34-32-06PROC. REF: AMM 34-32-06, AMM 34-32-06								
343233-0101		TAIL PHASING COUPLER					Component	ATA:34
PN:SSPD-113-10	MOS/MSC	06-May-16	O/C	TSN 0				
SN:8632	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344113-0101 CSL CENT GROUND PROXIMITY SYSTEM CONTROL PANEL								Component ATA:34
PN:432200-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:432200AA0059	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-41-01, AMM 34-41-01PROC. REF: AMM 34-41-01, AMM 34-41-01								
344123-0101 RH RACK TERRAIN PROCESSING MODULE								Component ATA:34
PN:822-2586-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4R8G4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-41-02, AMM 34-41-02PROC. REF: AMM 34-41-02, AMM 34-41-02								
344133-0101 RH RACK TAWS PROCESSOR COMPUTING MODULE								Component ATA:34
PN:822-2192-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478HDH	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-41-03, AMM 34-41-03PROC. REF: AMM 34-41-03, AMM 34-41-03								
344201-0101 NOSE 18" MULTISCAN WEATHER RADAR								Component ATA:34
PN:822-2256-001 (MOD 8)	MOS/MSC	20-May-21	O/C	TSR 55				
SN:4HYHR	HRS	613.5		TSR 437.4				
	AFL	450		TSR 335				
PROC. REF: AMM 34-42-01, AMM 34-42-01PROC. REF: AMM 34-42-01, AMM 34-42-01								
344302-0101 DIRECTIONAL ANTENNA								Component ATA:34
PN:866-0016-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4R8DY	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-02, AMM 34-43-02PROC. REF: AMM 34-43-02, AMM 34-43-02								
344304-0101 C FLOOR ECU3000 TSS41 EXT COMPENSATION UNIT								Component ATA:34
PN:822-1200-803	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44XYPH	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345113-0101	C FLOOR DME TRANSCEIVER							Component ATA:34
PN:822-1466-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44V5HF	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
345201-0101	MODE S ADSB TRANSPONDER							Component ATA:34
PN:622-9210-501	MOS/MSC	07-Apr-19	O/C	TSO 1				
SN:1YKTH	HRS	464.2		TSO 0				
	AFL	350		TSO 0				
PROC. REF: AMM 34-52-01, AMM 34-52-01PROC. REF: AMM 34-52-01, AMM 34-52-01								
345201-0102	TCAS/TRANSPONDER INTEGRATED COMPUTER UNIT							Component ATA:34
PN:822-2132-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4PR4T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-01, AMM 34-43-01PROC. REF: AMM 34-43-01, AMM 34-43-01								
345202-0101	DME1 L BAND ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	06-May-16	O/C	TSN 0				
SN:261-121371	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
345202-0102	L BAND ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	06-May-16	O/C	TSN 0				
SN:261-121353	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
345202-0103	L BAND (B XPDR2) ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	06-May-16	O/C	TSN 0				
SN:261-121352	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345202-0104	L BAND (B XPDR1) ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	06-May-16	O/C	TSN 0				
SN:261-121345	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
345301-0101	RIGHT FLAP ANT-462A ADF ANTENNA							Component ATA:34
PN:622-7383-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44PPCC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01, AMM 34-53-01PROC. REF: AMM 34-53-01, AMM 34-53-01								
345302-0101	C FLOOR ECU EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-205	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44XY6K	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
345302-0102	C FLOOR ECU EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-996	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44Y0ND	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
345601-0101	LH RACK GLOBAL POSITIONING SISTEM RECEIVER							Component ATA:34
PN:822-2189-010	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4RG5Y	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-01, AMM 34-56-01PROC. REF: AMM 34-56-01, AMM 34-56-01								
345601-0102	RH RACK GLOBAL POSITIONING SISTEM RECEIVER							Component ATA:34
PN:822-2189-010	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4RG4P	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-01, AMM 34-56-01PROC. REF: AMM 34-56-01, AMM 34-56-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345602-0101		LEFT GPS/WAAS ANTENNA					Component	ATA:34
PN:S67-1575-145	MOS/MSC	06-May-16	O/C	TSN 0				
SN:824-3202	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-02, AMM 34-56-02PROC. REF: AMM 34-56-02, AMM 34-56-02								
345602-0102		RIGHT GPS/WAAS ANTENNA					Component	ATA:34
PN:S67-1575-145	MOS/MSC	06-May-16	O/C	TSN 0				
SN:824-3207	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-02, AMM 34-56-02PROC. REF: AMM 34-56-02, AMM 34-56-02								
345701-0101		LH RACK XMWR1000 SATELLITE WEATHER RECEIVER					Component	ATA:34
PN:822-2031-003	MOS/MSC	16-May-17	O/C	TSN 1				
SN:4VH70	HRS	269.3		TSN 0				
	AFL	183		TSN 0				
PROC. REF: AMM 34-57-01, AMM 34-57-01PROC. REF: AMM 34-57-01, AMM 34-57-01								
345702-0101		XM WEATHER RECEIVER ANTENNA					Component	ATA:34
PN:822-2030-001	MOS/MSC	16-May-17	O/C	TSN 1				
SN:4VCH4	HRS	269.3		TSN 0				
	AFL	183		TSN 0				
PROC. REF: AMM 34-57-02, AMM 34-57-02PROC. REF: AMM 34-57-02, AMM 34-57-02								
346101-0102		CENTER FUSELAGE IM950 AIRCRAFT PERSONALITY MODULE					Component	ATA:34
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-02, AMM 34-26-02PROC. REF: AMM 34-26-02, AMM 34-26-02								
ATA 35 - OXYGEN								
35-01-00-001 ^S		FUNCTIONAL CHECK OF OXYGEN PRESSURE INDICATION					Service	ATA:35
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						

PKG:24

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-01-02PROC. REF: AMM 35-01-02								
35-02-01-001	DISCARD OF OXYGEN CYLINDER							Service ATA:35
PN:806643-11	MOS	10-Jun-25	180		01-Aug-33		2727 d	LIFE LIMIT
SN:C18080927	HRS	1446.4						
	AFL	1073						
Manufacture Date:: 01-Aug-18								
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								
35-02-01-003	RESTORATION (OVERHAUL) OF THE OXYGEN CYLINDER REGULATOR VALVE							Service ATA:35
	MOS	10-Jun-25	60		09-Apr-30		1517 d	OVERHAUL
	HRS	1446.4						
	AFL	1073						
OverHaul Date:: 09-Apr-25								
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								
35-02-01-901	RESTORATION (HYDROSTATIC TEST) OF THE CREW AND PASSENGER OXYGEN CYLINDER.							Service ATA:35
PN:806643-11	MOS	10-Jun-25	60		09-Apr-30		1517 d	HYDRO CHECK
SN:C18080927	HRS	1446.4						
	AFL	1073						
HydroCheck Date: : 09-Apr-25								
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								
35-02-03-001 ^S	FUNCTIONAL CHECK OF HIGH PRESSURE (HP) OXYGEN DISTRIBUTION LINES							Service ATA:35
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PKG:40								
PROC. REF: AMM 35-02-03PROC. REF: AMM 35-02-03								
35-10-00-901 ^S	OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX							Service ATA:35
	MOS	10-Jun-25	13					CMR
	HRS	1446.4	825					
	AFL	1073						
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-02-001	^S	DETAILED INSPECTION OF CREW OXYGEN MASKS						Service ATA:35
	MOS	10-Jun-25	24 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
35-10-02-002	^S	OPERATIONAL CHECK OF CREW OXYGEN MASKS AND STOWAGE BOX						Service ATA:35
	MOS	10-Jun-25	24 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
35-10-02-003	^S	RESTORATION COPILOT OXYGEN MASK (OVERHAUL)						Service ATA:35
PN:MC40-011	MOS	20-May-21	72		20-May-26 (M)		97 d	OVERHAUL
SN:776	HRS							
	AFL							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
35-10-02-003		RESTORATION OBSERVER OXYGEN MASK (OVERHAUL)						Service ATA:35
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
35-10-02-003	^S	RESTORATION PILOT OXYGEN MASK (OVERHAUL)						Service ATA:35
PN:MC40-011	MOS	12-Oct-21	72		12-Oct-26 (M)		242 d	OVERHAUL
SN:1114	HRS							
	AFL							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
35-10-02-901	^S	DETAILED INSPECTION OF CREW OXYGEN MASK						Service ATA:35
	MOS	10-Jun-25	13					CMR
	HRS	1446.4	825					
	AFL	1073						
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-02-902 ^S	RESTORE COPILOT OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	20-May-21	72					CMR
SN:776	HRS		4125					
	AFL							
OverHaul Date:: 20-May-21								
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
35-10-02-902	RESTORE OBSERVER OXYGEN MASK							Service ATA:35
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
35-10-02-902 ^S	RESTORE PILOT OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	12-Oct-21	72					CMR
SN:1114	HRS		4125					
	AFL							
OverHaul Date:: 12-Oct-21								
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
35-10-03-001 ^S	DETAILED INSPECTION OF SMOKE GOGGLES							Service ATA:35
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
								PKG:24
PROC. REF: AMM 35-10-03PROC. REF: AMM 35-10-03								
35-10-04-001 ^S	FUNCTIONAL CHECK OF CREW OXYGEN SYSTEM LINES FOR LEAKAGE							Service ATA:35
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
								PKG:40
PROC. REF: AMM 35-10-04PROC. REF: AMM 35-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20-01-001	^S	DETAILED INSPECTION OF PASSENGER OXYGEN MASKS						Service ATA:35
	MOS	10-Jun-25	36 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								PKG:35
35-20-02-001	^S	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM LINES FOR LEAKAGE						Service ATA:35
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 35-20-02PROC. REF: AMM 35-20-02								PKG:40
35-20-03-001	^S	OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM (MANUAL MODE)						Service ATA:35
	MOS	10-Jun-25	36 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								PKG:35
35-20-03-002	^S	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM (AUTO MODE)						Service ATA:35
	MOS	10-Jun-25	36 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								PKG:35
35-21-00-001		OPERATIONAL CHECK OF THERAPEUTIC OXYGEN SYSTEM						Service ATA:35
PN:PN	MOS/MSC	06-May-16	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 35-21-00PROC. REF: AMM 35-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-21-01-001	DISCARD THERAPEUTIC OXYGEN CYLINDER							Service ATA:35
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 35-21-01PROC. REF: AMM 35-21-01								
35-21-01-003	FUNCTIONAL CHECK OF THE THERAPEUTIC OXYGEN CYLINDER REGULATOR VALVE - VANITY							Service ATA:35
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 35-21-01PROC. REF: AMM 35-21-01								
35-21-01-901	RESTORATION (HYDROSTATIC TEST) OF THE THERAPEUTICAL OXYGEN CYLINDER. - VANITY							Service ATA:35
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 35-21-01PROC. REF: AMM 35-21-01								
35-30-01-001	COCKPIT EMERGENCY PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:MR-10022NEMB	MOS/MSC	10-Jun-25	DUE	TSN 2	30-Mar-35 (M)		3333 d	LIFE LIMIT
SN:E2405811	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
Expiry Date: : 30-Mar-35								
PROC. REF: AMM 35-30-01PROC. REF: AMM 35-30-01								
35-30-01-001	VANITY EMERGENCY PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:MR-10051N	MOS/MSC		DUE	TSN 0	01-Apr-26 (M)		48 d	LIFE LIMIT
SN:E1510297	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 35-30-01PROC. REF: AMM 35-30-01								
35-30-01-001	WARDROBE EMERGENCY PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:MR-10051N	MOS/MSC	10-Jun-25	DUE	TSN 0	30-Apr-35 (M)		3364 d	LIFE LIMIT
SN:E2406483	HRS	1446.4		TSN 0				
	AFL	1073		TSN 0				
Expiry Date: : 30-Apr-35								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-30-01PROC. REF: AMM 35-30-01								
35-30-02-002	RESTORATION (OVERHAUL) OF THE PORTABLE OXYGEN CYLINDER REGULATOR - VANITY							Service ATA:35
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 35-30-02PROC. REF: AMM 35-30-02								
35-30-02-003 ^S	DISCARD OF THE PORTABLE OXYGEN CYLINDER							Service ATA:35
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 35-30-02PROC. REF: AMM 35-30-02								
35-30-02-003	DISCARD OF THE WARDROBE PORTABLE OXYGEN CYLINDER							Service ATA:35
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: RCF E670, RCF EC07, RCF E617, RCF E680, RCF 00, RCF E08X, RCF E681, RCF EC08, RCF EC14, RCF ECD3, RCF CJLG, RCF 00, AMM 35-30-02PROC. REF: RCF E670, RCF EC07, RCF E617, RCF E680, RCF 00, RCF E08X, RCF E681, RCF EC08, RCF EC14, RCF ECD3, RCF CJLG, RCF 00, AMM 35-30-02								
350105-0101	CREW CAB OXYGEN SYSTEM LOW PRESSURE SWITCH							Component ATA:35
PN:CMK80-03	MOS/MSC	20-Mar-17	O/C	TSN 0				
SN:0123	HRS	231.3		TSN 0				
	AFL	153		TSN 0				
PROC. REF: AMM 35-01-05, AMM 35-01-05PROC. REF: AMM 35-01-05, AMM 35-01-05								
350201-0101	OXYGEN CYLINDER							Component ATA:35
PN:806643-11	MOS/MSC	10-Jun-25	H/T	TSN 84, TSO 2				
SN:C18080927	HRS	1446.4		TSO 0				
	AFL	1073		TSO 0				
Manufacture Date:: 01-Jun-18								
PROC. REF: AMM 35-02-01, AMM 35-02-01PROC. REF: AMM 35-02-01, AMM 35-02-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351001-0101	PILOT OXYGEN SYSTEM CREW MASK STOWAGE BOX							Component ATA:35
PN:MXP603	MOS/MSC	06-May-16	O/C	TSN 0				
SN:SE76150	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-10-01, AMM 35-10-01PROC. REF: AMM 35-10-01, AMM 35-10-01								
351001-0102	COPILOT OXYGEN SYSTEM CREW MASK STOWAGE BOX							Component ATA:35
PN:MXP603	MOS/MSC	24-Jun-23	O/C	TSN 3				
SN:SE140033	HRS	1047.4		TSN 0				
	AFL	788		TSN 0				
PROC. REF: AMM 35-10-01, AMM 35-10-01PROC. REF: AMM 35-10-01, AMM 35-10-01								
351001-0103	OBSERV CREW MASK STOWAGE BOX							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-10-01, AMM 35-10-01PROC. REF: AMM 35-10-01, AMM 35-10-01								
351002-0101	PILOT OXYGEN MASK							Component ATA:35
PN:MC40-011	MOS/MSC	02-Nov-21	O/C	TSO 1	02-Nov-27 (M)		628 d	
SN:1114	HRS	678.3		TSO 0				
	AFL	494		TSO 0				
PROC. REF: AMM 35-10-02, AMM 35-10-02PROC. REF: AMM 35-10-02, AMM 35-10-02								
351002-0102	COPILOT OXYGEN MASK							Component ATA:35
PN:MC40-011	MOS/MSC	20-May-21	O/C	TSO 0	20-May-27 (M)		462 d	
SN:776	HRS	613.5		TSO 0				
	AFL	450		TSO 0				
PROC. REF: AMM 35-10-02, AMM 35-10-02PROC. REF: AMM 35-10-02, AMM 35-10-02								
351002-0103	OBSERVER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-10-02, AMM 35-10-02PROC. REF: AMM 35-10-02, AMM 35-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351003-0101	CREW OXYGEN SYSTEM SMOKE GOGGLES							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
351003-0102	CREW OXYGEN SYSTEM SMOKE GOGGLES STOWAGE BAG							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
351003-0103	PASSENGER OXYGEN SYSTEM SMOKE GOGGLES							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
351003-0104	PASSENGER OXYGEN SYSTEM SMOKE GOGGLES STOWAGE BAG							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
351201-0101	RH REAR TRANSDUCER							Component ATA:35
PN:10016796	MOS/MSC	06-May-16	O/C	TSN 0				
SN:20151925	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
352001-0101	NO. 1 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
352001-0102	NO. 2 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0103	NO. 3 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0104	NO. 4 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0105	NO. 5 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0106	NO. 6 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0107	NO. 7 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
352001-0108	NO. 8 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0109	NO. 9 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0110	NO. 10 PASSENGER OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0201	NO. 1 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB1-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110256	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0201	NO. 2 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB1-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110460	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0201	NO. 3 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB1-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110461	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
352001-0201	NO. 4 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB1-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110462	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0201	NO. 5 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB1-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110464	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0201	NO. 6 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0202	NO.1 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB2-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110533	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0202	NO.2 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB2-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110535	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352001-0202	NO.3 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB2-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110540	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
352001-0202	NO.4 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB2-421048	MOS/MSC	06-May-16	O/C	TSN 0				
SN:D15110543	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01								
352003-0101	MID ELECTRONIC FLOW CONTROL UNIT							Component ATA:35
PN:452150	MOS/MSC	10-Nov-22	O/C	TSN 0				
SN:157	HRS	880.9		TSN 0				
	AFL	659		TSN 0				
PROC. REF: AMM 35-20-03, AMM 35-20-03PROC. REF: AMM 35-20-03, AMM 35-20-03								
352103-0101	THERAPEUTIC OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
352103-0102	THERAPEUTIC OXYGEN SYSTEM MASK STOWAGE BAG							Component ATA:35
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
C35-10-02-001	OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX							Service ATA:35
	MOS	10-Jun-25	13		10-Jul-26		148 d	
	HRS	1446.4	825		2271.4		770.9	
	AFL	1073						
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
C35-10-02-002	DETAILED INSPECTION OF CREW OXYGEN MASKS							Service ATA:35
	MOS	10-Jun-25	13		10-Jul-26		148 d	
	HRS	1446.4	825		2271.4		770.9	
	AFL	1073						
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
C35-10-02-003	RESTORATION COPILOT OXYGEN MASK (OVERHAUL)							Service ATA:35
PN:MC40-011	MOS	20-May-21	72		20-May-27		462 d	OVERHAUL
SN:776	HRS	0	4125		4125		2624.5	
	AFL							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
C35-10-02-003	RESTORATION OBSERVER OXYGEN MASK (OVERHAUL)							Service ATA:35
	MOS/MSC		N/A					OVERHAUL
	HRS							
	AFL							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
C35-10-02-003	RESTORATION PILOT OXYGEN MASK (OVERHAUL)							Service ATA:35
PN:MC40-011	MOS	12-Oct-21	72		12-Oct-27		607 d	OVERHAUL
SN:1114	HRS	678.3	4125		4803.3		3302.8	
	AFL							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02								
ATA 36 - PNEUMATIC								
36-00-00-710-801-A	PNEUMATIC SYSTEM - OPERATIONAL TEST							Service ATA:36
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00								
36-00-00-901 ^S	OPERATIONAL CHECK OF BLEED AUX RELAYS AND BLEED PUSHBUTTONS							Service ATA:36
	MOS	06-May-16						CMR
	HRS	0	5250					
	AFL	0						
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00								
36-00-00-902	OPERATIONAL CHECK OF PNEUMATIC SYSTEM CONTROLLER (PSC) CIRCUIT BREAKERS							Service ATA:36
	MOS	06-May-16						CMR
	HRS	0	9000		9000		7499.5	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00								
36-10-00-002	^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF LOW PRESSURE (LP) BLEED CHECK VALVE						Service ATA:36
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
								PKG:15
PROC. REF: AMM 36-11-02PROC. REF: AMM 36-11-02								
36-11-00-001	^S	OPERATIONAL CHECK OF BLEED CHECK VALVES						Service ATA:36
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
								PKG:20
PROC. REF: AMM 36-11-12PROC. REF: AMM 36-11-12								
36-11-00-002	^S	OPERATIONAL CHECK OF BLEED OVERPRESSURE PROTECTION						Service ATA:36
	MOS	06-May-16						
	HRS	0	4500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00								
36-11-01-790-801-A		HIGH-STAGE SHUTOFF VALVE - LEAK TEST						Service ATA:36
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								
36-11-01-900-801-A		HIGH-STAGE SHUTOFF VALVE						Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-02-710-801-A	LOW-STAGE CHECK VALVES - OPERATIONAL TEST							Service ATA:36
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-11-02PROC. REF: AMM 36-11-02								
36-11-02-900-801-A	LOW-STAGE CHECK VALVES							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-02, AMM 36-11-02PROC. REF: AMM 36-11-02, AMM 36-11-02								
36-11-03-790-801-A	BLEED PRSOV - LEAK TEST							Service ATA:36
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-11-03PROC. REF: AMM 36-11-03								
36-11-07-210-801-A	SINGLE-BLEED SHUTOFF VALVE - GENERAL VISUAL INSPECTION							Service ATA:36
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-11-07PROC. REF: AMM 36-11-07								
36-11-07-900-801-A	SINGLE-BLEED SHUTOFF VALVE							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-07, AMM 36-11-07PROC. REF: AMM 36-11-07, AMM 36-11-07								
36-11-10-900-801-A	AFT FUSELAGE ENGINE BLEED LINES							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-11-10, AMM 36-11-10PROC. REF: AMM 36-11-10, AMM 36-11-10								
36-11-10-900-802-A	ENGINE BLEED DUCTS							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-10, AMM 36-11-10PROC. REF: AMM 36-11-10, AMM 36-11-10								
36-11-10-900-803-A	ENGINE BLEED TUBES							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-10, AMM 36-11-10PROC. REF: AMM 36-11-10, AMM 36-11-10								
36-14-00-001 ^S	FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH							Service ATA:36
	MOS	06-May-16						
	HRS	0	4500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 36-14-07PROC. REF: AMM 36-14-07								
36-14-04-900-801-A	PNEUMATIC SYSTEM CONTROLLER							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-04, AMM 36-14-04PROC. REF: AMM 36-14-04, AMM 36-14-04								
36-14-05-900-801-A	BLEED-MANIFOLD PRESSURE SENSOR							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-05, AMM 36-14-05PROC. REF: AMM 36-14-05, AMM 36-14-05								
36-14-07-901 ^S	FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH							Service ATA:36
	MOS	06-May-16						CMR
	HRS	0	5250					
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-14-07PROC. REF: AMM 36-14-07								
36-20-01-001	S	FUNCTIONAL CHECK OF BLEED LEAK DETECTORS						Service ATA:36
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 36-20-00PROC. REF: AMM 36-20-00								
36-20-01-901	S	FUNCTIONAL CHECK OF BLEED LEAK DETECTORS						Service ATA:36
	MOS	06-May-16						CMR
	HRS	0	10000					
	AFL	0						
PROC. REF: AMM 36-20-00PROC. REF: AMM 36-20-00								
36-21-01-900-801-A		ENGINE BLEED-LEAK DETECTORS						Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-21-01, AMM 36-21-01PROC. REF: AMM 36-21-01, AMM 36-21-01								
361000-0101		LOW PRESSURE (LP) BLEED CHECK VALVE						Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-12, AMM 36-11-12PROC. REF: AMM 36-11-12, AMM 36-11-12								
361001-0101		REAR FUS SHUTOFF VALVE						Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361104-0101		LH PYLON FAN AIR REGULATOR SHUT OFF VALVE						Component ATA:36
PN:424315-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0316	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-11-04, AMM 36-11-04PROC. REF: AMM 36-11-04, AMM 36-11-04								
361104-0102	RH PYLON FAN AIR REGULATOR SHUT OFF VALVE							Component ATA:36
PN:424315-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0323	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-04, AMM 36-11-04PROC. REF: AMM 36-11-04, AMM 36-11-04								
361105-0101	LEFT PNEUMATIC SYSTEM PRECOOLER							Component ATA:36
PN:381259000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:T0022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-05, AMM 36-11-05PROC. REF: AMM 36-11-05, AMM 36-11-05								
361105-0102	RIGHT PNEUMATIC SYSTEM PRECOOLER							Component ATA:36
PN:381258000	MOS/MSC	06-May-16	O/C	TSN 0				
SN:T0046	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-05, AMM 36-11-05PROC. REF: AMM 36-11-05, AMM 36-11-05								
361111-0101	LEFT CHECK VALVE							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-12, AMM 36-11-12PROC. REF: AMM 36-11-12, AMM 36-11-12								
361111-0102	REAR CHECK VALVE							Component ATA:36
PN:4005-28	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0104	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-12, AMM 36-11-12PROC. REF: AMM 36-11-12, AMM 36-11-12								
361111-0103	RIGHT CHECK VALVE							Component ATA:36
PN:4005-28	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0106	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-11-12, AMM 36-11-12PROC. REF: AMM 36-11-12, AMM 36-11-12								
361112-0101	RH PYLON CHECK VALVE							Component ATA:36
PN:4005-28	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361133-0101	LH ENG PRESSURE REGULATOR SHUTOFF VALVE							Component ATA:36
PN:424305-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0407	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361133-0102	RH ENG PRESSURE REGULATOR SHUTOFF VALVE							Component ATA:36
PN:424305-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0408	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361163-0101	REAR PNEUMATIC CROSS BLEED SHUTOFF VALVE							Component ATA:36
PN:424365-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0312	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-06, AMM 36-11-06PROC. REF: AMM 36-11-06, AMM 36-11-06								
361173-0101	REAR PNEUMATIC CROSS BLEED SHUTOFF VALVE							Component ATA:36
PN:424355-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0343	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-06, AMM 36-11-06PROC. REF: AMM 36-11-06, AMM 36-11-06								
361313-0101	REAR GROUND CONNECTION VALVE							Component ATA:36
PN:20032489	MOS/MSC	07-Jul-16	O/C	TSN 0				
SN:00150	HRS	73.8		TSN 0				
	AFL	45		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-13-01, AMM 36-13-01PROC. REF: AMM 36-13-01, AMM 36-13-01								
361400-0101	BLEED OVERPRESSURE SWITCH							Component ATA:36
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-07, AMM 36-14-07, AMM 36-14-07PROC. REF: AMM 36-14-07, AMM 36-14-07, AMM 36-14-07								
361402-0101	REAR FUS TEMPERATURE SENSOR							Component ATA:36
PN:8TJ107DAW1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT0163A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-02, AMM 36-14-02PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0102	REAR FUS TEMPERATURE SENSOR							Component ATA:36
PN:8TJ107DAW1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT0164A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-02, AMM 36-14-02PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0103	REAR FUS TEMPERATURE SENSOR							Component ATA:36
PN:8TJ107DAW1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT0168A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-02, AMM 36-14-02PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0104	REAR FUS TEMPERATURE SENSOR							Component ATA:36
PN:8TJ107DAW1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT0340A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-02, AMM 36-14-02PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0105	REAR FUS TEMPERATURE SENSOR							Component ATA:36
PN:8TJ107DAW1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT0342A	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-14-02, AMM 36-14-02PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0106 REAR FUS TEMPERATURE SENSOR								Component ATA:36
PN:8TJ107DAW1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT0345A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-02, AMM 36-14-02PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0107 REAR FUS TEMPERATURE SENSOR								Component ATA:36
PN:8TJ107DAW1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT1091A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-02, AMM 36-14-02PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0108 RH ENG BLEED UPSTREAM PRECOOLER TEMPERATURE SENSOR								Component ATA:36
PN:8TJ107DAY1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT3599A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-06, AMM 36-14-06PROC. REF: AMM 36-14-06, AMM 36-14-06								
361402-0109 LH ENG BLEED UPSTREAM PRECOOLER TEMPERATURE SENSOR								Component ATA:36
PN:8TJ107DAY1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:DT3598A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-06, AMM 36-14-06PROC. REF: AMM 36-14-06, AMM 36-14-06								
361407-0101 REAR FUS PNEUMATIC SYSTEM PRESSURE SWITCH								Component ATA:36
PN:1103P1353	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0123	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-14-07, AMM 36-14-07PROC. REF: AMM 36-14-07, AMM 36-14-07								
361407-0102 REAR FUS PNEUMATIC SYSTEM PRESSURE SWITCH								Component ATA:36
PN:1103P1353	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0125	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-14-07, AMM 36-14-07PROC. REF: AMM 36-14-07, AMM 36-14-07								
361443-0101	RH RACK 5MCU PNEUMATIC SYSTEM CONTROLLER							Component ATA:36
PN:MM-00150-12-40	MOS/MSC	16-May-17	O/C					
SN:00144	HRS	269.3						
	AFL	183						
PROC. REF: AMM 36-14-04, AMM 36-14-04PROC. REF: AMM 36-14-04, AMM 36-14-04								
361602-0101	CARG CPT SOLENOID VALVE							Component ATA:36
PN:5303-27	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0062	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-16-02, AMM 36-16-02PROC. REF: AMM 36-16-02, AMM 36-16-02								
361603-0101	CARG CPT RELIEF VALVE							Component ATA:36
PN:5811-2	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0170	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-16-03, AMM 36-16-03PROC. REF: AMM 36-16-03, AMM 36-16-03								
361604-0101	REAR PRESSURE TRANSDUCER SENSOR							Component ATA:36
PN:APTE-667B-1000-100GMOS/MSC		06-May-16	O/C	TSN 0				
SN:8172-4-656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361604-0102	PAX DOOR PRESSURE TRANSDUCER SENSOR							Component ATA:36
PN:APTE-667B-1000-100GMOS/MSC		06-May-16	O/C	TSN 0				
SN:8172-5-443	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361604-0103	REAR FUS PRESSURE TRANSDUCER SENSOR							Component ATA:36
PN:PD9903-005-40056	MOS/MSC	06-May-16	O/C	TSN 0				
SN:61729	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361604-0104	REAR FUS PRESSURE TRANSDUCER SENSOR							Component ATA:36
PN:APTE-667B-1000-100GMOS/MS		06-May-16	O/C	TSN 0				
SN:8172-5-454	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361604-0105	REAR FUS PRESSURE TRANSDUCER SENSOR							Component ATA:36
PN:APTE-667B-1000-100GMOS/MS		06-May-16	O/C	TSN 0				
SN:8172-5-459	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
361633-0101	REGULATOR VALVE							Component ATA:36
PN:20033152	MOS/MS	06-May-16	O/C	TSN 0				
SN:0506	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
363001-0101	LH ENGINE HIGH PRESSURE SHUT OFF VALVE							Component ATA:36
PN:70040385-1	MOS/MS	06-May-16	O/C	TSN 0				
SN:211	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01								
363001-0102	RH ENGINE HIGH PRESSURE SHUTOFF VALVE							Component ATA:36
PN:70040385-1	MOS/MS	06-May-16	O/C	TSN 0				
SN:213	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
C36-11-00-001	^S	OPERATIONAL CHECK OF BLEED OVERPRESSURE PROTECTION, AUXILIARY RELAYS AND PUSHBUTTONS						Service ATA:36
	MOS	06-May-16						
	HRS	0	4500					
	AFL	0						
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00								PKG:16
C36-14-00-001	^S	FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH						Service ATA:36
	MOS	06-May-16						
	HRS	0	4500					
	AFL	0						
PROC. REF: AMM 36-14-07PROC. REF: AMM 36-14-07								PKG:16
C36-20-01-001	^S	FUNCTIONAL CHECK OF BLEED LEAK DETECTORS						Service ATA:36
	MOS	06-May-16						
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 36-20-00PROC. REF: AMM 36-20-00								PKG:20
ATA 38 - WATER/WASTE								
38-11-00-001		DISCARD OF GALLEY WATER FILTER						Service ATA:38
	MOS/MSC	06-May-16	N/A					
	HRS							
	AFL							
PROC. REF: AMM 38-11-03PROC. REF: AMM 38-11-03								
38-11-00-002		RESTORATION (CLEANING) OF GALLEY POTABLE WATER SYSTEM COMPONENTS						Service ATA:38
	MOS/MSC	06-May-16	N/A					
	HRS							
	AFL							
PROC. REF: AMM 12-15-01PROC. REF: AMM 12-15-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-12-00-001	^S	DISCARD OF LAVATORY WATER FILTER						Service ATA:38
	MOS	03-Jul-24	24 (+15d/-15d)					LIFE LIMIT
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 38-12-03PROC. REF: AMM 38-12-03								PKG:24
38-12-00-002	^S	RESTORATION (CLEANING) OF LAVATORY POTABLE WATER SYSTEM COMPONENTS						Service ATA:38
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 12-15-01PROC. REF: AMM 12-15-01								PKG:12
38-32-33-001	^S	DISCARD OF WASTE TANK WATER SEPARATOR FILTER						Service ATA:38
	MOS	20-May-21	60 (+15d/-15d)		20-May-26 (M)	04-Jun-26	97 d (+15)	LIFE LIMIT
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 38-32-33PROC. REF: AMM 38-32-33								PKG:40
381001-0101		FORWARD WATER DRAIN SYSTEM CONTROL PANEL ASSY						Component ATA:38
PN:431500-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:431500AA0041	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-10-01, AMM 38-10-01PROC. REF: AMM 38-10-01, AMM 38-10-01								
381104-0101		GALLEY FAUCET						Component ATA:38
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-11-04, AMM 38-11-04PROC. REF: AMM 38-11-04, AMM 38-11-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
381204-0101	VANITY FAUCET							Component ATA:38
PN:AR9248-1D891	MOS/MSC	17-Sep-16	O/C	TSN 0				
SN:11754499	HRS	132.9		TSN 0				
	AFL	84		TSN 0				
PROC. REF: AMM 38-12-04, AMM 38-12-04PROC. REF: AMM 38-12-04, AMM 38-12-04								
383201-0101	TOILET VACUUM WASTE SYSTEM MODULE							Component ATA:38
PN:4100174-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:16012802	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-32-01, AMM 38-32-01PROC. REF: AMM 38-32-01, AMM 38-32-01								
383241-0101	C FLOOR WASTE DRAIN ELBOW TUBE							Component ATA:38
PN:4100188-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:04APR2015-003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
383244-0101	C FLOOR WASTE TUBE HEATER ASSY							Component ATA:38
PN:4100340-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15111303	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
383251-0101	RH STUB WASTE DRAIN VALVE ASSY							Component ATA:38
PN:4100263-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15101906	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-32-51, AMM 38-32-51PROC. REF: AMM 38-32-51, AMM 38-32-51								
383252-0101	C FLOOR RINSE NIPPLE VALVE ASSY							Component ATA:38
PN:4100003-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15102213	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-32-52, AMM 38-32-52PROC. REF: AMM 38-32-52, AMM 38-32-52								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
383253-0101	C FLOOR SERVICE PANEL DOOR SWITCH ASSY							Component ATA:38
PN:4100169-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15122303	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-32-53, AMM 38-32-53PROC. REF: AMM 38-32-53, AMM 38-32-53								
383254-0101	RH STUB DRAIN VALVE HEATER INSULATION							Component ATA:38
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-32-54, AMM 38-32-54PROC. REF: AMM 38-32-54, AMM 38-32-54								
383403-0101	REAR DRAIN VALVE							Component ATA:38
PN:75239-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:1164722	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-34-03, AMM 38-34-03PROC. REF: AMM 38-34-03, AMM 38-34-03								
383407-0101	FORWARD HEATED DRAIN PORT							Component ATA:38
PN:201046	MOS/MSC	06-May-16	O/C	TSN 0				
SN:116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-34-07, AMM 38-34-07PROC. REF: AMM 38-34-07, AMM 38-34-07								
383407-0102	REAR HEATED DRAIN PORT							Component ATA:38
PN:201046	MOS/MSC	06-May-16	O/C	TSN 0				
SN:125	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-34-07, AMM 38-34-07PROC. REF: AMM 38-34-07, AMM 38-34-07								
ATA 42 - INTEGRATED MODULAR AVIONICS								
422102-0101	LH RACK CCM-5110 COMPUTING MODULE							Component ATA:42
PN:822-1991-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478H5V	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
422102-0102	LH RACK CCM-5110 COMPUTING MODULE							Component ATA:42
PN:822-1991-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478H6R	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02								
422102-0103	LH RACK CCM-5110 COMPUTING MODULE							Component ATA:42
PN:822-1991-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478H9X	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02								
422102-0108	RH RACK CCM-5110 COMPUTING MODULE							Component ATA:42
PN:822-1991-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478H5R	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02								
422102-0109	RH RACK CCM-5110 COMPUTING MODULE							Component ATA:42
PN:822-1991-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478HT7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02								
422102-0110	RH RACK CCM-5110 COMPUTING MODULE							Component ATA:42
PN:822-1991-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478HT8	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02								
422113-0101	LH RACK IPC INTEGRATED PROCESSING CABINET							Component ATA:42
PN:822-2404-201	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478KT0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-01, AMM 42-21-01PROC. REF: AMM 42-21-01, AMM 42-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
422113-0101	RH RACK IPC INTEGRATED PROCESSING CABINET							Component ATA:42
PN:822-2813-251	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478HT0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-01, AMM 42-21-01PROC. REF: AMM 42-21-01, AMM 42-21-01								
422143-0101	LH RACK DC POWER, POWER ENVIRONMENT MODULE							Component ATA:42
PN:822-2352-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44VN3V	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-04, AMM 42-21-04PROC. REF: AMM 42-21-04, AMM 42-21-04								
422143-0101	RH RACK DC POWER ENVIRONMENT MODULE							Component ATA:42
PN:822-2352-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478GY3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-04, AMM 42-21-04PROC. REF: AMM 42-21-04, AMM 42-21-04								
422153-0101	LH RACK IPC COVER AND ENVIRONMENTAL MODULE							Component ATA:42
PN:822-2405-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478GG3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-05, AMM 42-21-05PROC. REF: AMM 42-21-05, AMM 42-21-05								
422153-0102	RH RACK IPC COVER AND ENVIRONMENTAL MODULE							Component ATA:42
PN:822-2814-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44TH1T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-21-05, AMM 42-21-05PROC. REF: AMM 42-21-05, AMM 42-21-05								
422201-0101	LH RACK DMC-6000 DCU CABINET MODULE							Component ATA:42
PN:822-2403-261	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478KYR	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-01, AMM 42-22-01PROC. REF: AMM 42-22-01, AMM 42-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
422202-0101	LH RACK DCM-6000 DATA CONCENTRATOR MODULE							Component ATA:42
PN:822-2394-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478H18	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-02, AMM 42-22-02PROC. REF: AMM 42-22-02, AMM 42-22-02								
422202-0102	LH RACK DCM-6000 DATA CONCENTRATOR MODULE							Component ATA:42
PN:822-2394-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478KM4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-02, AMM 42-22-02PROC. REF: AMM 42-22-02, AMM 42-22-02								
422203-0101	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component ATA:42
PN:822-2396-062	MOS/MSC	20-Mar-17	O/C	TSO 5				
SN:44TL2V	HRS	231.3		TSO 0				
	AFL	153		TSO 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0102	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component ATA:42
PN:822-2396-062	MOS/MSC	20-Mar-17	O/C	TSO 5				
SN:4407PC	HRS	231.3		TSO 0				
	AFL	153		TSO 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0103	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component ATA:42
PN:822-2396-062	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478H64	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0104	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component ATA:42
PN:822-2396-062	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478H65	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03PROC. REF: AMM 42-22-03, AMM 42-22-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
422203-0105	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component ATA:42
PN:822-2397-061	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478KVD	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0106	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component ATA:42
PN:822-2397-061	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478KVF	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03PROC. REF: AMM 42-22-03, AMM 42-22-03								
422204-0101	LH RACK DATA CONCENTRATOR POWER PRODUCING MODULE							Component ATA:42
PN:822-2395-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44VM6P	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-04, AMM 42-22-04PROC. REF: AMM 42-22-04, AMM 42-22-04								
422204-0102	LH RACK DATA CONCENTRATOR POWER PRODUCING MODULE							Component ATA:42
PN:822-2395-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:44VMF3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-04, AMM 42-22-04PROC. REF: AMM 42-22-04, AMM 42-22-04								
422205-0101	LH RACK DMC COVER AND ENVIRONMENTAL MODULE							Component ATA:42
PN:822-2401-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:478HLN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-05, AMM 42-22-05PROC. REF: AMM 42-22-05, AMM 42-22-05								
423101-0101	COCKPIT IMS-6000 INFORM MANAGEMENT SYSTEM							Component ATA:42
PN:822-3132-301	MOS/MSC	04-Feb-19	O/C	TSO 1				
SN:4971V8	HRS	451.1		TSO 0				
	AFL	336		TSO 0				
PROC. REF: AMM 42-31-01, AMM 42-31-01PROC. REF: AMM 42-31-01, AMM 42-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
423102-0101	WIRELESS LAN ANTENNA							Component ATA:42
PN:822-3156-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:4709Y0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-31-02, AMM 42-31-02PROC. REF: AMM 42-31-02, AMM 42-31-02								
ATA 44 - CABIN SYSTEMS								
441101-0101	RH RACK CIU CABIN INTERFACE UNIT							Component ATA:44
PN:990-E7200-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15089901550	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-11-01, AMM 44-11-01PROC. REF: AMM 44-11-01, AMM 44-11-01								
441101-0102	CENT FUS CIU CABIN INTERFACE UNIT							Component ATA:44
PN:990-E7200-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15089901548	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-11-01, AMM 44-11-01PROC. REF: AMM 44-11-01, AMM 44-11-01								
441213-0101	CENT FUS UTILITY I/O - CABIN CONTROLLER							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-12-01, AMM 44-12-01PROC. REF: AMM 44-12-01, AMM 44-12-01								
441213-0102	RIGHT UTILITY I/O - CABIN CONTROLLER							Component ATA:44
PN:990-E2002-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15039901050	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-12-01, AMM 44-12-01PROC. REF: AMM 44-12-01, AMM 44-12-01								
441301-0101	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0820-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:14089900230	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
441301-0101	SELECT 100, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0810-103	MOS/MSC	06-May-16	O/C	TSN 0				
SN:14089900180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0102	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0820-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15079901394	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0103	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0820-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15109901832	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0104	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0820-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15109901804	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0105	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0821-102	MOS/MSC	27-Oct-20	O/C	TSR 0				
SN:19067003216	HRS	590		TSR 0				
	AFL	436		TSR 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0106	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0821-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15119902005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
441301-0107	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0821-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15129902297	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0108	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component ATA:44
PN:990-E0821-102	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15119901993	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-01, AMM 44-13-01PROC. REF: AMM 44-13-01, AMM 44-13-01								
441303-0101	GALLEY 8.9" TOUCHSCREEN PANEL							Component ATA:44
PN:990-E0900-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15129902376	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-03, AMM 44-13-03PROC. REF: AMM 44-13-03, AMM 44-13-03								
442301-0101	PAX CAB VIDEO 9 INCHES PERSONAL MONITOR-							Component ATA:44
PN:990-E0890-047	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15090222	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-01, AMM 44-23-01PROC. REF: AMM 44-23-01, AMM 44-23-01								
442301-0102	PAX CAB VIDEO 9 INCHES PERSONAL MONITOR-							Component ATA:44
PN:990-E0890-047	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15090224	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-01, AMM 44-23-01PROC. REF: AMM 44-23-01, AMM 44-23-01								
442302-0101	LH REAR HORIZONTAL RECEPTACLE BASE							Component ATA:44
PN:990-E0891-212	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15100327	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-02, AMM 44-23-02PROC. REF: AMM 44-23-02, AMM 44-23-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
442302-0102	FORWARD HORIZONTAL RECEPTACLE BASE							Component ATA:44
PN:990-E0891-212	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15100329	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-02, AMM 44-23-02PROC. REF: AMM 44-23-02, AMM 44-23-02								
442302-0103	FORWARD HORIZONTAL RECEPTACLE BASE							Component ATA:44
PN:990-E0891-212	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15100330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-02, AMM 44-23-02PROC. REF: AMM 44-23-02, AMM 44-23-02								
442302-0104	LH REAR HORIZONTAL RECEPTACLE BASE							Component ATA:44
PN:990-E0891-212	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15100331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-02, AMM 44-23-02PROC. REF: AMM 44-23-02, AMM 44-23-02								
442302-0105	FORWARD HORIZONTAL RECEPTACLE BASE							Component ATA:44
PN:990-E0891-212	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15100332	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-02, AMM 44-23-02PROC. REF: AMM 44-23-02, AMM 44-23-02								
442302-0106	FORWARD HORIZONTAL RECEPTACLE BASE							Component ATA:44
PN:990-E0891-212	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15100335	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-02, AMM 44-23-02PROC. REF: AMM 44-23-02, AMM 44-23-02								
442302-0107	LH REAR HORIZONTAL RECEPTACLE BASE							Component ATA:44
PN:990-E0891-212	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15100341	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-02, AMM 44-23-02PROC. REF: AMM 44-23-02, AMM 44-23-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
442302-0108	HORIZONTAL RECEPTACLE BASE							Component ATA:44
PN:990-E0891-212	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15110222	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-02, AMM 44-23-02PROC. REF: AMM 44-23-02, AMM 44-23-02								
442401-0101	NO. 1 AUXILIARY PANEL							Component ATA:44
PN:990-E0251-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:14079900360	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-24-01, AMM 44-24-01PROC. REF: AMM 44-24-01, AMM 44-24-01								
442401-0102	NO. 2 AUXILIARY PANEL							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-24-01, AMM 44-24-01PROC. REF: AMM 44-24-01, AMM 44-24-01								
442403-0101	NO. 1 HIGH DEFINITION, AUDIO/VIDEO, INPUT							Component ATA:44
PN:990-E4770-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15129902130	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-24-03, AMM 44-24-03PROC. REF: AMM 44-24-03, AMM 44-24-03								
442403-0102	NO. 2 HIGH DEFINITION, AUDIO/VIDEO, INPUT							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-24-03, AMM 44-24-03PROC. REF: AMM 44-24-03, AMM 44-24-03								
442601-0101	LH RACK AUDIO AMPLIFIER							Component ATA:44
PN:990-E0450-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:140251	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-26-01, AMM 44-26-01PROC. REF: AMM 44-26-01, AMM 44-26-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
442701-0101	LH RACK MEDIA INTERFACE UNIT							Component ATA:44
PN:990-5164-001	MOS/MSC	05-Nov-20	O/C	TSR 3				
SN:15089901562	HRS	590		TSR 0				
	AFL	436		TSR 0				
PROC. REF: AMM 44-27-01, AMM 44-27-01PROC. REF: AMM 44-27-01, AMM 44-27-01								
443101-0101	RH RACK CONFIGURATION MODULE							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
443101-0102	RH RACK HSD SYS SBU SWIFTBROADBAND UNIT							Component ATA:44
PN:405040A	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15442969	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-31-01, AMM 44-31-01PROC. REF: AMM 44-31-01, AMM 44-31-01								
443102-0101	TAIL HLD - HSD SYS UNIT							Component ATA:44
PN:405016A	MOS/MSC	06-May-16	O/C	TSN 0				
SN:81054193	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
443103-0101	TAIL HIGH GAIN, HGA6000 ANTENNA							Component ATA:44
PN:405009A-004	MOS/MSC	06-May-16	O/C	TSN 0				
SN:81059326	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-31-03, AMM 44-31-03PROC. REF: AMM 44-31-03, AMM 44-31-03								
443201-0101	ATG TRANSCEIVER							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-32-01, AMM 44-32-01, AMM 44-32-02, AMM 44-32-02PROC. REF: AMM 44-32-01, AMM 44-32-01, AMM 44-32-02, AMM 44-32-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
443203-0101	RH RACK CONFIGURATION MODULE							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-32-03, AMM 44-32-03PROC. REF: AMM 44-32-03, AMM 44-32-03								
443205-0101	REAR I ACCESS POINT UNIT							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
443207-0101	EVDO- AHSI SYS ANTENNA							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
443207-0102	EVDO- AHSI SYS ANTENNA							Component ATA:44
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
45-70-00-002 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (DOWNLOAD) OF ENGINE FAULT DATA							Service ATA:45
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: AMM 73-21-00PROC. REF: AMM 73-21-00								PKG:1
45-70-00-002 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (DOWNLOAD) OF ENGINE FAULT DATA							Service ATA:45
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: AMM 73-21-00PROC. REF: AMM 73-21-00								PKG:1
45-70-00-003	NO. 1 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:45
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
45-70-00-003	NO. 2 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:45
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
450001-0101	COCKPIT MAINTENANCE CONTROL PANEL ASSY							Component ATA:45
PN:433300-003	MOS/MSC	06-May-16	O/C	TSN 0				
SN:433300AA0061	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 45-00-01, AMM 45-00-01PROC. REF: AMM 45-00-01, AMM 45-00-01								
ATA 49 - AIRBORNE AUXILIARY POWER								
49-11-01-001 ^S	DETAILED INSPECTION OF AUXILIARY POWER UNIT (APU) AIR INLET							Service ATA:49
	MOS	06-May-16						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
	HRS	0	3750 (+37/-37)					
	AFL	0						
	APH	0						
PROC. REF: AMM 49-11-01PROC. REF: AMM 49-11-01								PKG:15
49-21-01-001	GENERAL VISUAL INSPECTION OF AUXILIARY POWER UNIT (APU) UPPER INLET DUCT							Service ATA:49
	MOS	06-May-16						
	HRS	0						
	AFL	0						
	APH	0	3750 (+37/-37)		3750	3787	2197.5 (+37)	
PROC. REF: LMM 49-20-20PROC. REF: LMM 49-20-20								
49-22-02-001	APU - APU COMPRESSOR ROTOR							Component ATA:49
PN:3822632-1	MOS	05-Jan-16		TSN 0				LIFE LIMIT
SN:15-162045-00302	HRS	0	20000	TSN 0	20000		18447.5	
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
49-24-02-001	APU - APU TURBINE ROTOR							Component ATA:49
PN:3842368-1	MOS	05-Jan-16		TSN 0				LIFE LIMIT
SN:15-156101-03293	HRS	0	10000	TSN 0	10000		8447.5	
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
49-24-04-001	APU - DETAILED INSPECTION CONTAINMENT RING AND TURBINE HOUSING							Service ATA:49
PN:3846564-1	MOS	05-Jan-16						
SN:UNKNOWN	HRS	0	10000 (+37/-37)		10000	10037	8447.5 (+37)	
	APUS	0						
PROC. REF: LMM 49-20-00PROC. REF: LMM 49-20-00								
49-30-05-001	APU - DISCARD OF APU FUEL FILTER							Service ATA:49
PN:PN	MOS	03-Jul-24						CATEGORY 9
SN:UNKNOWN	HRS	1342	1000 (+37/-37)		2342	2379	789.5 (+37)	
	APUS	1828						
PROC. REF: AMM 49-31-01, LMM 49-30-50, LMM 49-30-50PROC. REF: AMM 49-31-01, LMM 49-30-50, LMM 49-30-50								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-40-03-001	APU - DETAILED INSPECTION OF APU IGNITER PLUG							Service ATA:49
	MOS	23-May-22						CATEGORY 6
	HRS	982.5	1600 (+37/-37)		2582.5	2619.5	1030 (+37)	
	APUS	1277						
PROC. REF: AMM 49-42-01PROC. REF: AMM 49-42-01								
49-40-04-002	APU - DETAILED DIMENSIONAL INSPECTION OF APU STARTER BRUSH							Service ATA:49
	MOS	05-Jan-16						
	HRS	0	1500 (+37/-37)		2842 (M)	2879	1289.5 (+37)	
	APUS	0						
PROC. REF: AMM 49-26-02PROC. REF: AMM 49-26-02								
49-40-04-003	APU - DETAILED DIMENSIONAL INSPECTION OF APU STARTER BRUSH							Service ATA:49
	MOS/MSC	05-Jan-16	N/A					
	HRS	0						
	APUS	0						
PROC. REF: AMM 49-26-02PROC. REF: AMM 49-26-02								
49-90-04-001	APU - DISCARD OF APU OIL FILTER							Service ATA:49
	MOS	03-Jul-24						CATEGORY 6
	HRS	1342	1000 (+37/-37)		2342	2379	789.5 (+37)	
	APUS	1828						
PROC. REF: AMM 49-91-01PROC. REF: AMM 49-91-01								
49-90-04-002	APU - DISCARD OF APU OIL							Service ATA:49
	MOS	03-Jul-24						LIFE LIMIT
	HRS	1342	1000 (+37/-37)		2342	2379	789.5 (+37)	
	APUS	1828						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490008 ^U	APU - IDENTIFICATION PLATE							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
490009 ^U	APU - SHIPPING COVER							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490010 ^U	APU - PLATE							Component ATA:49
PN:S8382M28	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490011 ^U	APU - (POS) LABEL							Component ATA:49
PN:S8454R89	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490012 ^U	APU - (NEG) LABEL							Component ATA:49
PN:S8454R90	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490013 ^U	APU - LABEL							Component ATA:49
PN:S8496-15	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490015 ^U	APU - (NON-FUNCTIONAL PART) PROTECTIVE PLUG							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
490016 ^U	APU - (NON-FUNCTIONAL PART) PROTECTIVE PLUG							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490017 ^U	APU - (NON-FUNCTIONAL PART) PROTECTIVE PLUG							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490018 ^U	APU - (NON-FUNCTIONAL PART) PROTECTIVE PLUG							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490025 ^U	APU - CARRIER SEAL							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490026 ^U	APU - COMPRESSION SPRING							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
490027 ^U	APU - STANDOFF PLUG							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
491023-0101	OVERHEAD AUXILIARY POWER UNIT CONTROL PANEL							Component ATA:49
PN:430700-001	MOS/MSC	06-May-16	O/C	TSN 0				
SN:430700AA0055	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-10-02, AMM 49-10-02PROC. REF: AMM 49-10-02, AMM 49-10-02								
492010	APU - POWER SECTION ASSEMBLY							Component ATA:49
PN:70720192-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:6006846019	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
492015	APU - FWD ROLLER-CYLINDRICAL BEARING							Component ATA:49
PN:3842365-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:15-162111-10556	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
492020	APU - AFT ROLLER-CYLINDRICAL BEARING							Component ATA:49
PN:3842366-2	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:15-162111-07524	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
492021	APU - PLANETARY ASSEMBLY							Component ATA:49
PN:70720192-902	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:LA063250	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
492030	APU - PLANETARY SPUR GEAR SET							Component ATA:49
PN:3860339-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:15-162447-02904	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
492031 ^U	APU - SPUR GEARSHAFT							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
492032 ^U	APU - SPLINED SPUR GEARSHAFT							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
492033 ^U	APU - SPRING RETAINER							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
492034 ^U	APU - SEAL SCREW							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
492035 ^U	APU - SPRING SEAT							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
492038 ^U	APU - PLAIN ENCASED SEAL							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
492040	APU - BALL BEARING							Component ATA:49
PN:3822637-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:15-162255-15887	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
492050	APU - ACCESSORY DRIVE GEARBOX							Component ATA:49
PN:70720921-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:LA063249	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-20-00PROC. REF: LMM 49-20-00								
492404 ^U	APU - CONTAINMENT RING							Component ATA:49
PN:3846564-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493020	APU - FUEL CONTROL ASSEMBLY							Component ATA:49
PN:3883964-3	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:40264	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-30-20, LMM 49-30-20PROC. REF: LMM 49-30-20, LMM 49-30-20								
493021 ^U	APU - FUEL CONTROL BODY							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493022 ^U	APU - FUEL DEFLECTOR							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
493024 ^U	APU - RELIEF VALVE BODY							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493025	APU - MATCHED METERING VALVE AND SLEEVE ASSEMBLY							Component ATA:49
PN:3601509-5	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:15107003406	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493026 ^U	APU - FILTER COVER							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493027 ^U	APU - FUEL FILTER ELEMENT							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493028 ^U	APU - FUEL PUMP BEARING							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493029 ^U	APU - FUEL PUMP BEARING							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
493030	APU - FUEL CONTROL TORQUE MOTOR							Component ATA:49
PN:3883912-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:15-594	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493031 ^U	APU - FILTERED FLUID FLOW RESTRICTOR UNIT							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493032 ^U	APU - RETAINER VALVE							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493033 ^U	APU - POPPET VALVE							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493051 ^U	APU - TURBINE NOZZLE							Component ATA:49
PN:3846779-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
493260	APU - BRANCHED WIRING HARNESS							Component ATA:49
PN:70720761-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:15-150262-40451	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-20-10, LMM 49-20-10PROC. REF: LMM 49-20-10, LMM 49-20-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
494001	APU - IGNITION UNIT							Component ATA:49
PN:3876280-4	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:J15390030	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-40-01, LMM 49-40-01PROC. REF: LMM 49-40-01, LMM 49-40-01								
494030	APU - ENGINE STARTER MOTOR							Component ATA:49
PN:2704458-1	MOS/MSC	03-Jul-24	O/C	TSN 102				
SN:3255	HRS							
	APUS							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
495007 ^U	APU - DIFFERENTIAL PRESSURE INDICATOR							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
495010	APU - SHUTOFF BUTTERFLY VALVE							Component ATA:49
PN:109804-7	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:2808	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
495020	APU - ELECTRO-MAGNETIC CONTROL VALVE							Component ATA:49
PN:3181934-1	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:4831	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
496010	APU - IMMERSION THERMOCOUPLE							Component ATA:49
PN:3876003-3	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:1515027700721	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-60-10, LMM 49-60-10PROC. REF: LMM 49-60-10, LMM 49-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
496101-0101	LH RACK APU ELECTRONIC CONTROL UNIT							Component ATA:49
PN:70720276-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2119336-00059	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-61-01, AMM 49-61-01PROC. REF: AMM 49-61-01, AMM 49-61-01								
499001 ^U	APU - PRESSURIZATION VALVE HOUSING							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
499007 ^U	APU - MATCHED SET PRESSURIZATION VALVE							Component ATA:49
PN:PN	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
499020	APU - REMOTE OIL LEVEL SENSOR							Component ATA:49
PN:70720760-2	MOS/MSC	05-Jan-16	O/C	TSN 0				
SN:1516222100074	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-90-20, LMM 49-90-20PROC. REF: LMM 49-90-20, LMM 49-90-20								
49APU1	APU							Component ATA:49
PN:70720189-1	MOS/MSC		E/C					
SN:P-157	HRS							
WC#: 49.APU1	AFL							
PROC. REF: AMM 49-10-01, AMM 49-10-01PROC. REF: AMM 49-10-01, AMM 49-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 50 - CARGO COMPARTMENTS								
50-22-01-001	^S	GENERAL VISUAL INSPECTION OF AFT CARGO COMPARTMENT NET						Service ATA:50
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 50-22-00PROC. REF: AMM 50-22-00								PKG:20
50-30-00-001	^S	GENERAL VISUAL INSPECTION OF AFT CARGO COMPARTMENT LININGS AND PARTITIONS						Service ATA:50
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 50-30-00PROC. REF: AMM 50-30-00								PKG:20
ATA 52 - DOORS								
52-10-00-001	^S	DETAILED INSPECTION OF MAIN DOOR SEALS						Service ATA:52
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:24
52-10-01-002	^S	INTERNAL DETAILED INSPECTION OF MAIN DOOR SKIN, HANDLE BOX, FRAMES, HORIZONTAL BEAMS AND FASTENERS						Service ATA:52
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								PKG:90
52-10-01-901		MAIN DOOR STRUCTURE - GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND SPLICES						Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-01-902	MAIN DOOR STRUCTURE DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								
52-10-02-001 ^S	INTERNAL DETAILED INSPECTION OF MAIN DOOR STOP FITTINGS AND FASTENERS AT DOOR AND FUSELAGE							Service ATA:52
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								PKG:60
52-10-02-901	MAIN DOOR STOP FITTING AT DOOR AND FUSELAGE - DETAILED INSPECTION OF STOP FITTINGS AND ATTACHMENTS							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								
52-10-02-902	MAIN DOOR STOP FITTING AT DOOR AND FUSELAGE - DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								
52-13-00-001 ^S	GENERAL VISUAL INSPECTION OF MAIN DOOR BALANCING TORSION BAR							Service ATA:52
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 52-13-20PROC. REF: AMM 52-13-20								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-13-02-001	LUBRICATION OF THE MAIN DOOR MECHANISM							Service ATA:52
	MOS	20-May-21	60 (+15d/-15d)		20-May-26	04-Jun-26	97 d (+15)	
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00								PKG:40
52-13-02-002	DISCARD OF THE PINION OF THE MAIN DOOR MECHANISM							Service ATA:52
PN:PN	MOS	EFF						
SN:UNKNOWN	HRS							
	AFL	EFF	6000 (+25/-25)		6000 *	6025	4882 (+25)	
PROC. REF: AMM 52-13-24PROC. REF: AMM 52-13-24								
52-20-01-001 ^S	INTERNAL DETAILED INSPECTION OF EMERGENCY EXIT HATCH STRUCTURE							Service ATA:52
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								PKG:90
52-20-01-003	INTERNAL DETAILED INSPECTION OF EMERGENCY EXIT HATCH (TYPE IV) STRUCTURE							Service ATA:52
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								
52-20-01-901	EMERGENCY EXIT HATCH STRUCTURE GENERAL VISUAL INSPECTION OF LOWER FRAMES, BEAMS AND SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-20-01-902	EMERGENCY EXIT HATCH STRUCTURE GENERAL VISUAL INSPECTION OF UPPER FRAMES, BEAMS AND SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								
52-20-01-903	EMERGENCY EXIT HATCH STRUCTURE DETAILED INSPECTION OF SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								
52-20-01-904	EMERGENCY EXIT HATCH STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - SKIN SURROUNDING RADIUS - REGION A NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service ATA:52
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								
52-20-01-905	EMERGENCY EXIT HATCH STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - SKIN SURROUNDING CUTOUT EDGES - REGION B NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service ATA:52
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								
52-20-01-906	EMERGENCY EXIT HATCH STRUCTURE DETAILED INSPECTION OF MACHINED FRAME SURFACE NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service ATA:52
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-20-20-001	^S	GENERAL VISUAL INSPECTION OF EMERGENCY EXIT HATCH LOCKING AND ACTUATING MECHANISM						Service ATA:52
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 52-20-20PROC. REF: AMM 52-20-20								PKG:60
52-20-21-001	^S	DETAILED INSPECTION OF EMERGENCY EXIT HATCH RUBBER SEAL						Service ATA:52
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 52-20-21PROC. REF: AMM 52-20-21								PKG:40
52-40-01-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF ELECTRONIC BAY ACCESS HATCH SKIN AND FASTENERS						Service ATA:52
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00								PKG:60
52-40-01-002	^S	INTERNAL DETAILED INSPECTION OF ELECTRONIC BAY ACCESS HATCH FRAME AND FASTENERS						Service ATA:52
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00								PKG:90
52-40-01-901		ELECTRONIC BAY ACCESS HATCH STRUCTURE - GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND SKIN						Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-40-01-902	ELECTRONIC BAY ACCESS HATCH STRUYCTURE - DETAILED INSPECTION OF FRAMES, BEAMS AND SKIN							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00								
52-40-02-001 ^S	INTERNAL DETAILED INSPECTION OF ELECTRONIC BAY ACCESS HATCH STOP FITTINGS AT HATCH AND FUSELAGE							Service ATA:52
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 52-41-00PKG:60								
52-40-02-901	ELECTRONIC BAY ACCESS HATCH STRUCTURE - GENERAL VISUAL INSPECTION OF STOP FITTINGS AND LATERAL SKIN							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00								
52-40-02-902	ELECTRONIC BAY ACCESS HATCH STRUCTURE - DETAILED INSPECTION OF STOP FITTINGS AND LATERAL SKIN							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00								
52-41-00-001 ^S	GENERAL VISUAL INSPECTION OF ELECTRONIC BAY ACCESS HATCH LOCKING, ACTUATING MECHANISM AND SEAL							Service ATA:52
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 52-41-20PKG:40								
PROC. REF: AMM 52-41-20PROC. REF: AMM 52-41-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-71-02-001	^S	OPERATIONAL CHECK OF MAIN DOOR SENSOR TARGETS						Service ATA:52
	MOS	10-Jun-25	12 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 52-71-20PROC. REF: AMM 52-71-20								PKG:12
52-71-02-002	^S	LUBRICATION OF THE MAIN DOOR SENSOR MECHANISM						Service ATA:52
	MOS	03-Jul-24	24 (+15d/-15d)					
	HRS	1267.3						
	AFL	949						
PROC. REF: AMM 52-71-21PROC. REF: AMM 52-71-21								PKG:24
52-72-21-001	^S	OPERATIONAL CHECK OF CARGO COMPARTMENT DOOR SENSORS TARGETS						Service ATA:52
	MOS	10-Jun-25	60 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: AMM 52-72-20PROC. REF: AMM 52-72-20								PKG:40
52-73-01-001	^S	OPERATIONAL CHECK OF EMERGENCY EXIT HATCH WARNING INDICATION						Service ATA:52
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 52-73-20PROC. REF: AMM 52-73-20								PKG:40
52-74-01-001	^S	OPERATIONAL CHECK OF ELECTRONIC BAY ACCESS HATCH WARNING INDICATION						Service ATA:52
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 52-74-20PROC. REF: AMM 52-74-20								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
521000-0101	PAX DOOR MAIN DOOR ASSY							Component ATA:52
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
521000-0102	DOOR KEY LOCK KIT							Component ATA:52
PN:550-09745-901	MOS/MSC	06-May-16	O/C	TSN 0				
SN:8MA000724CM	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
521321-0101	MAIN-DOOR BALANCING-MECHANISM PINION SHAFT							Component ATA:52
PN:PN	MOS/MSC	06-May-16	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-13-24, AMM 52-13-24PROC. REF: AMM 52-13-24, AMM 52-13-24								
522000-0101	EMERGENCY EXIT DOOR ASSY							Component ATA:52
PN:550-13510-401	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000881249	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
523200-0101	AFT CARGO DOOR COMPLETION ASSY							Component ATA:52
PN:550-13715-403	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000887171	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-32-00, AMM 52-32-00PROC. REF: AMM 52-32-00, AMM 52-32-00								
524220-0101	RH FWD RAT DOOR ASSY							Component ATA:52
PN:550-04701-407	MOS/MSC	06-May-16	O/C	TSN 0				
SN:9000004319	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-42-20, AMM 52-42-20PROC. REF: AMM 52-42-20, AMM 52-42-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
527120-0101	ROLLER SENSOR ASSY							Component ATA:52
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527120-0102	LH FWD LOCK SENSOR ASSY							Component ATA:52
PN:550-15470-403	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000878021	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0101	NLG PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:62770	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0102	ACTUATOR SENSOR							Component ATA:52
PN:550-13739-405	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000888111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0105	LH MLG DOOR PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:63983	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0107	CARGO DOOR FORWARD PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:62817	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
527220-0201	LH MLG PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:62823	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0202	RH MLG DOOR PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:63972	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0203	LH MLG DOOR PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:63990	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0204	RH MLG DOOR PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:63986	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0205	LH MLG DOOR PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:63998	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
527220-0206	RH MLG DOOR PROXIMITY SENSOR							Component ATA:52
PN:80-019-01	MOS/MSC	06-May-16	O/C	TSN 0				
SN:63989	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
53-10-02-902	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - DETAILED INSPECTION OF UPPER SKIN AND FASTENERS							Service ATA:52
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
Z111-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF RADOME							Service ATA:52
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
Z120-001 ^S	ZONAL GENERAL VISUAL INSPECTION OF ELECTRONIC BAY ACCESS HATCH							Service ATA:52
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:60
Z811-001 ^S	ZONAL GENERAL VISUAL INSPECTION OF PASSENGER DOOR							Service ATA:52
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:40
Z812-001 ^S	ZONAL GENERAL VISUAL INSPECTION OF CARGO DOOR							Service ATA:52
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
Z820-001 ^S	ZONAL GENERAL VISUAL INSPECTION OF EMERGENCY EXIT HATCH							Service ATA:52
	MOS	06-May-16	120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:60
ATA 53 - FUSELAGE								
53-05-01-001 ^S	DETAILED INSPECTION OF FUSELAGE DRAINS							Service ATA:53
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 53-05-00PROC. REF: AMM 53-05-00								PKG:40
53-10-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-01-002	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00, NDT 53-10-00PROC. REF: NDT 53-10-00, NDT 53-10-00								
53-10-01-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN SPLICE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-01-004	^S	INTERNAL GENERAL VISUAL INSPECTION OF EXTERNAL SIDE OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01						Service ATA:53
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60
53-10-01-005	^S	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01						Service ATA:53
	MOS	06-May-16	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60
53-10-02-002		INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE						Service ATA:53
	MOS/MSC	20-May-21	O/C					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-02-003	^S	INTERNAL DETAILED INSPECTION OF WINDSHIELD AND SIDE WINDOW CUTOUT STRUCTURE						Service ATA:53
	MOS		T:60 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:40
53-10-02-004	^S	SPECIAL DETAILED INSPECTION (BOREScope) OF WINDSHIELD FRAME CENTER FITTING						Service ATA:53
	MOS		T:60 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-02-005	^S	INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE UPPER SKIN PANEL						Service ATA:53
	MOS		T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60
53-10-02-901		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS, BEAMS, WINDSHIELD FRAMES, WINDSHIELD FRAME SPLICES AND WINDSHIELD FRAME CENTER FITTINGS						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00, NDT 53-10-00PROC. REF: NDT 53-10-00, NDT 53-10-00								
53-10-02-903		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (BOROSCOPE) OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00, NDT 53-10-00PROC. REF: NDT 53-10-00, NDT 53-10-00								
53-10-02-904		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE DETAILED INSPECTION OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT NOT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-02-905		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT NOT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-02-906	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE WINDOW TO FRAME JUNCTION (LH/RH)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-02-907	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE WINDOW FASTNER HOLES REGION							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-03-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE LOWER SKIN PANEL							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:90
53-10-03-901	FORWARD FUSELAGE LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-03-902	FORWARD FUSELAGE LOWER SKIN PANEL - DETAILED INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-04-001	^S	EXTERNAL - DETAILED INSPECTION OF FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60
53-10-04-002	^S	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60
53-10-04-901		FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AND FASTENERS						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-04-902		FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN SPLICES (LONGITUDINAL AND CIRCUMFERENTIAL)						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-05-001	^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-05-002 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE							Service	ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)						
	HRS								
	AFL								
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60	
53-10-05-901	FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE PANEL (FORWARD AND AFT SIDE OF FORWARD PRESSURE BULKHEAD) AND FASTENERS							Service	ATA:53
	MOS	06-May-16							
	HRS	0	T:12750		12750		11249.5		
	AFL	0	T:8500		8500		7382		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-06-001 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE							Service	ATA:53
	MOS	20-May-21	120 (+15d/-15d)						
	HRS	613.5							
	AFL	450							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60	
53-10-06-002 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE							Service	ATA:53
	MOS	20-May-21	60 (+15d/-15d)						
	HRS	613.5							
	AFL	450							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:40	
53-10-06-901	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF METALLIC BULKHEAD AND HORIZONTAL BEAM (FROM NON-PRESSURIZED SIDE)							Service	ATA:53
	MOS	06-May-16							
	HRS	0	T:12750		12750		11249.5		
	AFL	0	T:8500		8500		7382		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-06-902	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF FITTING ANGLE RING, VERTICAL BEAM, T-SHAPE BEAM, CENTRAL FITTING (FROM NON-PRESSURIZED SIDE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-06-903	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF METALLIC BULKHEAD AND HORIZONTAL BEAM (FROM PRESSURIZED SIDE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00, NDT 53-10-00PROC. REF: NDT 53-30-00, NDT 53-10-00								
53-10-06-904	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF FITTING ANGLE RING, VERTICAL BEAM, T-SHAPE BEAM AND REAR RIBS (FROM PRESSURIZED SIDE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-06-905	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FITTING ANGLE RING WEB, METALLIC BULKHEAD UPPER FLANGE AND T-SHAPE BEAM WEB (FROM NON-PRESSURIZED SIDE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-06-906	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF REAR RIB CORNERS (FROM PRESSURIZED SIDE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-06-907	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF VERTICAL BEAM WEB IN HORIZONTAL BEAM REGION AND CENTRAL FITTING REAR FLANGE (FROM NON-PRESSURIZED SIDE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-07-901	NOSE LANDING GEAR COMPOSITE STRUCTURE DETAILED INSPECTION OF UPPER PANEL, SIDE PANEL AND FASTENERS (THROUGH NLG BAY INSIDE AND OUTSIDE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-08-001 ^S	INTERNAL DETAILED INSPECTION OF NOSE LANDING GEAR BAY METALLIC STRUCTURE - LANDING GEAR SIDE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:90
53-10-08-002 ^S	INTERNAL DETAILED INSPECTION OF NOSE LANDING GEAR BAY METALLIC STRUCTURE - FORWARD FUSELAGE SIDE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60
53-10-08-901	NOSE LANDING GEAR BAY METALLIC STRUCTURE DETAILED INSPECTION OF LATERAL PANELS, MACHINED FRAME 8, FASTENERS (FROM THE NON- PRESSURIZED SIDE - SURFACE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-08-902	NOSE LANDING GEAR BAY METALLIC STRUCTURE DETAILED INSPECTION OF LATERAL PANELS, MACHINED FRAME 8, FRAME 7, SHEAR CLIPS, VERTICAL BEAMS, FASTENERS (FROM THE PRESSURIZED SIDE - SURFACE)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-08-903	NOSE LANDING GEAR BAY METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF DRAG STAY FITTING AND MAIN FITING (TRUNNIONS), MAIN FLANGE							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-09-002	INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE ELECTRONIC BAY ACCESS HATCH CUTOUT							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)		06-May-26	21-May-26	83 d (+15)	
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-09-901	FORWARD FUSELAGEELECTRONIC BAY ACCESSHATCH CUTOUTDETAILED INSPECTIONOF SKIN AROUND THEHATCH CUTOUT							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-09-902	FORWARD FUSELAGE ELECTRONIC BAY ACCESS HATCH CUTOUT DETAILED INSPECTION OF FRAME 9 AND FRAME 10 AND RIBS AROUND THE HATCH CUTOUT							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-09-903	FORWARD FUSELAGEELECTRONIC BAY ACCESSHATCH CUTOUTSPECIAL DETAILED INSPECTION(EDDY CURRENTMETHOD) DOUBLERSKIN AROUND THEHATCH CUTOUT							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-09-904	FORWARD FUSELAGE ELETRONIC BAY ACCESS HATCH CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) DOUBLER SKIN AROUND THE HATCH CUTOUT							Service ATA:53
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-10-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT FLOOR STRUCTURE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:60
53-10-10-901	COCKPIT FLOOR STUCTURE - GENERAL VISUAL INSPECTION OF OF SEAT TRACK BEAMS AND CROSS BEAMS AND ATTACHMENTS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-21-01-901	CENTER FUSELAGE I UPPER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-21-01-902	CENTER FUSELAGE I UPPER SKIN PANEL DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-02-901	CENTER FUSELAGE I SIDE SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-02-902	CENTER FUSELAGE I SIDE SKIN PANEL DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-03-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF CENTER FUSELAGE I LOWER SKIN PANEL							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:60
53-21-03-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I LOWER SKIN PANEL							Service ATA:53
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:90
53-21-03-901	CENTER FUSELAGE I LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-03-902	CENTER FUSELAGE I LOWER SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-03-903	CENTER FUSELAGE I LOWER SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS ADJACENT TO WING FUSELAGE FAIRING STRAP							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-03-904	CENTER FUSELAGE I LOWER SKIN PANEL SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN UNDER WFF STRAPS ATTACHMENTS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-04-001 ^S	INTERNAL DETAILED INSPECTION OF CENTERFUSELAGE I LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES - EXTERNAL SIDE OF FUSELAGE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:60
53-21-04-002 ^S	INTERNAL DETAILED INSPECTION OF CENTERFUSELAGE I LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES - INTERNAL SIDE OF FUSELAGE ANDUNDER THE FLOOR							Service ATA:53
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-21-00, NDT 53-21-00PROC. REF: NDT 53-21-00, NDT 53-21-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-21-04-003	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL SIDE OF FUSELAGE AND ABOVE THE FLOOR							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)		06-May-26 (M)	21-May-26	83 d (+15)	
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:60
53-21-04-901	CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES DETAILED INSPECTION OF SKIN OUTER SURFACE AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-04-902	CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-04-903	CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN OUTER SURFACE AND FASTENERS WITH WING FUSELAGE FAIRING							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-05-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-21-05-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:60
53-21-05-901	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-05-902	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE - DETAILED INSPECTION OF DOUBLERS, UPPER BEAMS, LOWER BEAMS, FRAMES, BACK-UP FITTINGS, INTERCOSTALS AND SPLICES - SEARCHING FOR BROKEN ELEMENTS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-05-903	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF FRAME 16 WEB NEAR TO STRINGER 13L							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-05-904	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF FRAME 14 WEB NEAR TO STRINGER 11L							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-21-05-905	CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF DOORSTOP FITTINGS - SEARCHING FOR BROKEN ELEMENTS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-05-906	CENTER FUSELAGE 1 PASSENGER DOOR CUTOUT STRUCTURE - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN OUTER SURFACE AND FASTENERS WITH WING FUSELAGE FAIRING							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-05-907	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FRAME 16 WEB NEAR TO STRINGER 13L							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-06-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service ATA:53
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:60
53-21-06-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service ATA:53
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-21-06-901	CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURES GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, WINDOW FRAMES (MOLDINGS), SHEAR-CLIPS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-06-902	CENTER FUSELAGE 1 PASSENGER WINDOW CUTOUT SURROUND STRUCTURES - DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								
53-21-07-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I PASSENGER CABIN FLOOR STRUCTURE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00								PKG:60
53-22-01-901	CENTER FUSELAGE II UPPER SKIN PANEL DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-01-902	CENTER FUSELAGE II UPPER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-02-001	^S	INTERNAL GENERAL VISUAL INSPECTION OFCENTER FUSELAGE II SIDE SKIN PANEL - EXTERNALSIDE OF FUSELAGE						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00, NDT 53-22-00						PROC. REF: NDT 53-22-00, NDT 53-22-00		
PKG:60								
53-22-02-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II SIDE SKIN PANEL (LOW-CLUSTERED AREA)						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00, NDT 53-22-00, NDT 53-22-00						PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00, NDT 53-22-00, NDT 53-22-00		
PKG:60								
53-22-02-007	^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II SIDE SKIN PANEL (HIGH-CLUSTERED AREA)						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
	APH	0						
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00, NDT 53-22-00, NDT 53-22-00						PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00, NDT 53-22-00, NDT 53-22-00		
PKG:90								
53-22-02-901		CENTER FUSELAGE II SIDE SKIN PANEL - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750	12750		11249.5		
	AFL	0	T:8500	8500		7382		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-02-902		CENTER FUSELAGE II SIDE SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750	12750		11249.5		
	AFL	0	T:8500	8500		7382		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-02-903	CENTER FUSELAGE II SIDE SKIN PANEL DETAILED INSPECTION (FUSELAGE INTERNAL SIDE) OF SKIN SURFACE AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-02-904	CENTER FUSELAGE II SIDE SKIN PANEL DETAILED INSPECTION (FUSELAGE INTERNAL SIDE) OF SKIN SURFACE AND FASTENERS							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-02-905	CENTER FUSELAGE II SIDE SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-03-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF CENTER FUSELAGE II LOWER SKIN PANEL							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								PKG:90
53-22-03-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II LOWER SKIN PANEL							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								PKG:90
53-22-03-901	CENTER FUSELAGE II LOWER SKIN PANEL - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-03-902	CENTER FUSELAGE II LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-03-903	CENTER FUSELAGE II LOWER SKIN PANEL - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-04-001 ^S	EXTERNAL - DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00								
53-22-04-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00								
53-22-04-003	EXTERNAL - DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service ATA:53
	MOS/MSC	06-May-16	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-04-004	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service ATA:53
	MOS/MSC	06-May-16	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00								
53-22-04-901	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF SKIN SURFACE AND FASTENERSNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE LAVATORY AREA.							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00								
53-22-04-902	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL SPLICESNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE LAVATORY AREA.							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00								
53-22-04-903	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN UNDER WING FUSELAGE FAIRING							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-04-904	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF SKIN SURFACE AND FASTENERSNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA.							Service ATA:53
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-04-905	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL SPLICESNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA.							Service ATA:53
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-05-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								PKG:40
53-22-05-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								PKG:60
53-22-05-005	EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE (LEGACY 450 PRAETOR 500)							Service ATA:53
	MOS/MSC	06-May-16	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-05-006	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE (LEGACY 450 PRAETOR 500)							Service ATA:53
	MOS/MSC	06-May-16	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-05-901	CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-05-902	CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF DOUBLER, FRAMES, UPPER/ LOWER BEAMS, INTERCOSTALS, SPLICES AND ATTACHMENTS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-05-903	CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE SKIN SURROUNDING CUTOUT EDGE - REGION ANOTE: THIS TAKS IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-06-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service ATA:53
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00								PKG:60
53-22-06-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service ATA:53
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-06-005	EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE (LEGACY 450 PRAETOR 500)							Service ATA:53
	MOS/MSC	06-May-16	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-06-006	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE (LEGACY 450 PRAETOR 500)							Service ATA:53
	MOS/MSC	06-May-16	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-06-901	CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURES GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, WINDOW FRAMES (MOLDINGS), SHEAR-CLIPS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-06-902	CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURES DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-07-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II PASSENGER CABIN FLOOR STRUCTURE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-08-001 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTINGS							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								PKG:60
53-22-08-901	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING GENERAL VISUAL INSPECTION OF MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTINGS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-08-902	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING DETAILED INSPECTION OF SKIN SURFACE							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-08-903	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING DETAILED INSPECTION OF SKIN SURFACE							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-08-904	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-08-905	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-09-001 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LOWER SKIN TO WING STUB ATTACHMENTS (UNDER THE FLOOR)							Service ATA:53
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-09-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II BOTTOM SIDE OF LOWER SKIN TO WING STUB ATTACHMENTS (INTERNAL WING TO FUSELAGE FAIRING)							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-09-901	CENTER FUSELAGE II LOWER SKIN TO WING STUB ATTACHMENTS DETAILED INSPECTION OF MACHINED SPLICES AND FASTENERS AT LOWER SKIN TO WING STUB ATTACHMENTS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-10-001 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II TO WING STUB SPLICES							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-10-901	CENTER FUSELAGE II TO WING STUB SPLICES DETAILED INSPECTION OF SIDE SPLICES AND FASTENERS CLOSE TO SPAR II							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-10-902	CENTER FUSELAGE II TO WING STUB SPLICES DETAILED INSPECTION OF SIDE SPLICES AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-10-903	CENTER FUSELAGE II TO WING STUB SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT) - L SPLICE FASTENED WITH SKIN AND C SPLICE							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-11-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II OXYGEN ACCESS CUTOUT							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								PKG:60
53-22-11-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II OXYGEN ACCESS CUTOUT							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-11-901	CENTER FUSELAGE II OXYGEN ACCESS CUTOOUT DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-11-902	CENTER FUSELAGE II OXYGEN ACCESS CUTOOUT DETAILED INSPECTION OF DOUBLERS, SPLICES, FRAMES, SHEAR-CLIPS, STRINGERS AND MACHINED CUTOOUT BOX							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-11-903	CENTER FUSELAGE II OXYGEN ACCESS CUTOOUT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - DOBLER OVER THE OYGEN ACCESS CUTOOUT							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-11-904	CENTER FUSELAGE II OXYGEN ACCESS CUTOOUT- SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - DOUBLER OVER THE OXYGEN ACCESS CUTOOUT							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-11-905	CENTER FUSELAGE II OXYGEN ACCESS CUTOOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - OXYGEN ACCESS DOUBLER CORNER							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-22-11-906	CENTER FUSELAGE II OXYGEN ACCESS CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - OXYGEN ACCESS DOUBLER CORNER							Service ATA:53
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-22-11-907	CENTER FUSELAGE II OXYGEN ACCESS CUTOUT DETAILED INSPECTION OF DOUBLERS, SPLICES, FRAMES, SHEAR-CLIPS, STRINGERS AND MACHINED CUTOUT BOX							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00								
53-23-00-901	FORWARD TANK DETAILED INSPECTION OF THE INTERNAL STRUCTURAL ELEMENTS							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00								
53-23-00-902	FORWARD TANK DETAILED INSPECTION OF THE EXTERNAL STRUCTURAL ELEMENTS							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00								
53-24-00-901	VENTRAL TANK DETAILED INSPECTION OF THE INTERNAL STRUCTURAL ELEMENTS							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00								
53-24-00-902	VENTRAL TANK DETAILED INSPECTION OF TANK EXTERIOR STRUCTURAL ELEMENTS							Service ATA:53
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-01-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE UPPER SKIN PANEL						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60
53-30-01-002	^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE UPPER SKIN PANEL						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-01-901		AFT FUSELAGE UPPER SKIN PANEL (FR37-FR50)/ (STGR7L-STGR7R) DETAILED INSPECTION OF SKIN BETWEEN FRAMES 37 AND 50, STRINGERS 7L AND 7R						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-01-902		AFT FUSELAGE UPPER SKIN PANEL (FR37-FR50)/ (STGR7L-STGR7R) DETAILED INSPECTION OF ALL FUSELAGE COMPONENTS BETWEEN FRAMES 37 AND 50, STRINGERS 7L AND 7R						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-02-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE SIDE SKIN PANEL						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-02-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-02-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF AFT FUSELAGE SIDE SKIN PANEL - BEHIND ROTOR BURST SHIELDS							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-02-901	AFT FUSELAGE SIDE SKIN PANEL (FR37FR50)/ (STGR7L-STGR15L, STGR7R-STGR15R) DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL BETWEEN FRAMES 37 AND 50, AND BETWEEN STRINGERS 7L AND 15L, 7R AND 15R							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-02-902	AFT FUSELAGE SIDE SKIN PANEL (FR37FR50)/ (STGR7L-STGR15L, STGR7R-STGR15R) DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL BETWEEN FRAMES 37 AND 50, AND BETWEEN STRINGERS 7L AND 15L, 7R AND 15R							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-03-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-03-901	AFT FUSELAGE LOWER SKIN PANEL (FR37FR42)/ (STR14R14L) DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL BETWEEN FRAMES 37 AND 42, STRINGERS 14L AND 14R							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-03-902	AFT FUSELAGE LOWER SKIN PANEL (FR37-FR42)/ (STGR14L-STGR14R) DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL BETWEEN FRAMES 37 AND 42, STRINGERS 14L AND 14R							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-04-001 ^S	EXTERNAL - DETAILED INSPECTION OF AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60
53-30-04-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-04-901	AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AT AFT FUSELAGE SKIN JUNCTION AREAS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-04-902	AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AND SPLICES AT AFT FUSELAGE SKIN JUNCTION AREAS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-05-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE CARGO DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60
53-30-05-901	AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE (FR40-FR45)/(STGR10L-STGR16L) DETAILED INSPECTION OF SKIN AND FASTENERS AT THE BAGGAGE DOOR SURROUNDING STRUCTURE BETWEEN FRAMES 40 AND 45, STRINGERS 10L AND 16L							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-05-902	AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE (FR40-FR45)/(STGR10L-STGR16L) DETAILED INSPECTION OF BAGGAGE DOOR SURROUNDING STRUCTURE BETWEEN FRAMES 40 AND 45, STRINGERS 10L AND 16L							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-06-001 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE TO PYLON CUTOUT STRUCTURE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-06-002	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE TO PYLON CUTOUT STRUCTURE						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60
53-30-06-901		AFT FUSELAGE TO PYLON CUTOUT STRUCTURE (FR36-FR38)/(STGR07L-STGR08L, STGR07R- STGR08R) AND (FR38-FR50)/(STGR06L-STGR10L,STGR06R-STGR10R) DETAILED INSPECTION OF SKIN AND DOUBLER AT AFT FUSELAGE TO PYLON CUT OUTS BETWEEN FRAMES 36 AND 38, AND BETWEEN STRINGERS 7L AND 8L, 7R AND 8R, AND ALSO BETWEEN FRAMES 38 AND 50, AND BETWEEN STRINGERS 6L AND 10L,6R AND 10R						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-06-902		AFT FUSELAGE TO PYLON CUTOUT STRUCTURE (FR36-FR38)/(STGR07L-STGR08L, STGR07R- STGR08R) AND (FR38-FR50)/(STGR06L-STGR10L,STGR06R-STGR10R) DETAILED INSPECTION OF SKIN AND DOUBLER AT AFT FUSELAGE TO PYLON CUT OUTS BETWEEN FRAMES 36 AND 38, AND BETWEEN STRINGERS 7L AND 8L, 7R AND 8R, AND ALSO BETWEEN FRAMES 38 AND 50, AND BETWEEN STRINGERS 6L AND 10L, 6R AND 10R						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-07-001	^S	INTERNAL DETAILED INSPECTION OF UPPER SIDE OF AFT FUSELAGE VERTICAL STABILIZER CONNECTION						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-07-002	^S	INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF AFT FUSELAGE VERTICAL STABILIZER CONNECTION						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-07-901	AFT FUSELAGE VERTICAL STABILIZER CONNECTION (FR43-FR50)/(STGR03L-STGR03R) DETAILED INSPECTION OF FUSELAGE REGION SURROUNDING TO VT ATTACHMENT BETWEEN FRAMES 43 AND 50, STRINGERS 3L AND 3R							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-08-001 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE MACHINED FRAME 49							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-08-901	AFT FUSELAGE MACHINED FRAME 49 - DETAILED INSPECTION OF FRAME 49 AND STRUCTURAL COMPONENTS CONNECTED TO IT							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-08-902	AFT FUSELAGE MACHINED FRAME 49 - DETAILED INSPECTION OF SKIN AT REGION SURROUNDING TO FRAME 49							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-09-001 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (PRESSURIZED AREA)							Service ATA:53
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-09-002	^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (UNPRESSURIZED AREA)						Service ATA:53
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
								PKG:40
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-09-003	^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE FROM FRAME 35 TO 37						Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-09-901		AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUNFERENCIAL SPLICE (FR35-FR37) SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE RING BETWEEN FRAMES 35 AND 37						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-09-902		AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUNFERENCIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN SPLICE AND SKIN AT CENTER FUSELAGE JUNCTION (PRESSURIZED AREA) BETWEEN FRAMES 35 AND 37						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00, NDT 53-30-00, NDT 53-30-00PROC. REF: NDT 53-30-00, NDT 53-30-00, NDT 53-30-00								
53-30-09-903		AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUNFERENCIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN SPLICE AND SKIN AT CENTER FUSELAGE JUNCTION (NONPRESSURIZED AREA) BETWEEN FRAMES 35 AND 37						Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00, NDT 53-30-00PROC. REF: NDT 53-30-00, NDT 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-09-904	AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUNFERENCIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN AT CENTER FUSELAGE JUNCTION BETWEEN FRAMES 35 AND 37							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-10-001 ^S	INTERNAL DETAILED INSPECTION OF UNPRESSURIZED AREA OF AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60
53-30-10-002 ^S	INTERNAL DETAILED INSPECTION OF PRESSURIZED AREA OF AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60
53-30-10-901	AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD DETAILED INSPECTION OF COMPOSITE PANEL (FORWARD SIDE OF PRESSURE BULKHEAD)							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00, NDT 53-30-00PROC. REF: NDT 53-30-00, NDT 53-30-00								
53-30-10-902	AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD DETAILED INSPECTION OF COMPOSITE PANEL (AFT SIDE OF PRESSURE BULKHEAD)							Service ATA:53
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-11-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE HYDRAULIC BAY ACCESS PANEL CUTOUT							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60
53-30-11-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE HYDRAULIC BAY ACCESS PANEL CUTOUT							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-11-901	AFT FUSELAGE HYDRAULIC BAY CUTOUT (FR49- FR50)/(STGR10L-STGR10R) DETAILED INSPECTION OF SKIN AT HYDRAULIC BAY CUTOUT, BETWEEN FRAMES 49 AND 50, STRINGERS 10L AND 10R							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-11-902	AFT FUSELAGE HYDRAULIC BAY CUTOUT (FR49- FR50)/(STGR10L-STGR10R) DETAILED INSPECTION OF SURROUND STRUCTURAL COMPONENTS TO HYDRAULIC BAY CUTOUT BETWEEN FRAMES 49 AND 50, STRINGERS 10L AND 10R							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-12-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE CARGO COMPARTMENT FLOOR STRUCTURE							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-12-901	AFT FUSELAGE BAGGAGE COMPARTMENT FLOOR STRUCTURE - DETAILED INSPECTION OF BAGGAGE COMPARTMENT FLOOR STRUCTURE							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-13-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE APU FITTINGS, AFT SIDE OF FIREWALL PANEL							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-13-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE APU FITTINGS, FORWARD SIDE OF FIREWALL PANEL							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:60
53-30-13-901	AFT FUSELAGE APU FITTING - DETAILED INSPECTION OF APU ATTACHMENTS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-40-01-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE ATTACHMENTS							Service ATA:53
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 53-40-00PROC. REF: NDT 53-40-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-40-02-901	APU MOUNTING SYSTEM BRACKETS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE LUGS, FLANGES, NECKS AND ROOTS							Service ATA:53
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-40-00, AMM 49-12-03PROC. REF: NDT 53-40-00, AMM 49-12-03								
53-40-02-902	APU MOUNTING SYSTEM BRACKETS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE BOLTS HOLES							Service ATA:53
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 53-40-00PROC. REF: NDT 53-40-00								
531140-0101	NOSE RADOME							Component ATA:53
PN:5217-100	MOS/MSC	06-May-16	O/C	TSN 0				
SN:052	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-11-00, AMM 53-11-00PROC. REF: AMM 53-11-00, AMM 53-11-00								
534000-0101	TAIL CONE TAIL CONE REWORK ASSY							Component ATA:53
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-40-00, AMM 53-40-00PROC. REF: AMM 53-40-00, AMM 53-40-00								
ATA 54 - NACELLES/PYLONS								
54-50-01-001 ^S	INTERNAL DETAILED INSPECTION OF PYLON FORWARD BEAM INCLUDING BEAMS, REINFORCEMENTS, STIFFENERS AND FASTENERS							Service ATA:54
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-01-901	PYLON FORWARD BEAM - DETAILED INSPECTION OF FWD AND AFT PYLON BEAMS							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								
54-50-02-001 ^S	INTERNAL DETAILED INSPECTION OF PYLON AFT BEAM INCLUDING BEAMS AND FASTENERS							Service ATA:54
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								PKG:90
54-50-02-901	PYLON AFT BEAMS AND AFT MONT BASE STRUCTURES TO BEAM ATTACHMENTS GENERAL VISUAL INSPECTION OF AFT BEAMS, SPAR 3 AND 4, AND ATTACHMENTS TO FRAME 44 AND 45							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								
54-50-02-902	PYLON AFT BEAM - DETAILED INSPECTION OF SKIN (ON AFT MOUNT REGION)							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								
54-50-03-001 ^S	INTERNAL DETAILED INSPECTION OF PYLON MAIN BOX INCLUDING SKIN, STRINGERS, RIB, L PROFILE AND FASTENERS							Service ATA:54
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-03-002 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON MAIN BOX, INCLUDING SKIN, L PROFILE AND FASTENERS							Service ATA:54
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								PKG:90
54-50-03-901	PYLON MAIN BOX GENERAL VISUAL INSPECTION OF PYLON BOX AND ALL STRUCTURES							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								
54-50-03-902	PYLON BEAMS TO FUSELAGE FRAMES ATTACHMENTS - DETAILED INSPECTION OF OF REGION SURROUNDING TO PYLON BEAMS TO FRAMES ATTACHMENT. INSPECT FORWARD AND AFT BEAMS, FRAME 40 AND 41 BETWEEN STRINGERS 6L AND 10L, 6R AND 10R AND BOLTS							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								
54-50-04-001 ^S	INTERNAL DETAILED INSPECTION OF FORWARD AND AFT PYLON BEAMS ATTACHMENTS TO MACHINED FRAMES, PINS AND FASTENERS							Service ATA:54
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 54-52-00, NDT 54-52-00PROC. REF: NDT 54-52-00, NDT 54-52-00								PKG:90
54-50-04-901	PYLON BEAMS TO FUSELAGE FRAMES ATTACHMENTS DETAILED INSPECTION OF REGION SURROUNDING TO PYLON BEAMS TO FRAMES ATTACHMENT. INSPECT FORWARD AND AFT BEAM BETWEEN FRAMES 40 AND 41, STRINGERS 6L AND 10L, 6R AND 10R AND BOLTS							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-05-001	^S	SPECIAL DETAILED INSPECTION (BOREScope) OF YOKES, GUSSETS AND FASTENERS						Service ATA:54
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								PKG:40
54-50-05-002		DETAILED INSPECTION OF YOKES, BUSHINGS, GUSSETS, YOKE TO BEAM ATTACHMENTS AND FASTENERS						Service ATA:54
	MOS/MS	20-May-21	O/C					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								
54-50-05-003	^S	INTERNAL DETAILED INSPECTION OF EXTERNAL SIDE OF YOKES, BUSHINGS, GUSSETS, YOKE TO BEAM ATTACHMENTS AND FASTENERS						Service ATA:54
	MOS	06-May-16	T:60 (+15d/-15d)					
	HRS	0						
	AFL	0						
	APH	0						
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								PKG:40
54-50-05-004	^S	SPECIAL DETAILED INSPECTION (BOREScope) OF INTERNAL SIDE OF YOKES, BUSHINGS, GUSSETS, YOKE TO BEAM ATTACHMENTS AND FASTENERS						Service ATA:54
	MOS	06-May-16	T:60 (+15d/-15d)					
	HRS	0						
	AFL	0						
	APH	0						
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								PKG:40
54-50-05-901		PYLON YOKES AND BEAM ATTACHMENTS - DETAILED INSPECTION OF YOKE, BEAM AND ANY OTHER STRUCTURAL PARTS ATTACHED TO THEM						Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-05-902	PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF YOKE LUGS							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								
54-50-05-903	PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (X-RAY) OF GUSSETS							Service ATA:54
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								
54-50-05-904	PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF YOKE FLANGE							Service ATA:54
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								
54-50-06-001 ^S	INTERNAL DETAILED INSPECTION OF MACHINED PART AT THE JUNCTION BETWEEN THE PYLON AFT BEAMS AND THE FIREWALL CLOSING RIB							Service ATA:54
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								PKG:90
54-50-06-901	PYLON AFT BEAMS AND AFT MONT BASE STRUCTURES TO BEAM ATTACHMENTS GENERAL VISUAL INSPECTION OF AFT BEAMS, SPAR 3 AND 4, AND ATTACHMENTS TO FRAME 44 AND 45							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-06-902	AFT MOUNT BASE STRUCTURE TO BEAM ATTACHMENTS - DETAILED INSPECTION OF AFT MOUNT							Service ATA:54
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00								
ATA 55 - STABILIZERS								
55-10-01-001 ^S	INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - INBOARD SIDE OF MIDDLE AND REAR RIBS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07								PKG:60
55-10-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - OUTBOARD SIDE OF MIDDLE AND REAR RIBS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07								PKG:60
55-10-01-003 ^S	INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - HINGE FITTINGS AND BACKUP FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								PKG:60
55-10-01-901	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER SPECIAL DETAILED INSPECTION (BOROSCOPE) OF HT RIB 1 - MIDDLE AND REAR SEGMENTS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-01-902	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER DETAILED INSPECTION OF HINGE BACK UP FITTINGS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-01-903	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER DETAILED INSPECTION OF HINGE BODY, HINGE LUG, HINGE BOLTS, FASTENERS AND REMAINING COMPONENTS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-02-002 ^S	INTERNAL DETAILED INSPECTION OF INTERNAL SIDE OF HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS IN AREAS WITH ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								PKG:60
55-10-02-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS IN AREAS WITHOUT ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								PKG:60
55-10-02-004 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER UPPER AND LOWER SKINS BETWEEN MACHINED RIBS IN CENTRAL REGION							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-02-901	HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF UPPER AND LOWER SKIN PANELS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								
55-10-02-902	HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS DETAILED INSPECTION OF SURFACES OF UPPER AND LOWER SKINS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								
55-10-03-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER FORWARD SIDE OF THE FRONT SPAR							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05								PKG:60
55-10-03-002 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER AFT SIDE OF THE REAR SPAR							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05								PKG:60
55-10-03-003 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITH ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-03-004 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF HORIZONTAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITHOUT ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05								PKG:60
55-10-03-005 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER SPARS BETWEEN MACHINED RIBS IN CENTRAL REGION							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05								PKG:60
55-10-03-901	HORIZONTAL STABILIZER SPARS - DETAILED INSPECTION OF SPARS JOINT (SKIN SURFACE)							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								
55-10-03-902	HORIZONTAL STABILIZER SPARS - SPECIAL DETAILED INSPECTION(BOROSCOPE) OF SPARS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05								
55-10-04-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER COMPOSITE RIBS IN AREAS WITH ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-04-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF HORIZONTAL STABILIZER COMPOSITE RIBS IN AREAS WITHOUT ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07								PKG:60
55-10-04-901	HORIZONTAL STABILIZER COMPOSITE RIBS - SPECIAL DETAILED INSPECTION (BOROScope) OF OF RIBS AND FASTENERS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07								
55-10-05-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF HORIZONTAL STABILIZER LEADING EDGE							Service ATA:55
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 55-13-01PROC. REF: NDT 55-13-01								PKG:40
55-10-05-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF INTERNAL STRUCTURE OF HORIZONTAL STABILIZER LEADING EDGE							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-13-02PROC. REF: NDT 55-13-02								PKG:60
55-10-06-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-06-901	HORIZONTAL STABILIZER HINGE ELEVATOR FITTINGS - DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS LUGS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								
55-10-06-902	HORIZONTAL STABILIZER HINGE ELEVATOR FITTINGS - DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS ATTACHMENTS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								
55-10-07-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								PKG:90
55-10-07-901	HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS LUGS, PINS, AND ATTACHMENTS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								
55-10-08-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS FRONT METALLIC RIBS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-08-002 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								PKG:60
55-10-08-901	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS DETAILED INSPECTION OF ACTUATOR SUPPORT FITTING PINS, BUSHINGS, FASTENERS AND LUGS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								
55-10-08-902	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF METALLIC RIBS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08								
55-10-08-903	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF ACTUATOR SUPPORT FITTING INBOARD FLANGES							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-10-00, NDT 55-10-00PROC. REF: NDT 55-10-00, NDT 55-10-00								
55-10-08-905	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR SUPPORT FITTING OUTBOARD FLANGES							Service ATA:55
	MOS	06-May-16						AWL
	HRS	0	7500		7500		5999.5	
	AFL	0	5000		5000		3882	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20-01-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF INTERNAL SIDE OF ELEVATOR MAIN BOX							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02								PKG:60
55-20-01-003 ^S	INTERNAL DETAILED INSPECTION OF ELEVATOR CLOSURE RIBS AND FORWARD SIDE OF THE FRONT SPAR							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02								PKG:60
55-20-01-901	ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) DETAILED INSPECTION OF COMPOSITE SKINS, SPARS AND RIBS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02								
55-20-01-902	ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROScope) OF COMPOSITE SKINS, SPARS AND RIBS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02								
55-20-02-001 ^S	INTERNAL DETAILED INSPECTION OF ELEVATOR HINGE FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20-02-901	ELEVATOR HINGE FITTINGS DETAILED INSPECTION OF HINGE FITTINGS LUGS, PINS, AND FASTENERS REGION							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08								
55-20-03-001 ^S	INTERNAL DETAILED INSPECTION OF ELEVATOR ACTUATOR HINGE FITTINGS							Service ATA:55
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08								PKG:60
55-20-03-901	ELEVATOR ACTUATOR HINGE FITTINGS DETAILED INSPECTION OF ACTUATOR FITTINGS LUGS, PINS, AND FASTENERS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08								
55-20-04-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF ELEVATOR BACKUP FITTING							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08								PKG:60
55-20-04-901	ELEVATOR ACTUATOR HINGE FITTINGS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-01-001 ^S	INTERNAL DETAILED INSPECTION OF FIN-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								PKG:90
55-30-01-901	FIN TO FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER (RIBS, PINS, FITTINGS AND ATTACHMENTS) DETAILED INSPECTION OF PINS (BOLTS), FITTINGS AND FASTENERS (REMAINING COMPONENTS) - EXPOSED AREAS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								
55-30-01-902	FIN TO FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER (RIBS, PINS, FITTINGS AND ATTACHMENTS) SPECIAL DETAILED INSPECTION (BOROSCOPE) OF METALLIC RIBS (FRONT, MID, REAR SEGMENTS), INCLUDING FITTINGS AND FASTENERS INSIDE MAIN BOX							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								
55-30-02-001 ^S	INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER							Service ATA:55
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								PKG:60
55-30-02-901	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER (DOUBLER, FITTINGS, METALLIC RIBS, ATTACHMENTS TO SPAR AND PINS) DETAILED INSPECTION OF FITTINGS, LUGS, BUSHINGS AND PINS (BOLTS) - REMAINING COMPONENTS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-02-902	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER (DOUBLER, FITTINGS, METALLIC RIBS, ATTACHMENTS TO SPAR AND PINS) SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF DOUBLERS, RIBS AND FASTENERS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-03-002 ^S	INTERNAL DETAILED INSPECTION OF INTERNAL SIDE OF VERTICAL STABILIZER MAIN BOX SKIN IN AREAS WITH ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-01PROC. REF: NDT 55-30-01								PKG:60
55-30-03-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF VERTICAL STABILIZER MAIN BOX SKIN IN AREAS WITHOUT ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-01PROC. REF: NDT 55-30-01								PKG:60
55-30-03-901	VERTICAL STABILIZER COMPOSITE MAIN BOX SKINS - DETAILED INSPECTION OF SKIN AND MOLDURES (FRAMES)							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-01PROC. REF: NDT 55-30-01								
55-30-04-001 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF THE VERTICAL STABILIZER FRONT SPAR							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-04-002	^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF THE VERTICAL STABILIZER REAR SPAR						Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05								PKG:60
55-30-04-003	^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITH ACCESS PANEL						Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05								PKG:60
55-30-04-004	^S	SPECIAL DETAILED INSPECTION (BOREScope) OF VERTICAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITHOUT ACCESS PANEL						Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05								PKG:60
55-30-04-901		VERTICAL STABILIZER COMPOSITE SPARS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF SPARS AND FASTENERS						Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05								
55-30-04-902		VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF FRONT SPAR (FORWARD SURFACE)						Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-05, NDT 55-30-05, NDT 55-30-05PROC. REF: NDT 55-30-05, NDT 55-30-05, NDT 55-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-04-903	VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF REAR SPAR (AFT SURFACE)							Service ATA:55
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05								
55-30-04-904	VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF MAIN BOX SPARS							Service ATA:55
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05								
55-30-05-001 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER TRAILING EDGE RIBS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07								PKG:60
55-30-05-002 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER MAIN BOX COMPOSITE RIBS IN AREAS WITH ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07								PKG:60
55-30-05-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF VERTICAL STABILIZER MAIN BOX COMPOSITE RIBS IN AREAS WITHOUT ACCESS PANEL							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-05-901	VERTICAL STABILIZER COMPOSITE RIBS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF RIBS AND FASTENERS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-07, NDT 55-30-07PROC. REF: NDT 55-30-07, NDT 55-30-07								
55-30-05-902	VERTICAL STABILIZER COMPOSITE RIBS - DETAILED INSPECTION OF RIBS AND FASTENERS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07								
55-30-06-001 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER RUDDER HINGE FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								PKG:60
55-30-06-901	VERTICAL STABILIZER RUDDER HINGE FITTINGS - DETAILED INSPECTION OF LUGS, FITTINGS, BUSHINGS AND FASTENERS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								
55-30-07-001 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER RUDDER ACTUATOR FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-07-901	VERTICAL STABILIZER RUDDER ACTUATOR FITTINGS (FITTINGS AND PINS) - DETAILED INSPECTION OF LUGS, FITTINGS, BUSHINGS AND FASTENERS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								
55-30-08-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS, BACKUP FITTINGS AND UPPER SIDE OF RIB 6 ON VERTICAL STABILIZER							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PKG:90								
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								
55-30-08-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF VERTICAL STABILIZER BOTTOM SIDE OF RIB 6							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PKG:60								
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07								
55-30-08-901	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) - DETAILED INSPECTION OF SUPPORT FITTING, FITTING PINS AND REMAING COMPONENTS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08								
55-30-08-902	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACK-UP REINFORCEMENT, FORMED RIB, REMAINING AREAS OF MACHINED RIBS NOT REQUIRING HFEC AND FASTENERS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-08-903	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) SPECIAL DETAILED INSPECTION (BOROSCOPE) OF MACHINED RIBS #6 AND #7 ON SPECIFIED AREA							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-40-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF RUDDER MAIN BOX							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-40-02PROC. REF: NDT 55-40-02								PKG:60
55-40-01-003 ^S	INTERNAL DETAILED INSPECTION OF RUDDER CLOSURE RIBS AND FORWARD SIDE OF THE FRONT SPAR							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-40-05PROC. REF: NDT 55-40-05								PKG:60
55-40-01-004 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF ALUMINUM RIBS INSIDE RUDDER MAIN BOX							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-40-07PROC. REF: NDT 55-40-07								PKG:60
55-40-01-901	RUDDER MAIN BOX (SKIN, SPARS AND RIBS) DETAILED INSPECTION OF COMPOSITE SKINS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-40-02, NDT 55-40-02PROC. REF: NDT 55-40-02, NDT 55-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-01-902	RUDDER MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF COMPOSITE SPARS AND RIBS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-40-02PROC. REF: NDT 55-40-02								
55-40-02-001 ^S	INTERNAL DETAILED INSPECTION OF RUDDER HINGE FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-40-08PROC. REF: NDT 55-40-08								PKG:60
55-40-02-901	RUDDER HINGE FITTINGS DETAILED INSPECTION OF RUDDER HINGE LUGS, PINS, AND ATTACHMENTS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-40-02PROC. REF: NDT 55-40-02								
55-40-03-001 ^S	INTERNAL DETAILED INSPECTION OF RUDDER ACTUATOR HINGE FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-40-08PROC. REF: NDT 55-40-08								PKG:60
55-40-03-901	RUDDER ACTUATOR HINGE FITTINGS DETAILED INSPECTION OF ACTUATOR FITTINGS LUGS, PINS, AND ATTACHMENTS							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-04-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RUDDER BACKUP FITTINGS							Service ATA:55
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 55-40-08PROC. REF: NDT 55-40-08								PKG:60
55-40-04-901	RUDDER BACKUP FITTING - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING							Service ATA:55
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 55-40-08PROC. REF: NDT 55-40-08								
553211-0101	FWD EPOXY GLASS FIBER RADOME							Component ATA:55
PN:5227-101	MOS/MSC	06-May-16	O/C	TSN 0				
SN:035	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
553211-0102	BULKHEAD EPOXY GLASS FIBE RADOME							Component ATA:55
PN:5227-150	MOS/MSC	06-May-16	O/C	TSN 0				
SN:033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
553221-0101	UPPER EPOXY GLASS FIBER RADOME							Component ATA:55
PN:5227-181	MOS/MSC	06-May-16	O/C	TSN 0				
SN:033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
553300-0101	TAIL LEADING EDGE HF ANTENNA ASSY							Component ATA:55
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11-01-002	FUNCTIONAL CHECK (TORQUE) OF LEFT HAND WINDSHIELD ATTACHING BOLTS							Service ATA:56
PN:NP-200401-3	MOS	10-Jun-25						CATEGORY 6
SN:15307H1110	HRS	1446.4	1500 (+37/-37)		2946.4	2983.4	1445.9 (+37)	
	AFL	1073						
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
56-11-01-002	FUNCTIONAL CHECK (TORQUE) OF RIGHT HAND WINDSHIELD ATTACHING BOLTS							Service ATA:56
PN:NP-200401-4	MOS	10-Jun-25						CATEGORY 6
SN:15258H4820	HRS	1446.4	1500 (+37/-37)		2946.4	2983.4	1445.9 (+37)	
	AFL	1073						
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
56-11-02-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF COCKPIT WINDSHIELD RETAINERS AND BOLTS							Service ATA:56
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 56-11-00PROC. REF: NDT 56-11-00								PKG:90
56-11-02-901	COCKPIT WINDSHIELD FRAME - DETAILED INSPECTION OF WINDSHIELD FRAME (OUTBOARD RETAINER)							Service ATA:56
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 56-11-00PROC. REF: NDT 56-11-00								
56-12-01-002	FUNCTION CHECK (TORQUE) OF LEFT HAND COCKPIT SIDE WINDOW ATTACHING BOLTS							Service ATA:56
	MOS	03-Jul-24						CATEGORY 6
	HRS	1267.3	1500 (+37/-37)		2767.3	2804.3	1266.8 (+37)	
	AFL	949						
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00								
56-12-01-002	FUNCTIONAL CHECK (TORQUE) OF RIGHT HAND COCKPIT SIDE WINDOW ATTACHING BOLTS							Service ATA:56
	MOS	03-Jul-24						CATEGORY 6
	HRS	1267.3	1500 (+37/-37)		2767.3	2804.3	1266.8 (+37)	
	AFL	949						
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-12-01-003 ^S	DETAILED INSPECTION OF LEFT ACRYLIC COCKPIT SIDE WINDOW							Service ATA:56
PN:NP-200402-7	MOS	10-Jun-25						
SN:10165	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00								PKG:1
56-12-01-003 ^S	DETAILED INSPECTION OF RIGHT ACRYLIC COCKPIT SIDE WINDOW							Service ATA:56
PN:NP-200402-8	MOS	10-Jun-25						
SN:10150	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00								PKG:1
561100-0101	LEFT ACRYLIC SIDE WINDOW							Component ATA:56
PN:NP-200402-7	MOS/MSC	23-Mar-22	O/C	TSN 0				
SN:10165	HRS	747.6		TSN 0				
	AFL	535		TSN 0				
PROC. REF: AMM 56-12-00, AMM 56-12-00PROC. REF: AMM 56-12-00, AMM 56-12-00								
561100-0102	RIGHT ACRYLIC SIDE WINDOW							Component ATA:56
PN:NP-200402-8	MOS/MSC	23-Mar-22	O/C	TSN 0				
SN:10150	HRS	747.6		TSN 0				
	AFL	535		TSN 0				
PROC. REF: AMM 56-12-00, AMM 56-12-00PROC. REF: AMM 56-12-00, AMM 56-12-00								
561103-0101	LEFT GLASS HEATED WINDSHIELD ASSY							Component ATA:56
PN:NP-200401-3	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15307H1110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
561103-0102	RIGHT GLASS HEATED WINDSHIELD ASSY							Component ATA:56
PN:NP-200401-4	MOS/MSC	06-May-16	O/C	TSN 0				
SN:15258H4820	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
ATA 57 - WINGS								
57-10-01-001	^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB MAIN BOX UPPER SKIN						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-10-01-003	^S	DETAILED INSPECTION OF WING STUB DRAIN						Service ATA:57
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: AMM 57-10-21PROC. REF: AMM 57-10-21								PKG:40
57-10-01-901		WING STUB MAIN BOX UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE AND REINFORCEMENTS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-02-001	^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING STUB MAIN BOX LOWER SKIN AND SPLICES						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-10-02-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB MAIN BOX LOWER SKIN AND SPLICES						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-02-901	WING STUB MAIN BOX LOWER SKIN AND SPLICES - DETAILED INSPECTION OF SKIN SURFACE AND SPLICES							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-02-902	WING STUB MAIN BOX LOWER SKIN AND SPLICES - DETAILED INSPECTION OF SKIN UNDER THE EXISTING SPLICES							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-02-903	WING STUB MAIN BOX LOWER SKIN AND SPLICES - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN BETWEEN THE SPLICES AND RIB FLANGES							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-03-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB REAR BOX UPPER SKIN							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-10-03-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING STUB REAR BOX UPPER SKIN							Service ATA:57
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-04-001	^S	INTERNAL DETAILED INSPECTION OF WING STUB MAIN BOX						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-10-04-901		WING STUB MAIN BOX RIBS - DETAILED INSPECTION OF RIBS (CENTRAL RIB AND RIB#1) AND JOINTS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-001	^S	INTERNAL DETAILED INSPECTION OF WING STUB REAR BOX RIBS						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-05-901		WING STUB REAR BOX RIBS - DETAILED INSPECTION OF RIB #2						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-902		WING STUB REAR BOX RIBS - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ROD FITTING LUG						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-903		WING STUB REAR BOX RIBS - DETAILED INSPECTION OF RIB #1 (KEEL BEAM RIB)						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-904	WING STUB REAR BOX RIBS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ROD FITTING LUG							Service ATA:57
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-06-001 ^S	INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 1							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-10-06-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 1							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-06-003 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 1							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-10-06-901	WING STUB SPAR 1 AND STUB SIDE FITTINGS DETAILED INSPECTION OF WING STUB SPAR I AND STUB SIDE FITTINGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-07-001	^S	INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 2 AND THIRD CAP						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-07-002	^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 2						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-07-003	^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 2						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-10-07-901		WING STUB SPAR II, STUB SIDE FITTINGS AND THIRD CAP - DETAILED INSPECTION OF SPAR 2 (BOTH FACES), STUB SIDE FITTINGS, THIRD CAP AND FASTNERS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-08-001	^S	INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 3						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-08-002	^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 3						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-08-003	^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 3						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-08-901		WING STUB SPAR III AND STUB SIDE FITTINGS - DETAILED INSPECTION OF WING STUB SPAR III AND STUB SIDE FITTINGS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-08-902		WING STUB SPAR III AND STUB SIDE FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF WING STUB SPAR III AFT SIDE						Service ATA:57
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-08-903		WING STUB SPAR III AND STUB SIDE FITTINGS DETAILED INSPECTION OF WING STUB SPAR III FWD SIDE AND STUB SIDE FITTINGS						Service ATA:57
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-09-001	^S	INTERNAL DETAILED INSPECTION OF INBOARD SIDE OF WING STUB SPAR AND SKIN TO WING MAIN BOX TENSION JOINT						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-10-10-001	^S	INTERNAL GENERAL VISUAL INSPECTION OF WING STUB REAR BOX SKID						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:60
57-20-01-002	^S	INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF WING MAIN BOX UPPER SKIN PANELS						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:90
57-20-01-003	^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING MAIN BOX UPPER SKIN						Service ATA:57
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:60
57-20-02-001	^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING MAIN BOX LOWER SKIN PANELS						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-20-02-002 ^S	INTERNAL DETAILED INSPECTION OF UPPER SIDE OF WING MAIN BOX LOWER SKIN PANELS							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:60
57-20-02-901	WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - DETAILED INSPECTION OF MAIN BOX LOWER SKIN - CHORDWISE JOINTS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-02-902	WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF MAIN BOX LOWER SKIN PANELS, SPLICES, STRINGERS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-02-903	WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - DETAILED INSPECTION OF MAIN BOX LOWER SKIN - SURFACES NOT COVERED BY FAIRINGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-03-001 ^S	INTERNAL DETAILED INSPECTION OF WING MAIN BOX RIBS							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-20-00, NDT 57-20-00PROC. REF: NDT 57-20-00, NDT 57-20-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-20-03-002	^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SURFACE OF WING MAIN BOX DRY AREA						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
	APH	0						
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:60
57-20-03-901		WING MAIN BOX RIBS - DETAILED INSPECTION OF RIBS AND JOINTS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-03-902		WING MAIN BOX RIBS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF ALL RIBS MOUSE HOLES						Service ATA:57
	MOS	06-May-16					AWL	
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-04-001	^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 1						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:60
57-20-04-002	^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING SPAR 1						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-20-04-901	WING MAIN BOX SPAR I - DETAILED INSPECTION OF JOINT BETWEEN SPAR I AND MAIN BOX LOWER SKIN - SPANWISE DIRECTION							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-05-001 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING SPAR 2							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-05-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 2							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-05-901	WING MAIN BOX SPAR II - DETAILED INSPECTION OF JOINT BETWEEN SPAR II AND MAIN BOX ADJACENT SKINS - SPANWISE DIRECTION							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-06-001 ^S	INTERNAL DETAILED INSPECTION OF WING CANISTERS							Service ATA:57
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-20-06-002	^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SURFACE OF WING CANISTERS						Service ATA:57
	MOS	20-May-21	120 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:60
57-20-07-001	^S	INTERNAL DETAILED INSPECTION OF WING MAIN BOX TO WING STUB TENSION JOINT AND BOLTS						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:60
57-20-07-901		WING TO STUB ATTACHMENT DETAILED INSPECTION OF WING TO STUB BOLTS AND TENSION FITTINGS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-07-903		WING TO STUB ATTACHMENT DETAILED INSPECTION OF RIB #1						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-20-08-001	^S	INTERNAL DETAILED INSPECTION OF WING SPARS ATTACHMENTS TO WINGLET						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-20-09-001	^S	INTERNAL DETAILED INSPECTION OF WING MAIN BOX AILERON ACTUATOR SUPPORT FITTINGS						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-20-00, NDT 57-20-00PROC. REF: NDT 57-20-00, NDT 57-20-00								PKG:60
57-20-09-901		WING MAIN BOX AILERON ACTUATOR SUPPORT FITTINGS - DETAILED INSPECTION OF LUGS, FITTINGS AND FASTENERS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00								
57-40-01-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF LEADING EDGE SKIN						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-40-00PROC. REF: NDT 57-40-00								PKG:60
57-40-01-901		WING LEADING EDGE SKIN - DETAILED INSPECTION OF SKIN AND SPLICES						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-40-00PROC. REF: NDT 57-40-00								
57-40-01-902		WING LEADING EDGE SKIN DETAILED INSPECTION OF SKIN AND SPLICES						Service ATA:57
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-40-00PROC. REF: NDT 57-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-01-001	^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING TRAILING EDGE UPPER SKIN						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:60
57-50-01-002	^S	INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF WING TRAILING EDGE UPPER SKIN						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:90
57-50-01-003		INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF WINGTRAILING EDGE UPPER SKIN (LEGACY 450 PRAETOR 500)						Service ATA:57
	MOS/MSC	06-May-16	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-01-901		WING LEADING EDGE SKIN - DETAILED INSPECTION OF SKIN AND SPLICES						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-01-902		WING TRAILING EDGE UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE INSIDE REGION OF WFF						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-02-001	^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING TRAILING EDGE LOWER SKIN						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:60
57-50-02-002	^S	INTERNAL DETAILED INSPECTION OF UPPER SIDE OF WING TRAILING EDGE LOWER SKIN						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:90
57-50-02-003		INTERNAL DETAILED INSPECTION OF UPPER SIDE OF WING TRAILING EDGE LOWER SKIN (LEGACY 450 PRAETOR 500)						Service ATA:57
	MOS/MSC	06-May-16	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00								
57-50-02-901		WING TRAILING EDGE LOWER SKIN - SPECIAL DETAILED INSPECTION (X-RAY) OF FTE LOWER SKIN PANEL, UNDER REINFORCED DOUBLER						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-02-902		WING TRAILING EDGE LOWER SKIN - DETAILED INSPECTION OF FIXED TRAILING EDGE LOWER SKIN						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-02-903	WING TRAILING EDGE LOWER SKIN - DETAILED INSPECTION OF FIXED TRAILING EDGE LOWER SKIN SURFACE INSIDE REGION OF WFF							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-02-904	WING TRAILING EDGE LOWER SKIN SPECIAL DETAILED INSPECTION (X-RAY) OF FTE LOWER SKIN PANEL, UNDER REINFORCED DOUBLER							Service ATA:57
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-001 ^S	EXTERNAL - DETAILED INSPECTION OF AFT SIDE OF WING SPAR 3							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
PKG:60								
57-50-03-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 3							Service ATA:57
	MOS	06-May-16	T:60 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
PKG:40								
57-50-03-003	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 3 (LEGACY 450 PRAETOR 500)							Service ATA:57
	MOS/MSC	20-May-21	O/C					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-03-901	WING SPAR III - DETAILED INSPECTION OF SPAR III							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-902	WING SPAR III - DETAILED INSPECTION OF SPAR III OF SPAR III UPPER FLANGE BETWEEN RIBS #3A AND #4A (NEAR REAR TRUNNION)							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-903	WING SPAR III - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SPAR III AT ROD LINK							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-904	WING SPAR III SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SPAR III AT ROD LINK							Service ATA:57
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-04-001 ^S	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE RIBS							Service ATA:57
	MOS	06-May-16	T:60 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00								PKG:40
57-50-04-002	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE RIBS (LEGACY 450 PRAETOR 500)							Service ATA:57
	MOS/MSC	20-May-21	O/C					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-50-00, NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00, NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-901	WING TRAILING EDGE RIBS - DETAILED INSPECTION OF RIB #4A, #5A, #6A AND #7A							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-05-001 ^S	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE AILERON SUPPORT FITTINGS							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00								PKG:60
57-50-05-901	WING TRAILING EDGE AILERON SUPPORT FITTINGS - DETAILED INSPECTION OF WING TRAILING AILERON SUPPORT FITTINGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-06-001 ^S	EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE SPOILER SUPPORT FITTINGS							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:60
57-50-06-901	WING TRAILING EDGE SPOILER SUPPORT FITTINGS - DETAILED INSPECTION OF SPOILER HINGE FITTINGS AND ACTUATORS FITTINGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-07-001	^S	EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE FLAP ACTUATOR SUPPORT FITTINGS						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:60
57-50-07-901		WING TRAILING EDGE FLAP ACTUATOR SUPPORT FITTINGS - DETAILED INSPECTION OF WING TRAILING EDGE - FLAP ACTUATOR SUPPORT FITTINGS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-08-001	^S	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE FLAP TRACK AND TRACK SUPPORT FITTINGS						Service ATA:57
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:40
57-50-08-901		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS - DETAILED INSPECTION OF SURFACE OF THE TORQUE BOX STRUCTURE						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-08-902		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE OF THE TRACK THROUGH THE CORNERS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-08-903	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF EDGE 1 FAILED OF THE FLAP TRACKS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-08-904	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE LOWER FLANGE OF FLAP TRACKS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-08-905	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE OF THE FLAP TRACKS - CUTOUT							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-08-906	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE CUTOUT REGION OF THE FLAP TRACKS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-08-907	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF THE HOLES OF PINS THAT ATTACH FLAP TRACKS TO WING							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-08-908	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SURFACE OF THE TRACK THROUGH THE CORNERS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-09-001 ^S	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS INSIDE WING FUEL TANK							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-09-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF WING TRAILING EDGE ATTACHMENT TO FLAP TRACK SUPPORT FITTINGS INSIDE WING MAIN BOX DRY AREA							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-09-901	WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS - DETAILED INSPECTION OF TRACK SUPPORT FITTINGS AND PINS, INCLUDING, SPAR II AND SPAR III							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00								
57-50-09-902	WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS DETAILED INSPECTION OF TRACK SUPPORT FITTINGS AND PINS, INCLUDING RIBS #11 AND #16, SPAR II AND BACKUP FITTINGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-09-904	WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS DETAILED INSPECTION OF TRACK SUPPORT FITTINGS AND PINS, INCLUDING RIBS #11 AND #16, SPAR II AND BACKUP FITTINGS							Service ATA:57
	MOS/MSC	06-May-16	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-10-001 ^S	EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE MAIN LANDING GEAR BAY							Service ATA:57
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:40
57-50-10-901	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FRONT AND REAR TRUNNIONS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-10-902	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF MLG ACT FITTING (AT LUG AND NEAR RIB 1A)							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-10-903	WING TRAILING EDGE MLG BAY SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE- STAY FITTING (FITTING AT FASTENERS, LUG AND NEAR LUG)							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-10-904	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 1A AT CUT OUT							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-10-905	WING TRAILING EDGE MLG BAY - DETAILED INSPECTION OF RIB 1A AT MLG FITTINGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-10-906	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 2A AT CUT OUT							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-10-907	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 3A AT REAR TRUNION							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-10-908	WING TRAILING EDGE MLG BAY DETAILED INSPECTION OF RIB #1A, #2A, AND #3A							Service ATA:57
	MOS	06-May-16						AWL
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-51-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF FLAP INBOARD COMPOSITE STRUCTURE							Service ATA:57
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						

PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-01-002	^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP INBOARD COMPOSITE STRUCTURE						Service ATA:57
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
								PKG:40
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-01-901		FLAP INBOARD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE UPPER SKIN, NOSE SKIN, BOTTOMSKIN, TRAILING EDGE, ACCESS PANEL AND FASTENERS						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-02-001	^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP INBOARD RIBS						Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-02-901		FLAP INBOARD RIBS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF TRACK RIBS UPPER FLANGE AND SHEET RIB WEB CUT OUT						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-001	^S	EXTERNAL - DETAILED INSPECTION OF FLAP INBOARD ROLLERS SUPPORT						Service ATA:57
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
								PKG:40
PROC. REF: NDT 57-51-00, NDT 57-51-00PROC. REF: NDT 57-51-00, NDT 57-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-51-03-901	FLAP INBOARD ROLLERS SUPPORT - DETAILED INSPECTION OF ROLLER EXTERNAL BOLT							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-902	FLAP INBOARD ROLLERS SUPPORT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FLAP INBOARD ROLLER SUPPORT FLANGE CRACK							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-903	FLAP INBOARD ROLLERS SUPPORT DETAILED INSPECTION OF FLAP INBOARD ROLLER SUPPORT BOLT							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-904	FLAP INBOARD ROLLERS SUPPORT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF TRACK RIB 1 AT TRUNNION LUG							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-905	FLAP INBOARD ROLLER SUPPORT DETAILED INSPECTION OF OUTER SHAFT OF THE ROLLER FITTING							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-04-001 ^S	INTERNAL DETAILED INSPECTION OF FLAP INBOARD ACTUATOR SUPPORT FITTING							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							

PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-04-901	FLAP INBOARD ACTUATOR SUPPORT FITTING - SPECIAL DETAILED INSPECTION (ULTRASSONIC) OF ACTUATION LUG							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-04-902	FLAP INBOARD ACTUATOR SUPPORT FITTING - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING AT ACTUATION LUG							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-52-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP OUTBOARD COMPOSITE STRUCTURE							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-01-901	FLAP OUTBOARD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE UPPER SKIN, NOSE SKIN, BOTTOM SKIN, TRAILING EDGE, ACCESS, AND FASTENERS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-02-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP OUTBOARD RIBS							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 57-52-00, NDT 57-52-00PROC. REF: NDT 57-52-00, NDT 57-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-52-02-901	FLAP OUTBOARD RIBS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF RIBS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-03-001 ^S	INTERNAL DETAILED INSPECTION OF FLAP OUTBOARD CARRIAGES							Service ATA:57
	MOS	20-May-21	60 (+15d/-15d)					
	HRS	613.5						
	AFL	450						
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-03-901	FLAP OUTBOARD CARRIAGES DETAILED INSPECTION OF CARRIAGES, ON SWING LINK ROD- END LUG							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-03-902	FLAP OUTBOARD CARRIAGES DETAILED INSPECTION OF CARRIAGES, ON MAIN CARRIAGE PIN							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-03-903	FLAP OUTBOARD CARRIAGES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF CARRIAGES, CRACK ON THE "RIBS"							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-03-904	FLAP OUTBOARD CARRIAGES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF CARRIAGES, CRACK ON THE FASTENERS HOLES							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-03-905	FLAP OUTBOARD CARRIAGES PINS - DISCARD							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: AMM 57-52-00PROC. REF: AMM 57-52-00								
57-52-04-001 ^S	EXTERNAL - DETAILED INSPECTION OF FLAP OUTBOARD CARRIAGES FITTINGS							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00								
57-52-04-901	FLAP OUTBOARD CARRIAGE FITTING DETAILED INSPECTION OF SWING LINK AT TRACK RIBS, LUGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-52-00, NDT 57-52-00PROC. REF: NDT 57-52-00, NDT 57-52-00								
57-60-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF AILERON MAIN BOX							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-01-901	AILERON MAIN BOX (SKIN, SPARS AND RIBS) - DETAILED INSPECTION OF COMPOSITE SKINS, SPARS AND RIBS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-60-01-902	AILERON MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF COMPOSITE SKINS, SPARS AND RIBS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-02-001 ^S	INTERNAL DETAILED INSPECTION OF AILERON HINGE FITTINGS							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-02-901	AILERON HINGE FITTINGS DETAILED INSPECTION OF AILERON HINGE FITTINGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-03-001 ^S	INTERNAL DETAILED INSPECTION OF AILERON ACTUATOR HINGE FITTING							Service ATA:57
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-03-901	AILERON ACTUATOR FITTINGS DETAILED INSPECTION OF AILERON ACTUATOR FITTINGS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-70-01-901	SPOILER PANELS DETAILED INSPECTION OF COMPOSITE PANELS							Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00								
57-70-02-001	^S	EXTERNAL - DETAILED INSPECTION OF SPOILER HINGES AND ACTUATOR FITTING						Service ATA:57
	MOS	10-Jun-25	120 (+15d/-15d)					
	HRS	1446.4						
	AFL	1073						
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00								
57-70-02-901	^S	EXTERNAL - DETAILED INSPECTION OF SPOILER HINGES AND ACTUATOR FITTINGS						Service ATA:57
	MOS	10-Jun-25						CMR
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00								
57-70-02-902		SPOILER HINGE AND ACTUATOR FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF HINGE, ACTUATOR LUGS, AND FILLET						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00								
57-70-02-903		SPOILER HINGE AND ACTUATOR FITTINGS - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR FITTING STIFFNER						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00								
57-70-02-904		SPOILER HINGE AND ACTUATOR FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR FITTING ATTACHMENT FLANGE						Service ATA:57
	MOS	06-May-16						
	HRS	0	T:12750		12750		11249.5	
	AFL	0	T:8500		8500		7382	
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
574000-0101	LH WING NO. 1 POLISHED LEADING EDGE							Component ATA:57
PN:550-07800-407	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000874810	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00								
574000-0102	RH WING NO. 1 POLISHED LEADING EDGE							Component ATA:57
PN:550-07800-408	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000884498	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00								
574000-0103	LH WING NO. 2 POLISHED LEADING EDGE							Component ATA:57
PN:550-07900-407	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000888662	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00								
574000-0104	RH WING NO. 2 POLISHED LEADING EDGE							Component ATA:57
PN:550-07900-408	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000882630	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00								
574000-0105	LH WING NO. 3 POLISHED LEADING EDGE							Component ATA:57
PN:550-08000-407	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000888656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00								
574000-0106	RH WING NO. 3 POLISHED LEADING EDGE							Component ATA:57
PN:550-08000-408	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0000869216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
575108-0101	LH WING MECHANISM 2, ASSY							Component ATA:57
PN:550-13146-407	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0037	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
575108-0102	RH WING MECHANISM 2, ASSY							Component ATA:57
PN:550-13146-408	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
575208-0101	LH WING MECHANISM 4, ASSY							Component ATA:57
PN:550-13130-405	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0040	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
575208-0102	RH WING MECHANISM 4, ASSY							Component ATA:57
PN:550-13130-406	MOS/MSC	06-May-16	O/C	TSN 0				
SN:0039	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
C57-70-02-001 ^S	EXTERNAL - DETAILED INSPECTION OF SPOILER HINGES AND ACTUATOR FITTINGS							Service ATA:57
	MOS	10-Jun-25						
	HRS	1446.4	750					
	AFL	1073						
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00								
PKG:1								
ATA 71 - POWER PLANT								
71-00-01-710-801-A	POWERPLANT - OPERATIONAL TEST							Service ATA:71
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-02-710-801-A	POWERPLANT CONTROL PANEL - OPERATIONAL TEST							Service ATA:71
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-00-02PROC. REF: AMM 71-00-02								
71-10-00-001 ^S	GENERAL VISUAL INSPECTION OF FAN COWL DOORS, ACCESS PANELS AND ATTACHED HARDWARE							Service ATA:71
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								
PKG:15								
71-10-00-002 ^S	DETAILED INSPECTION OF FAN COWL DOOR SEALS							Service ATA:71
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 71-30-00PROC. REF: AMM 71-30-00								
PKG:15								
71-10-00-003 ^S	GENERAL VISUAL INSPECTION OF ENGINE FAN COWL DOOR INLET SCOOPS AND VENTILATION GRILLS							Service ATA:71
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								
PKG:1								
71-20-01-001	RESTORATION LH LOWER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-SA20	MOS/MSC	06-May-16	O/C					
SN:LK0328	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-01-001	RESTORATION LH PYLON AFT ENGINE MOUNT STEEL ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-5	MOS/MSC	06-May-16	O/C					
SN:LK0171	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-01-001	RESTORATION LH UPPER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-SA20	MOS/MSC	06-May-16	O/C					
SN:LK0326	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-01-001	RESTORATION RH LOWER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-SA20	MOS/MSC	06-May-16	O/C					
SN:LK0320	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-01-001	RESTORATION RH PYLON AFT ENGINE MOUNT STEEL ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-5	MOS/MSC	06-May-16	O/C					
SN:LK0170	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-01-001	RESTORATION RH UPPER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-SA20	MOS/MSC	06-May-16	O/C					
SN:LK0319	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-01-002 ^S	DISCARD OF ENGINE MOUNT ISOLATORS - LH LOWER FWD ENGINE MOUNT							Service ATA:71
	MOS							
	HRS		7500 (+37/-37)					
	AFL							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-01-002	^S	DISCARD OF ENGINE MOUNT ISOLATORS - LH PYLON AFT ENGINE MOUNT						Service ATA:71
	MOS							
	HRS		7500 (+37/-37)					
	AFL							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								PKG:20
71-20-01-002	^S	DISCARD OF ENGINE MOUNT ISOLATORS - LH UPPER FWD ENGINE MOUNT						Service ATA:71
	MOS							
	HRS		7500 (+37/-37)					
	AFL							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								PKG:20
71-20-01-002	^S	DISCARD OF ENGINE MOUNT ISOLATORS - RH LOWER FWD ENGINE MOUNT						Service ATA:71
	MOS							
	HRS		7500 (+37/-37)					
	AFL							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								PKG:20
71-20-01-002	^S	DISCARD OF ENGINE MOUNT ISOLATORS - RH PYLON AFT ENGINE MOUNT						Service ATA:71
	MOS							
	HRS		7500 (+37/-37)					
	AFL							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								PKG:20
71-20-01-002	^S	DISCARD OF ENGINE MOUNT ISOLATORS - RH UPPER FWD ENGINE MOUNT						Service ATA:71
	MOS							
	HRS		7500 (+37/-37)					
	AFL							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-05-001	^S	DETAILED INSPECTION OF ENGINE DISCRETE SOURCE DAMAGE CATCHER						Service ATA:71
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 71-20-05PROC. REF: AMM 71-20-05								PKG:20
71-21-01-001	^S	INTERNAL DETAILED INSPECTION OF ENGINE FORWARD MOUNTS AND PINS						Service ATA:71
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 71-20-00PROC. REF: NDT 71-20-00								PKG:60
71-21-01-901		ENGINE FORWARD MOUNTING ASSEMBLY - SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF HOUSING						Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-21-01-902		ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ENGINE ATTACHMENT BOLTS						Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-21-01-903		ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF SLEEVE BOLT						Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-21-01-904		ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF FAILSAFE BOLT						Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-21-01-905	ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ALL OTHER ATTACHMENT HARDWARE							Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-22-01-001 ^S	INTERNAL DETAILED INSPECTION OF ENGINE AFT MOUNTS AND PINS							Service ATA:71
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
								PKG:60
PROC. REF: NDT 71-20-00PROC. REF: NDT 71-20-00								
71-22-01-901	ENGINE AFT MOUNTING ASSEMBLY - SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF HOUSING							Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-22-01-902	ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ENGINE ATTACHMENT FAILSAFE BOLTS							Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-22-01-903	ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF SLEEVE BOLTS							Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-22-01-904	ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF PYLON ATTACHMENT BOLTS							Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-22-01-905	ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ALL OTHER ATTACHMENT HARDWARE							Service ATA:71
	MOS	06-May-16						
	HRS	0	T:7500		7500		5999.5	
	AFL	0	T:5000		5000		3882	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-60-00-001 ^S	DETAILED INSPECTION OF ENGINE NACELLE INLET							Service ATA:71
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	AFL	1073						
PROC. REF: AMM 71-60-01PROC. REF: AMM 71-60-01								PKG:1
710203-0101	CSL CENT POWERPLANT CONTROL PANEL ASSY							Component ATA:71
PN:431900-002	MOS/MSC	06-Sep-16	O/C	TSN 0				
SN:431900AA0104	HRS	125.9		TSN 0				
	AFL	78		TSN 0				
PROC. REF: AMM 71-00-02, AMM 71-00-02PROC. REF: AMM 71-00-02, AMM 71-00-02								
711001-0101	LH INTEGRATED POWERPLANT ASSEMBLY							Component ATA:71
PN:WBE7100E001-043	MOS/MSC	06-May-16	O/C	TSN 0				
SN:E0095	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01								
711001-0102	RH INTEGRATED POWERPLANT ASSEMBLY							Component ATA:71
PN:WBE7100E001-044	MOS/MSC	06-May-16	O/C	TSN 0				
SN:E0096	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
711002-0101	LEFT LOWER FAN COWL DOOR ASSEMBLY							Component ATA:71
PN:WBE7113E301-049	MOS/MSC	06-May-16	O/C	TSN 0				
SN:HAF71131533	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-02, AMM 71-10-02PROC. REF: AMM 71-10-02, AMM 71-10-02								
711002-0102	RIGHT LOWER FAN COWL DOOR ASSEMBLY							Component ATA:71
PN:WBE7114E301-049	MOS/MSC	06-May-16	O/C	TSN 0				
SN:HAF71141531	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-02, AMM 71-10-02PROC. REF: AMM 71-10-02, AMM 71-10-02								
711003-0101	LEFT UPPER FAN COWL ASSY							Component ATA:71
PN:WBE7111E301-045	MOS/MSC	06-May-16	O/C	TSN 0				
SN:HAF71111515	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-01, AMM 71-10-01PROC. REF: AMM 71-10-01, AMM 71-10-01								
711003-0102	RIGHT UPPER DOOR ASSY							Component ATA:71
PN:WBE7112E301-045	MOS/MSC	06-May-16	O/C	TSN 0				
SN:HAF71121531	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-01, AMM 71-10-01PROC. REF: AMM 71-10-01, AMM 71-10-01								
712001 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE MOUNT POINTS							Service ATA:71
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:5								
712001 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE MOUNT POINTS							Service ATA:71
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:5								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712002 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION FRONT FRAME ASSEMBLY							Service ATA:71
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
712002 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION FRONT FRAME ASSEMBLY							Service ATA:71
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
712003-0101	LH PYLON AFT ENGINE MOUNT STEEL ISOLATOR							Component ATA:71
PN:LM-1007-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:LK0171	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-03, AMM 71-20-03PROC. REF: AMM 71-20-03, AMM 71-20-03								
712003-0102	RH PYLON AFT ENGINE MOUNT STEEL ISOLATOR							Component ATA:71
PN:LM-1007-5	MOS/MSC	06-May-16	O/C	TSN 0				
SN:LK0170	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-03, AMM 71-20-03PROC. REF: AMM 71-20-03, AMM 71-20-03								
712003-0103	LH UPPER FWD ENGINE MOUNT ISOLATOR							Component ATA:71
PN:LM-1007-SA20	MOS/MSC	06-May-16	O/C	TSN 0				
SN:LK0326	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-01, AMM 71-20-01PROC. REF: AMM 71-20-01, AMM 71-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712003-0104		RH UPPER FWD ENGINE MOUNT ISOLATOR					Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	06-May-16	O/C	TSN 0				
SN:LK0319	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-01, AMM 71-20-01PROC. REF: AMM 71-20-01, AMM 71-20-01								
712003-0105		LH LOWER FWD ENGINE MOUNT ISOLATOR					Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	06-May-16	O/C	TSN 0				
SN:LK0328	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-01, AMM 71-20-01PROC. REF: AMM 71-20-01, AMM 71-20-01								
712003-0106		RH LOWER FWD ENGINE MOUNT ISOLATOR					Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	06-May-16	O/C	TSN 0				
SN:LK0320	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-01, AMM 71-20-01PROC. REF: AMM 71-20-01, AMM 71-20-01								
716001-0101		LH ENG INLET ASSY					Component	ATA:71
PN:WBE7160E101-045	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PZL103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01, AMM 71-60-01PROC. REF: AMM 71-60-01, AMM 71-60-01								
716001-0102		RH ENG INLET ASSY					Component	ATA:71
PN:WBE7160E101-045	MOS/MSC	06-May-16	O/C	TSN 0				
SN:PZL102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01, AMM 71-60-01PROC. REF: AMM 71-60-01, AMM 71-60-01								
71EN1		NO. 1 ENGINE					Component	ATA:71
PN:70040119-1	MOS/MSC		E/C					
SN:P131203	HRS							
WC#: 71.EN1	AFL							
PROC. REF: SIL F731-88, AMM 71-00-01, AMM 71-00-01PROC. REF: SIL F731-88, AMM 71-00-01, AMM 71-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71EN2	NO. 2 ENGINE							Component ATA:71
PN:70040119-1	MOS/MSC		E/C					
SN:P131202	HRS							
WC#: 71.EN2	AFL							
PROC. REF: SIL F731-88, AMM 71-00-01, AMM 71-00-01PROC. REF: SIL F731-88, AMM 71-00-01, AMM 71-00-01								
ATA 72 - ENGINE								
72-00-00-200-003-A01	NO. 1 ENGINE - OPTIONAL WATER WASH PROCEDURES FOR ENGINES WHICH OPERATE IN TROPICAL / INDUSTRIAL / MARINE / SALT OR CHEMICAL LADEN ENVIRONMENTS							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-003-A01	NO. 2 ENGINE - OPTIONAL WATER WASH PROCEDURES FOR ENGINES WHICH OPERATE IN TROPICAL / INDUSTRIAL / MARINE / SALT OR CHEMICAL LADEN ENVIRONMENTS							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-004-A01	NO. 1 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE TEMPERATURE LIMITS INSPECTION							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-004-A01	NO. 2 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE TEMPERATURE LIMITS INSPECTION							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-005-A01	NO. 1 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE N1 AND N2 SPEED LIMITS INSPECTION							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-005-A01	NO. 2 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE N1 AND N2 SPEED LIMITS INSPECTION							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-006-A01	NO. 1 ENGINE - EXAMINE ENGINES THAT SHOW HOT SECTION DISTRESS (BURN OUTS)							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-006-A01	NO. 2 ENGINE - EXAMINE ENGINES THAT SHOW HOT SECTION DISTRESS (BURN OUTS)							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-007-A01	NO. 1 ENGINE - EXAMINE ENGINES AFTER THE AIRCRAFT HAS BEEN HIT BY LIGHTING							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-007-A01	NO. 2 ENGINE - EXAMINE ENGINES AFTER THE AIRCRAFT HAS BEEN HIT BY LIGHTING							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-008-A01	NO. 1 ENGINE - EXAMINE ENGINES AFTER A CVG SYSTEM MALFUNCTION OR A COMPRESSOR STALL							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-008-A01	NO. 2 ENGINE - EXAMINE ENGINES AFTER A CVG SYSTEM MALFUNCTION OR A COMPRESSOR STALL							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-009-A01	NO. 1 ENGINE - EXAMINE ENGINES FOR METAL CONTAMINATION OF THE OIL SYSTEM							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-009-A01	NO. 2 ENGINE - EXAMINE ENGINES FOR METAL CONTAMINATION OF THE OIL SYSTEM							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-010-A01	NO. 1 ENGINE - EXAMINE ENGINES OPERATED WITH LOW OR NO OIL PRESSURE INDICATION							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-010-A01	NO. 2 ENGINE - EXAMINE ENGINES OPERATED WITH LOW OR NO OIL PRESSURE INDICATION							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-011-A01	NO. 1 ENGINE - EXAMINE ENGINES THAT HAVE INGESTED VOLCANIC ASH							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-011-A01	NO. 2 ENGINE - EXAMINE ENGINES THAT HAVE INGESTED VOLCANIC ASH							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-012-A01	NO. 1 ENGINE - EXAMINE ENGINES OPERATED AT VIBRATION LEVELS MORE THAN THE PERMITTED LIMITS							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-012-A01	NO. 2 ENGINE - EXAMINE ENGINES OPERATED AT VIBRATION LEVELS MORE THAN THE PERMITTED LIMITS							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-013-A01	NO. 1 ENGINE - EXAMINE ENGINES IMMERSSED IN SALT WATER OR EXPOSED TO FIE EXTINGUISHER MATERIAL							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-013-A01	NO. 2 ENGINE - EXAMINE ENGINES IMMERSSED IN SALT WATER OR EXPOSED TO FIE EXTINGUISHER MATERIAL							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-200-014-A01	NO. 1 ENGINE - EXAMINE ENGINES FOR FOD THAT HAVE BIRD STRIKES OR INGEST FOREIGN OBJECTS							Service ATA:72
	MOS/MSC	27-Jul-20	A/R					
	HRS	586.7						
	ENC	432						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-014-A01	NO. 2 ENGINE - EXAMINE ENGINES FOR FOD THAT HAVE BIRD STRIKES OR INGEST FOREIGN OBJECTS							Service ATA:72
	MOS/MSC	27-Jul-20	A/R					
	HRS	586.7						
	ENC	432						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-015-A01	NO. 1 ENGINE - PERFORM PERIODIC INSPECTIONS							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-00-00-200-015-A01	NO. 2 ENGINE - PERFORM PERIODIC INSPECTIONS							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-00-00-200-016-A01	NO. 1 ENGINE - PERFORM DIGITAL IMAGING (BORESCOPE) INSPECTION							Service ATA:72
	MOS/MSC	27-Jan-16	O/C					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-016-A01	NO. 2 ENGINE - PERFORM DIGITAL IMAGING (BORESCOPE) INSPECTION							Service ATA:72
	MOS/MSC	22-Jan-16	O/C					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-200-017-A01	NO. 1 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-017-A01	NO. 2 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-018-A01	NO. 1 ENGINE - CORE ZONE INSPECTION							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-018-A01	NO. 2 ENGINE - CORE ZONE INSPECTION							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-200-020-A01	NO. 1 ENGINE - INSPECT COMPRESSOR GAS PATH COMPONENTS FOR ENGINES IDENTIFIED BY A TRENDING PROGRAM ALERT FOR PERFORMANCE LOSS							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-200-020-A01	NO. 2 ENGINE - INSPECT COMPRESSOR GAS PATH COMPONENTS FOR ENGINES IDENTIFIED BY A TRENDING PROGRAM ALERT FOR PERFORMANCE LOSS							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-610-011-A01	NO. 1 ENGINE - COMPRESSOR WASH PROCEDURE							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-610-011-A01	NO. 2 ENGINE - COMPRESSOR WASH PROCEDURE							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-700-012-A01	NO. 1 ENGINE - PERFORM VIBRATION SURVEY							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-700-012-A01	NO. 2 ENGINE - PERFORM VIBRATION SURVEY							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-700-014-A01	NO. 1 ENGINE - ACCOMPLISH ENGINE POWER ASSURANCE RUN							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-700-014-A01	NO. 2 ENGINE - ACCOMPLISH ENGINE POWER ASSURANCE RUN							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-700-015-A01	NO. 1 ENGINE - OIL PRESSURE ADJUSTMENT							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-700-015-A01	NO. 2 ENGINE - OIL PRESSURE ADJUSTMENT							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-700-016-A01	NO. 1 ENGINE - PERFORM NO. 1 EGT PROBE TEST							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-700-016-A01	NO. 1 ENGINE - PERFORM NO. 2 EGT PROBE TEST							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-700-016-A01	NO. 2 ENGINE - PERFORM NO. 1 EGT PROBE TEST							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-700-016-A01	NO. 2 ENGINE - PERFORM NO. 2 EGT PROBE TEST							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-810-167-A01	NO. 1 ENGINE - TROUBLESHOOT MCID 1001, OMS MESSAGE- OIL PRESSURE SENSOR 1A							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-810-167-A01	NO. 2 ENGINE - TROUBLESHOOT MCID 1001, OMS MESSAGE- OIL PRESSURE SENSOR 1A							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-810-168-A01	NO. 1 ENGINE - TROUBLESHOOT	MCID 1002, OMS MESSAGE-	OIL PRESSURE SENSOR 1B					Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-810-168-A01	NO. 2 ENGINE - TROUBLESHOOT	MCID 1002, OMS MESSAGE-	OIL PRESSURE SENSOR 1B					Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-810-434-A01	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR METAL CONTAMINATION							Service ATA:72
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-810-434-A01	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR METAL CONTAMINATION							Service ATA:72
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-810-801-A01	NO. 1 ENGINE - PROCEDURE FOR ECU DOWNLOAD							Service ATA:72
	DAYS/MSC	03-Jul-24	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	1267.3						
	ENC	949						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-810-801-A01	NO. 2 ENGINE - PROCEDURE FOR ECU DOWNLOAD							Service ATA:72
	DAYS/MS	03-Jul-24	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	1267.3						
	ENC	949						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-30-00-002	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BOREScope) OF COMPRESSOR SECTION - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MS	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-002	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BOREScope) OF COMPRESSOR SECTION - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MS	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-003	NO. 1 ENGINE - STAGE 2/3 COMPRESSOR ROTOR ROTATING SEAL							Component ATA:72
PN:3033069-3	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-156113-20242	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-003	NO. 1 ENGINE - STAGE 3/4 COMPRESSOR ROTOR ROTATING SEAL							Component ATA:72
PN:3033070-3	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-156113-20654	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-00-003	NO. 2 ENGINE - STAGE 2/3 COMPRESSOR ROTOR ROTATING SEAL							Component ATA:72
PN:3033069-3	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-156113-20036	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-003	NO. 2 ENGINE - STAGE 3/4 COMPRESSOR ROTOR ROTATING SEAL							Component ATA:72
PN:3033070-3	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-156113-20660	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-004	NO. 1 ENGINE - STAGE 1 COMPRESSOR BLISK							Component ATA:72
PN:3033053-7	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:1518244916381	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-004	NO. 1 ENGINE - STAGE 2 COMPRESSOR BLISK							Component ATA:72
PN:3033063-4	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:1518244918575	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-004	NO. 1 ENGINE - STAGE 3 COMPRESSOR BLISK							Component ATA:72
PN:3033067-9	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-04544	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-00-004	NO. 1 ENGINE - STAGE 4 COMPRESSOR BLISK							Component ATA:72
PN:3033072-4	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:1518244917942	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-004	NO. 2 ENGINE - STAGE 1 COMPRESSOR BLISK							Component ATA:72
PN:3033053-7	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-04736	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-004	NO. 2 ENGINE - STAGE 2 COMPRESSOR BLISK							Component ATA:72
PN:3033063-4	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-04713	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-004	NO. 2 ENGINE - STAGE 3 COMPRESSOR BLISK							Component ATA:72
PN:3033067-9	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-04557	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-004	NO. 2 ENGINE - STAGE 4 COMPRESSOR BLISK							Component ATA:72
PN:3033072-4	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-04371	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-00-005	NO. 1 ENGINE - HP SHAFT							Component ATA:72
PN:3033084-4	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:14-102045-00749	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-005	NO. 2 ENGINE - HP SHAFT							Component ATA:72
PN:3033084-4	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:14-102045-00257	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-006	NO. 1 ENGINE - CENTRIFUGAL COMPRESSOR ROTOR- IMPELLER							Component ATA:72
PN:3033207-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:1518244917905	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-006	NO. 2 ENGINE - CENTRIFUGAL COMPRESSOR ROTOR- IMPELLER							Component ATA:72
PN:3033207-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03831	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-30-00-007	NO. 1 ENGINE - VORTEX SPOILER							Component ATA:72
PN:70040037-2	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:14-162045-02587	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-00-007	NO. 2 ENGINE - VORTEX SPOILER							Component ATA:72
PN:70040037-2	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162045-01364	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-40-00-001	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF ENGINE COMBUSTOR MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-40-00-001	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF ENGINE COMBUSTOR MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-001	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-001	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 1 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M80036	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81486	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81524	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81819	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81836	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 1 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81896	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M83098	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M83142	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M83170	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M83175	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 1 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M83201	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M80680	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M83230	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M83983	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M83992	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 1 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M84633	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M84659	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M85085	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M85090	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M85107	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 1 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M85108	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M85118	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81398	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M85543	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M86059	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 1 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M86060	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M86072	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M86075	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 35 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M86117	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 36 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M86132	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 1 ENGINE - NO. 37 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M86222	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 38 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M86780	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81400	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81404	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81462	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 1 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81463	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81478	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 1 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M81485	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M28883	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M81464	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 2 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M81494	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M81519	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M81835	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M81949	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M81950	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 2 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M81951	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M82509	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M82510	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M82517	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M75628	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 2 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M82532	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M82660	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M82675	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M83128	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M83143	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 2 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M83199	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M83979	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M83997	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M83999	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M84658	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 2 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M78686	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M85042	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M85072	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M85080	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M85121	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 2 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M85134	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 35 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M86054	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 36 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M86073	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 37 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M86130	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 38 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M86787	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 2 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M78706	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M79856	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M79876	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M79933	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-101	NO. 2 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M79943	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-101	NO. 2 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M80070	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M51833	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60390	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60414	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60443	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 1 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60449	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60460	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60471	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60824	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60825	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 1 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60826	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60837	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M51836	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M60849	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M63008	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 1 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M63023	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M63053	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M63243	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M63472	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M63663	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 1 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M68515	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M68533	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M68538	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M51858	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M71868	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 1 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M71869	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M71897	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M71922	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M71943	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M51877	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 1 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M51882	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M51887	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M51893	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M57504	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 1 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15M59477	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 2 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M50132	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M60372	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M60378	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M60391	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M60403	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 2 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M60834	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M60835	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M60845	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63027	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63099	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 2 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63111	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M50153	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63112	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63113	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63163	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 2 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63177	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63193	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63457	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63495	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63544	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 2 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M63660	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M68220	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M50165	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M68342	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M68343	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 2 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M68345	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M68497	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M68837	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M50174	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M51606	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-002-201	NO. 2 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M51733	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M51761	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M51886	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-002-201	NO. 2 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 2 BLADE							Component ATA:72
PN:3035049-5	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15M60365	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-003	NO. 1 ENGINE - HP FORWARD COUPLER							Component ATA:72
PN:3033133-2	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-1034-48102	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-003	NO. 2 ENGINE - HP FORWARD COUPLER							Component ATA:72
PN:3033133-2	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-1034-47940	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-005	NO. 1 ENGINE - STAGE 1 TURBINE (HP) DISK							Component ATA:72
PN:70040948-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03200	HRS	0		TSN 0				
	ENC	0	8700	TSN 0	(8700) 8700		7582	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-005	NO. 1 ENGINE - STAGE 2 TURBINE (HP) DISK							Component ATA:72
PN:3035123-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:1518244918098	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-005	NO. 2 ENGINE - STAGE 1 TURBINE (HP) DISK							Component ATA:72
PN:70040948-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03748	HRS	0		TSN 0				
	ENC	0	8700	TSN 0	(8700) 8700		7582	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-005	NO. 2 ENGINE - STAGE 2 TURBINE (HP) DISK							Component ATA:72
PN:3035123-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:1518244918107	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-00-006	NO. 1 ENGINE - HP TURBINE INTERSTAGE SEAL							Component ATA:72
PN:3035134-3	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162045-01771	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-00-006	NO. 2 ENGINE - HP TURBINE INTERSTAGE SEAL							Component ATA:72
PN:3035134-3	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162045-01794	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 1 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-07739	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 10 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-09047	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 11 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-09108	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 12 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-09131	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 13 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-09140	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 14 HPT2 NOZZLE (WITH BORESCOPE PORT) SEGMENT							Component ATA:72
PN:3035040-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-07119	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 2 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-08179	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 3 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-08200	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 4 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-08698	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 5 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-08718	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 6 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-08732	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 7 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-08755	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 8 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-09030	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 1 ENGINE - NO. 9 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-09044	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 1 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-06448	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 10 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-08724	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 11 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-08731	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 12 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-08740	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 13 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-09054	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 14 HPT2 NOZZLE (WITH BORESCOPE PORT) SEGMENT							Component ATA:72
PN:3035040-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-07151	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 2 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-06512	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 3 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-06517	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 4 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-06535	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 5 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-07471	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 6 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-08465	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 7 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-08669	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 8 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-08708	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-02-030-001	NO. 2 ENGINE - NO. 9 HPT2 NOZZLE SEGMENT							Component ATA:72
PN:3035040-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-08710	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 1 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-05876	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 10 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-07036	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 11 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-07112	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 2 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-05896	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 3 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-05959	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 4 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-05960	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 5 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-05965	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 6 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-06371	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 7 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-06766	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 8 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-06768	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 1 ENGINE - NO. 9 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150250-06769	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 1 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-05481	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 10 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-07249	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 11 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-07259	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 2 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-05714	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 3 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-05870	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 4 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-05930	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 5 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-06338	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 6 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-06340	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 7 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-06369	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 8 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-06370	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-51-04-030-002	NO. 2 ENGINE - NO. 9 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:3035145-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150250-07033	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-001	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF ENGINE LP TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-001	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF ENGINE LP TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-004	NO. 1 ENGINE - LP TURBINE STUB SHAFT							Component ATA:72
PN:3035691-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-190742-00561	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-004	NO. 2 ENGINE - LP TURBINE STUB SHAFT							Component ATA:72
PN:3035691-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162045-00018	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-006	NO. 1 ENGINE - LP TURBINE SHAFT							Component ATA:72
PN:3035689-2	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-182476-20001	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-006	NO. 2 ENGINE - LP TURBINE SHAFT							Component ATA:72
PN:3035689-2	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-182476-29001	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-007	NO. 1 ENGINE - LP TURBINE INTERSTAGE (LPT1/LPT2) ROTATING SEAL							Component ATA:72
PN:3035595-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:1518244917821	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-007	NO. 2 ENGINE - LP TURBINE INTERSTAGE (LPT1/LPT2) ROTATING SEAL							Component ATA:72
PN:3035595-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:1518244917829	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-008	NO. 1 ENGINE - DETAILED INSPECTION OF ENGINE EXIT GUIDE VANE ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-55-02PROC. REF: LMM 72-55-02								
72-55-00-008	NO. 2 ENGINE - DETAILED INSPECTION OF ENGINE EXIT GUIDE VANE ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-55-02PROC. REF: LMM 72-55-02								
72-55-00-010	NO. 1 ENGINE - STAGE 1 LP TURBINE DISK							Component ATA:72
PN:3035593-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03280	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-010	NO. 1 ENGINE - STAGE 2 LP TURBINE DISK							Component ATA:72
PN:3035661-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03809	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-010	NO. 1 ENGINE - STAGE 3 LP TURBINE DISK							Component ATA:72
PN:3035663-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03316	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-010	NO. 2 ENGINE - STAGE 1 LP TURBINE DISK							Component ATA:72
PN:3035593-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03279	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-010	NO. 2 ENGINE - STAGE 2 LP TURBINE DISK							Component ATA:72
PN:3035661-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-01404	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-010	NO. 2 ENGINE - STAGE 3 LP TURBINE DISK							Component ATA:72
PN:3035663-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-02484	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-012 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE EXHAUST MIXER NOZZLE AREA							Service ATA:72
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: LMM 78-10-01PROC. REF: LMM 78-10-01								PKG:1
72-55-00-012 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE EXHAUST MIXER NOZZLE AREA							Service ATA:72
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: LMM 78-10-01PROC. REF: LMM 78-10-01								PKG:1
72-55-00-015	NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM86691	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88370	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88371	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88372	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88373	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88374	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88375	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88376	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88377	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88378	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88379	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87679	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88380	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88381	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88382	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88383	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88384	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88385	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88386	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88388	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88389	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88390	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87680	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88391	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88392	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88794	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88795	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88796	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88797	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88798	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88799	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88800	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88801	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87681	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88802	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88803	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88804	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88805	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88806	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88807	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88808	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88809	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88810	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88811	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87683	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88812	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88813	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88814	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88815	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88816	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88817	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88818	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87685	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87686	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88368	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM88369	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87567	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87576	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87577	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87578	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87579	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87580	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87581	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87582	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87583	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87584	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87585	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87568	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87586	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87587	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87588	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87589	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87590	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87591	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87592	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87593	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87594	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87595	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87569	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87596	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87597	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87598	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87599	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87600	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87601	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87602	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87603	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87604	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87605	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87570	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87606	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87607	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87608	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87609	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87610	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87611	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87612	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87613	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87614	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87615	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87571	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87616	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87770	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87771	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87780	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87781	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87782	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87783	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015	NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87572	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87573	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87574	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-015	NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM87575	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76651	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76660	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76661	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76662	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76663	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76664	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76665	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76666	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76667	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76668	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76669	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76652	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76670	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76671	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76672	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76673	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76674	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81102	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81103	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81104	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81105	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81106	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76653	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81107	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81108	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81109	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81110	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81111	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81112	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81113	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81114	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81115	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81116	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76654	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81117	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81118	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81119	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81120	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81121	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81122	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81123	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81124	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81125	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81126	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76655	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83568	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83580	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83581	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83582	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83583	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83584	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83585	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 57 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83586	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 58 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83587	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 59 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83588	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76656	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 60 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83589	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 61 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83590	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 62 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83591	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76657	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76658	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM76659	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81278	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81287	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81288	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81289	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81290	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81291	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81292	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81293	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81294	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81295	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81296	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81279	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81297	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81298	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81299	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81300	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81301	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81302	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83543	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83544	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83545	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83546	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81280	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83547	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83548	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83549	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83550	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83551	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83552	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83553	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83554	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83555	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83556	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81281	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83557	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83558	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83559	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83560	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83561	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83562	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83563	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83564	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83565	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83566	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81282	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83567	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83569	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83570	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83571	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83572	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83573	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83574	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 57 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83575	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 58 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83576	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 59 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83577	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81283	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 60 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83578	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 61 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83579	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 62 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83592	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016	NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81284	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81285	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-016	NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81286	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80517	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80526	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80527	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80528	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80529	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80531	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80532	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80533	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80534	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80535	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80536	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80518	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80537	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80538	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80539	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80540	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80541	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81203	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81204	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81205	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81206	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81207	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80519	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81208	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81209	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81210	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81211	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81212	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81213	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81214	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81215	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81216	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81217	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80520	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81218	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81219	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81220	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81221	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81222	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81223	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81224	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81225	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81226	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM81227	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80521	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82866	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82867	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82868	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82869	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82870	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82871	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82872	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 57 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82873	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 58 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82874	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 59 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82875	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80522	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 60 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82876	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 61 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82877	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 62 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82878	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 63 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82879	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 64 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82880	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 65 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82881	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 66 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82882	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 67 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82883	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 68 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82884	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 69 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82885	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80523	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 70 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82886	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 71 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82887	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 72 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82888	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 73 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82889	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 74 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82890	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80524	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15HM80525	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM82333	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83501	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83502	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83503	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83504	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83505	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83506	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83507	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83508	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83509	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83510	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83493	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83511	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83512	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83513	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83514	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83515	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83516	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83593	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83594	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83597	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83598	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83494	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83599	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83600	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83601	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83602	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83603	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83604	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83605	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83606	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83607	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83608	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83495	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83609	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83610	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83611	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83612	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83613	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83614	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83615	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83616	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83617	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83643	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83496	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83644	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83645	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83646	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83647	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83648	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83649	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83650	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 57 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83651	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 58 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83652	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 59 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83653	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83497	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 60 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83654	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 61 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83655	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 62 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83656	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 63 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83657	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 64 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83658	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 65 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83659	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 66 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83660	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 67 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83661	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 68 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83662	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 69 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83663	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83498	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 70 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83664	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 71 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83665	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 72 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83666	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 73 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83667	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 74 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83694	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-00-017	NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83499	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017	NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15HM83500	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-02-001	NO. 1 ENGINE - LOW PRESSURE TURBINE, STAGE 1 NOZZLE ASSEMBLY							Component ATA:72
PN:70040940-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-3300-03143	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-55-02-001	NO. 2 ENGINE - LOW PRESSURE TURBINE, STAGE 1 NOZZLE ASSEMBLY							Component ATA:72
PN:70040940-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-182382-00637	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 1 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-29337	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 10 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30229	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 11 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30230	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-02-030-002	NO. 1 ENGINE - NO. 12 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30232	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 13 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30235	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 14 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30237	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 15 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30238	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 16 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30239	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 17 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30248	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-02-030-002	NO. 1 ENGINE - NO. 18 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30249	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 19 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30383	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 2 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30090	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 20 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30423	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 21 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30456	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 1 ENGINE - NO. 22 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30590	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-02-030-002		NO. 1 ENGINE - NO. 3 FAN BLADE					Component	ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30113	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002		NO. 1 ENGINE - NO. 4 FAN BLADE					Component	ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30187	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002		NO. 1 ENGINE - NO. 5 FAN BLADE					Component	ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30211	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002		NO. 1 ENGINE - NO. 6 FAN BLADE					Component	ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30213	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002		NO. 1 ENGINE - NO. 7 FAN BLADE					Component	ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30218	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002		NO. 1 ENGINE - NO. 8 FAN BLADE					Component	ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30221	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-02-030-002	NO. 1 ENGINE - NO. 9 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181958-30228	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 1 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29694	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 10 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29856	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 11 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29862	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 12 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29866	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 13 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29875	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-02-030-002	NO. 2 ENGINE - NO. 14 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29877	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 15 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29880	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 16 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29883	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 17 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29885	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 18 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29887	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 19 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29888	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-02-030-002	NO. 2 ENGINE - NO. 2 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29821	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 20 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-30466	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 21 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-30478	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 22 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-30482	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 3 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29824	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 4 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29825	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-02-030-002	NO. 2 ENGINE - NO. 5 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29827	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 6 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29835	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 7 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29844	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 8 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29845	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-02-030-002	NO. 2 ENGINE - NO. 9 FAN BLADE							Component ATA:72
PN:70040466-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-181958-29849	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-001	NO. 1 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-70-02PROC. REF: LMM 72-70-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-71-00-001	NO. 2 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-70-02PROC. REF: LMM 72-70-02								
72-71-00-002	NO. 1 ENGINE - DISCARD OF LOW PRESSURE (LP) TURBINE FAN STUB SHAFT							Service ATA:72
	MOS	27-Jan-16						LIFE LIMIT
	HRS	0						
	ENC	0	15000		(15000) 15000		13882	
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10								
72-71-00-002	NO. 2 ENGINE - DISCARD OF LOW PRESSURE (LP) TURBINE FAN STUB SHAFT							Service ATA:72
	MOS	22-Jan-16						LIFE LIMIT
	HRS	0						
	ENC	0	15000		(15000) 15000		13882	
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10								
72-71-00-003	NO. 1 ENGINE - LP TURBINE DRIVE ARM							Component ATA:72
PN:3035610-2	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:14-162246-06564	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-003	NO. 2 ENGINE - LP TURBINE DRIVE ARM							Component ATA:72
PN:3035610-2	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03932	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-71-00-006	NO. 1 ENGINE - FAN DISK							Component ATA:72
PN:70040467-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:1518244917075	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-006	NO. 2 ENGINE - FAN DISK							Component ATA:72
PN:70040467-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:1518244917216	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-007	NO. 1 ENGINE - FAN STUB SHAFT							Component ATA:72
PN:3037099-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-102045-00789	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10								
72-71-00-007	NO. 2 ENGINE - FAN STUB SHAFT							Component ATA:72
PN:3037099-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-102045-00814	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10								
72-71-00-008	NO. 1 ENGINE - FAN SEAL PLATE							Component ATA:72
PN:70040470-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-104599-00246	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-71-00-008	NO. 2 ENGINE - FAN SEAL PLATE							Component ATA:72
PN:70040470-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-104599-00235	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-009 ^S	NO. 1 ENGINE - DETAILED INSPECTION FAN STATOR ASSEMBLY							Service ATA:72
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: LMM 72-70-05, LMM 74-20-01PROC. REF: LMM 72-70-05, LMM 74-20-01								PKG:1
72-71-00-009 ^S	NO. 2 ENGINE - DETAILED INSPECTION FAN STATOR ASSEMBLY							Service ATA:72
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: LMM 72-70-05, LMM 74-20-01PROC. REF: LMM 72-70-05, LMM 74-20-01								PKG:1
72-71-00-010	NO. 1 ENGINE - SPINNER COVER RING							Component ATA:72
PN:70040460-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-156138-01990	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: LMM 72-70-01, LMM 72-70-01PROC. REF: LMM 72-70-01, LMM 72-70-01								
72-71-00-010	NO. 2 ENGINE - SPINNER COVER RING							Component ATA:72
PN:70040460-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-106091-00112	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: LMM 72-70-01, LMM 72-70-01PROC. REF: LMM 72-70-01, LMM 72-70-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-71-00-011	NO. 1 ENGINE - SPINNER INNER RING							Component ATA:72
PN:70040459-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-156138-01866	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-011	NO. 2 ENGINE - SPINNER INNER RING							Component ATA:72
PN:70040459-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-156138-03052	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-012	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-012	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-014	NO. 1 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-71-00-014	NO. 2 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-015	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN BLADES							Service ATA:72
	MOS	27-Jan-16						
	HRS	0						
	ENC	0	15000 (+750)		(15000) 15000	15750	13882 (+750)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-71-00-015	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN BLADES							Service ATA:72
	MOS	22-Jan-16						
	HRS	0						
	ENC	0	15000 (+750)		(15000) 15000	15750	13882 (+750)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-72-00-001	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASS SURFACE AREA BETWEEN INNER AND OUTER FAN BYPASS DUCTS - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-72-00-001	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASS SURFACE AREA BETWEEN INNER AND OUTER FAN BYPASS DUCTS - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720001	NO. 1 ENGINE - HTF7500 TURBO-FAN ENGINE POWER GROUP							Component ATA:72
PN:70040112-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064490	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720001	NO. 2 ENGINE - HTF7500 TURBO-FAN ENGINE POWER GROUP							Component ATA:72
PN:70040112-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064489	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720003	NO. 1 ENGINE - FINAL OUT ASSEMBLY							Component ATA:72
PN:70040119-902	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064488	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720003	NO. 2 ENGINE - FINAL OUT ASSEMBLY							Component ATA:72
PN:70040119-902	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064487	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720004	NO. 1 ENGINE - ZONE 2 FIRE DETECTOR							Component ATA:72
PN:70040430-1	MOS/MSC	20-Mar-17	O/C	TSN 0				
SN:4511	HRS	231.3		TSN 0				
	ENC	153		TSN 0				
PROC. REF: LMM 72-00-04, LMM 72-00-04PROC. REF: LMM 72-00-04, LMM 72-00-04								
720004	NO. 2 ENGINE - ZONE 2 FIRE DETECTOR							Component ATA:72
PN:70040430-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:3369	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-04, LMM 72-00-04PROC. REF: LMM 72-00-04, LMM 72-00-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720005	NO. 1 ENGINE - FWD FAN BYPASS DUCT ASSEMBLY							Component ATA:72
PN:70040300-902	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064508	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720005	NO. 2 ENGINE - FWD FAN BYPASS DUCT ASSEMBLY							Component ATA:72
PN:70040300-902	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064507	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720006	NO. 1 ENGINE - TWO WAY ONE STAGE ELHYD SERVO VALVE							Component ATA:72
PN:2718901	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:01864	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720006	NO. 2 ENGINE - TWO WAY ONE STAGE ELHYD SERVO VALVE							Component ATA:72
PN:2718901	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:01745	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720007	NO. 1 ENGINE - THREE WAY ONE STAGE ELHYD SERVO VALVE							Component ATA:72
PN:2718972	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:01887	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720007	NO. 2 ENGINE - THREE WAY ONE STAGE ELHYD SERVO VALVE							Component ATA:72
PN:2718972	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:01784	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720008	NO. 1 ENGINE - 4 WAY 2 STAGE ELHYD SERVO VALVE							Component ATA:72
PN:442197-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:ESVBD11778	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720008	NO. 2 ENGINE - 4 WAY 2 STAGE ELHYD SERVO VALVE							Component ATA:72
PN:442197-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:ESVBD11637	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720010	NO. 1 ENGINE - SERVO VALVE BODY ASSEMBLY							Component ATA:72
PN:2687749	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:152529-1712	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720010	NO. 2 ENGINE - SERVO VALVE BODY ASSEMBLY							Component ATA:72
PN:2687749	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150529-1582	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720013	NO. 1 ENGINE - ARMATURE ASSEMBLY							Component ATA:72
PN:2684714-001	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:152529-1366	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720013	NO. 2 ENGINE - ARMATURE ASSEMBLY							Component ATA:72
PN:2684714-001	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150274-15210226	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720014	NO. 1 ENGINE - TORQUE MOTOR BASE ASSEMBLY							Component ATA:72
PN:2685627	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:152529-104916	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720014	NO. 2 ENGINE - TORQUE MOTOR BASE ASSEMBLY							Component ATA:72
PN:2685627	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150529-101110	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720015	NO. 1 ENGINE - TORQUE MOTOR ASSEMBLY SERVO VALVE							Component ATA:72
PN:2685759-005	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:06848-104916	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720015	NO. 2 ENGINE - TORQUE MOTOR ASSEMBLY SERVO VALVE							Component ATA:72
PN:2685759-005	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:06848-101110	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720020	NO. 1 ENGINE - MAIN BODY ASSEMBLY							Component ATA:72
PN:2691586	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:005101-0A2658	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720020	NO. 2 ENGINE - MAIN BODY ASSEMBLY							Component ATA:72
PN:2691586	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:005101-0A2663	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720023	NO. 1 ENGINE - MATCHED METERING VALVE AND SLEEVE ASSEMBLY							Component ATA:72
PN:82010501-001	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:150529-0093	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720023	NO. 2 ENGINE - MATCHED METERING VALVE AND SLEEVE ASSEMBLY							Component ATA:72
PN:82010501-001	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150529-0104	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720026	NO. 1 ENGINE - SILICON PRESSURE TRANSDUCER							Component ATA:72
PN:4201681-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:55-A3461	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720026	NO. 2 ENGINE - SILICON PRESSURE TRANSDUCER							Component ATA:72
PN:4201681-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:55-A3356	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720027	NO. 1 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component ATA:72
PN:4201680-1002	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:55-A3420	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720027	NO. 2 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component ATA:72
PN:4201680-1002	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:55-A3356	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720028	NO. 1 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component ATA:72
PN:4201680-1002	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:55-A3497	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720028	NO. 2 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component ATA:72
PN:4201680-1002	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:55-A3419	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720029	NO. 1 ENGINE - SILICON PRESSURE TRANSDUCER							Component ATA:72
PN:4201681-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:55-A3480	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720029	NO. 2 ENGINE - SILICON PRESSURE TRANSDUCER							Component ATA:72
PN:4201681-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:55-A3463	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720031	NO. 1 ENGINE - AS900 SENSOR							Component ATA:72
PN:4244822-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:583059	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720031	NO. 2 ENGINE - AS900 SENSOR							Component ATA:72
PN:4244822-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:581044	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720032	NO. 1 ENGINE - SENSOR							Component ATA:72
PN:4244822-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:584069	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720032	NO. 2 ENGINE - SENSOR							Component ATA:72
PN:4244822-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:582451	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720033	NO. 1 ENGINE - SENSOR							Component ATA:72
PN:4201682-2004	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:582452	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720033	NO. 2 ENGINE - SENSOR							Component ATA:72
PN:4201682-2004	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:581458	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720034	NO. 1 ENGINE - SENSOR							Component ATA:72
PN:4201682-2004	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:582433	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720034	NO. 2 ENGINE - SENSOR							Component ATA:72
PN:4201682-2004	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:582381	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720041	NO. 1 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:4245012-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:HNW005790045	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720041	NO. 2 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:4245012-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:HNW005790003	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720042	NO. 1 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:4245012-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:HNW005823028	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720042	NO. 2 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:4245012-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:HNW005790078	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720043	NO. 1 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:4245273-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:HNW005794083	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720043	NO. 2 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:4245273-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:HNW005740079	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720044	NO. 1 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:4245273-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:HNW005825007	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720044	NO. 2 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:4245273-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:HNW005794044	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720045	NO. 1 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:65052375-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:FNP0055-1535	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720045	NO. 2 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:65052375-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:FNP0035-1530	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720046	NO. 1 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:65052375-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:FNP0006-1530	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720046	NO. 2 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component ATA:72
PN:65052375-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:FNP0059-1535	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720060	NO. 1 ENGINE - TOWER SHAFT							Component ATA:72
PN:3033197-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15P78590	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60, LMM 72-00-60PROC. REF: LMM 72-00-60, LMM 72-00-60								
720060	NO. 2 ENGINE - TOWER SHAFT							Component ATA:72
PN:3033197-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15P83486	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60, LMM 72-00-60PROC. REF: LMM 72-00-60, LMM 72-00-60								
720061	NO. 1 ENGINE - ACCESSORY BUILD UNIT HTF7000 GEARBOX							Component ATA:72
PN:3036000-6	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:16P16817	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60, LMM 72-00-60PROC. REF: LMM 72-00-60, LMM 72-00-60								
720061	NO. 2 ENGINE - ACCESSORY BUILD UNIT HTF7000 GEARBOX							Component ATA:72
PN:3036000-6	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:16P16816	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60, LMM 72-00-60PROC. REF: LMM 72-00-60, LMM 72-00-60								
720070	NO. 1 ENGINE - NOSE CONE							Component ATA:72
PN:70040112-908	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064498	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720070	NO. 2 ENGINE - NOSE CONE							Component ATA:72
PN:70040112-908	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064497	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720080	NO. 1 ENGINE - INLET GUIDE VANE (IGV) ASSEMBLY							Component ATA:72
PN:70040112-914	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064502	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720080	NO. 2 ENGINE - INLET GUIDE VANE (IGV) ASSEMBLY							Component ATA:72
PN:70040112-914	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064501	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720085	NO. 1 ENGINE - PLENUM ASSEMBLY							Component ATA:72
PN:70040112-916	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064504	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720085	NO. 2 ENGINE - PLENUM ASSEMBLY							Component ATA:72
PN:70040112-916	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064503	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722001	NO. 1 ENGINE - FAN INLET COMPOSITE HOUSING							Component ATA:72
PN:70040190-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-114642-00134	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-20-01, LMM 72-20-01PROC. REF: LMM 72-20-01, LMM 72-20-01								
722001	NO. 2 ENGINE - FAN INLET COMPOSITE HOUSING							Component ATA:72
PN:70040190-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-114642-00133	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-20-01, LMM 72-20-01PROC. REF: LMM 72-20-01, LMM 72-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723001	NO. 1 ENGINE - UPPER TOWERSHAFT HOUSING ASSEMBLY							Component ATA:72
PN:3033022-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162620-00356	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01, GENERIC NO REFPROC. REF: LMM 72-30-01, LMM 72-30-01, GENERIC NO REF								
723001	NO. 2 ENGINE - UPPER TOWERSHAFT HOUSING ASSEMBLY							Component ATA:72
PN:3033022-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162620-00346	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01, GENERIC NO REFPROC. REF: LMM 72-30-01, LMM 72-30-01, GENERIC NO REF								
723002	NO. 1 ENGINE - BEARING SET							Component ATA:72
PN:3033023-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162255-25813	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723002	NO. 2 ENGINE - BEARING SET							Component ATA:72
PN:3033023-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162255-25807	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723003	NO. 1 ENGINE - NO.2 BEARING RING CARBON SEAL							Component ATA:72
PN:3033189-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:13-169020-01919	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723003	NO. 2 ENGINE - NO.2 BEARING RING CARBON SEAL							Component ATA:72
PN:3033189-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:14-169020-00668	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723004	NO. 1 ENGINE - NO.2 BEARING RING CARBON SEAL							Component ATA:72
PN:3033189-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:14-169020-02235	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723004	NO. 2 ENGINE - NO.2 BEARING RING CARBON SEAL							Component ATA:72
PN:3033189-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:14-169020-00760	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723005	NO. 1 ENGINE - #3 CARBON SEAL							Component ATA:72
PN:3033035-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:081936800013	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-05, LMM 72-30-05PROC. REF: LMM 72-30-05, LMM 72-30-05								
723005	NO. 2 ENGINE - #3 CARBON SEAL							Component ATA:72
PN:3033035-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:16-169020-01411	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-05, LMM 72-30-05PROC. REF: LMM 72-30-05, LMM 72-30-05								
723006	NO. 1 ENGINE - BEARING SET							Component ATA:72
PN:3033180-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162255-19334	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723006	NO. 2 ENGINE - BEARING SET							Component ATA:72
PN:3033180-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162255-19337	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723007	NO. 1 ENGINE - AIRCRAFT-GAS TURBINE ENGINE FRONT FRAME							Component ATA:72
PN:70040939-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-101376-00113	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723007	NO. 2 ENGINE - AIRCRAFT-GAS TURBINE ENGINE FRONT FRAME							Component ATA:72
PN:70040939-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:14-101376-00094	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723010	NO. 1 ENGINE - INLET GUIDE VANE (IGV) UNISON RING SET							Component ATA:72
PN:3033142-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-190742-00409	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723010	NO. 2 ENGINE - INLET GUIDE VANE (IGV) UNISON RING SET							Component ATA:72
PN:3033142-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-190742-00340	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723011	NO. 1 ENGINE - INLET GUIDE VANE (IGV) SUPPORT ASSEMBLY							Component ATA:72
PN:3033163-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150285-00119	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723011	NO. 2 ENGINE - INLET GUIDE VANE (IGV) SUPPORT ASSEMBLY							Component ATA:72
PN:3033163-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150285-00121	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723012 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMPRESSOR CASE							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10								PKG:5
723012 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMPRESSOR CASE							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10								PKG:5
723013 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION HP/LP BLEED AIR AND ATS DUCTS							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
723013 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION HP/LP BLEED AIR AND ATS DUCTS							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
723014	NO. 1 ENGINE - SPECIAL DETAIL INSPECTION (BORESCOPE) OF ECS LP BLEED CHECK VALVE							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4000 (+100)		(4000) 4000	4100	2499.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723014	NO. 2 ENGINE - SPECIAL DETAIL INSPECTION (BORESCOPE) OF ECS LP BLEED CHECK VALVE							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4000 (+100)		(4000) 4000	4100	2499.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724010	NO. 1 ENGINE - DIFFUSER CASE							Component ATA:72
PN:70040475-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-181884-00145	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724010	NO. 2 ENGINE - DIFFUSER CASE							Component ATA:72
PN:70040475-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:12-181884-00061	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724011	NO. 1 ENGINE - BLADE AIR COOLING SWIRL RING							Component ATA:72
PN:70040476-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-3300-03529	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724011	NO. 2 ENGINE - BLADE AIR COOLING SWIRL RING							Component ATA:72
PN:70040476-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-3300-03901	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724012	NO. 1 ENGINE - COMBUSTION CHAMBER ASSEMBLY							Component ATA:72
PN:3034088-5	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:16-3300-00007	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724012	NO. 2 ENGINE - COMBUSTION CHAMBER ASSEMBLY							Component ATA:72
PN:3034088-5	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-3300-04011	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10								
724102 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMBUSTOR CASE							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
724102 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMBUSTOR CASE							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
724110	NO. 1 ENGINE - COMBUSTION CHAMBER CASE							Component ATA:72
PN:70040010-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:14-182173-00006	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10								
724110	NO. 2 ENGINE - COMBUSTION CHAMBER CASE							Component ATA:72
PN:70040010-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-182173-00046	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10								
725001	NO. 1 ENGINE - TURBINE-AXIAL FLOW WHEEL							Component ATA:72
PN:361655-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:G97542	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725001	NO. 2 ENGINE - TURBINE-AXIAL FLOW WHEEL							Component ATA:72
PN:361655-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:G97603	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725002 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE CASE							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
725002 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE CASE							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
725003	NO. 1 ENGINE - LPT STAGE 2 ROTOR ASSEMBLY							Component ATA:72
PN:3035660-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162246-03809	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725003	NO. 2 ENGINE - LPT STAGE 2 ROTOR ASSEMBLY							Component ATA:72
PN:3035660-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162246-01404	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725004	NO. 1 ENGINE - LPT STAGE 3 ROTOR ASSEMBLY							Component ATA:72
PN:3035662-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162246-03316	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725004	NO. 2 ENGINE - LPT STAGE 3 ROTOR ASSEMBLY							Component ATA:72
PN:3035662-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162246-02484	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725101	NO. 1 ENGINE - HPT STAGE 1 SEAL ASSEMBLY							Component ATA:72
PN:70040210-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1518244916569	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725101	NO. 2 ENGINE - HPT STAGE 1 SEAL ASSEMBLY							Component ATA:72
PN:70040210-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162246-02775	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725102	NO. 1 ENGINE - HPT STAGE 2 SEAL ASSEMBLY							Component ATA:72
PN:3035093-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162246-02856	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725102	NO. 2 ENGINE - HPT STAGE 2 SEAL ASSEMBLY							Component ATA:72
PN:3035093-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1518244917263	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725103	NO. 1 ENGINE - HPT STAGE 2 ROTOR ASSEMBLY							Component ATA:72
PN:3035135-6	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1518244918098	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725103	NO. 2 ENGINE - HPT STAGE 2 ROTOR ASSEMBLY							Component ATA:72
PN:3035135-6	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1518244918107	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725104	NO. 1 ENGINE - HPT STAGE 1 ROTOR ASSEMBLY							Component ATA:72
PN:70040856-5	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162246-03200	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725104	NO. 2 ENGINE - HPT STAGE 1 ROTOR ASSEMBLY							Component ATA:72
PN:70040856-5	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162246-03748	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725105	NO. 1 ENGINE - HPT 1ST/2ND STAGE SHROUD AND NOZZLE ASSEMBLY							Component ATA:72
PN:70040112-904	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064494	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725105	NO. 2 ENGINE - HPT 1ST/2ND STAGE SHROUD AND NOZZLE ASSEMBLY							Component ATA:72
PN:70040112-904	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064493	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725106	NO. 1 ENGINE - LPT MODULE							Component ATA:72
PN:70040112-906	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064494	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725106	NO. 2 ENGINE - LPT MODULE							Component ATA:72
PN:70040112-906	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064495	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725107	NO. 1 ENGINE - HPT1 NOZZLE ASSEMBLY							Component ATA:72
PN:70040112-910	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064500	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04								
725107	NO. 2 ENGINE - HPT1 NOZZLE ASSEMBLY							Component ATA:72
PN:70040112-910	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064499	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04								
725108	NO. 1 ENGINE - HP TURBINE ROTOR CASE MATCHED SET							Component ATA:72
PN:70040174-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1515030300060	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725108	NO. 2 ENGINE - HP TURBINE ROTOR CASE MATCHED SET							Component ATA:72
PN:70040174-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1515030300058	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725109	NO. 1 ENGINE - LPT1 NOZZLE							Component ATA:72
PN:3035612-6	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-182273-01790	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725109	NO. 2 ENGINE - LPT1 NOZZLE							Component ATA:72
PN:3035612-6	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-182273-02010	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725110	NO. 1 ENGINE - LPT1 CASE							Component ATA:72
PN:70040102-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-182273-02120	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725110	NO. 2 ENGINE - LPT1 CASE							Component ATA:72
PN:70040102-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-182273-02108	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725501	NO. 1 ENGINE - NO. 1 CARBON SEAL							Component ATA:72
PN:3037037-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-169020-01354	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725501	NO. 2 ENGINE - NO. 1 CARBON SEAL							Component ATA:72
PN:3037037-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-169020-01355	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725504	NO. 1 ENGINE - NO. 4 CARBON SEAL							Component ATA:72
PN:3035532-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-169020-00076	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725504	NO. 2 ENGINE - NO. 4 CARBON SEAL							Component ATA:72
PN:3035532-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-169020-00887	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725505	NO. 1 ENGINE - NO. 5 CARBON SEAL							Component ATA:72
PN:3035687-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:14-169020-02162	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725505	NO. 2 ENGINE - NO. 5 CARBON SEAL							Component ATA:72
PN:3035687-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:14-169020-00571	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725506	NO. 1 ENGINE - EGV-TUBE ASSEMBLY NOZZLE							Component ATA:72
PN:70040175-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-56101-08246	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725506	NO. 2 ENGINE - EGV-TUBE ASSEMBLY NOZZLE							Component ATA:72
PN:70040175-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-156101-07957	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725514	NO. 1 ENGINE - MATCHED ROLLER NO. 4 BEARING SET							Component ATA:72
PN:3035647-5	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162111-03114	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725514	NO. 2 ENGINE - MATCHED ROLLER NO. 4 BEARING SET							Component ATA:72
PN:3035647-5	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162111-03150	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725526	NO. 1 ENGINE - NO. 5 CENTERING CAGE ROLLER BEARING SET							Component ATA:72
PN:3035683-6	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162255-27255	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725526	NO. 2 ENGINE - NO. 5 CENTERING CAGE ROLLER BEARING SET							Component ATA:72
PN:3035683-6	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162255-27254	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725527	NO. 1 ENGINE - NO. 5 BEARING HOUSING							Component ATA:72
PN:3035705-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150568-02504	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-55-01, LMM 72-55-01PROC. REF: LMM 72-55-01, LMM 72-55-01								
725527	NO. 2 ENGINE - NO. 5 BEARING HOUSING							Component ATA:72
PN:3035705-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150568-02505	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-55-01, LMM 72-55-01PROC. REF: LMM 72-55-01, LMM 72-55-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725528	NO. 1 ENGINE - ANNULAR BALL BEARING							Component ATA:72
PN:3033024-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162255-22660	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725528	NO. 2 ENGINE - ANNULAR BALL BEARING							Component ATA:72
PN:3033024-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162255-22661	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725530	NO. 1 ENGINE - AFT BEARING SUPPORT							Component ATA:72
PN:70040112-918	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:LA064506	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-55-01, LMM 72-55-01PROC. REF: LMM 72-55-01, LMM 72-55-01								
725530	NO. 2 ENGINE - AFT BEARING SUPPORT							Component ATA:72
PN:70040112-918	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:LA064505	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-55-01, LMM 72-55-01PROC. REF: LMM 72-55-01, LMM 72-55-01								
726001	NO. 1 ENGINE - N2 SPEED SENSOR							Component ATA:72
PN:3038501-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1515058300980	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05, LMM 77-10-05PROC. REF: LMM 77-10-05, LMM 77-10-05								
726001	NO. 2 ENGINE - N2 SPEED SENSOR							Component ATA:72
PN:3038501-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1515058300999	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05, LMM 77-10-05PROC. REF: LMM 77-10-05, LMM 77-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726002	NO. 1 ENGINE - PMA ROTOR							Component ATA:72
PN:3038506-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1754	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REFPROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REF								
726002	NO. 2 ENGINE - PMA ROTOR							Component ATA:72
PN:3038506-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1753	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REFPROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REF								
726003	NO. 1 ENGINE - PMA STATOR ASSEMBLY							Component ATA:72
PN:3038504-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1666	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REFPROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REF								
726003	NO. 2 ENGINE - PMA STATOR ASSEMBLY							Component ATA:72
PN:3038504-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1681	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REFPROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REF								
726005	NO. 1 ENGINE - OIL TEMPERATURE TRANSDUCER							Component ATA:72
PN:3038701-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1516901726740	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-03, LMM 79-30-03PROC. REF: LMM 79-30-03, LMM 79-30-03								
726005	NO. 2 ENGINE - OIL TEMPERATURE TRANSDUCER							Component ATA:72
PN:3038701-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1516901726745	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-03, LMM 79-30-03PROC. REF: LMM 79-30-03, LMM 79-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726006	NO. 1 ENGINE - CHIP DETECTOR							Component ATA:72
PN:3038706-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1516238100214	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-02, LMM 79-30-02PROC. REF: LMM 79-30-02, LMM 79-30-02								
726006	NO. 2 ENGINE - CHIP DETECTOR							Component ATA:72
PN:3038706-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1516238100220	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-02, LMM 79-30-02PROC. REF: LMM 79-30-02, LMM 79-30-02								
726007	NO. 1 ENGINE - OIL FILTER MODULE ASSEMBLY							Component ATA:72
PN:3038727-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:14-162287-01385	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-01, LMM 79-20-01PROC. REF: LMM 79-20-01, LMM 79-20-01								
726007	NO. 2 ENGINE - OIL FILTER MODULE ASSEMBLY							Component ATA:72
PN:3038727-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162287-01443	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-01, LMM 79-20-01PROC. REF: LMM 79-20-01, LMM 79-20-01								
726008	NO. 1 ENGINE - OIL TANK PRESSURE VALVE							Component ATA:72
PN:3038797-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150503-01602	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-08, LMM 79-20-08PROC. REF: LMM 79-20-08, LMM 79-20-08								
726008	NO. 2 ENGINE - OIL TANK PRESSURE VALVE							Component ATA:72
PN:3038797-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150503-01604	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-08, LMM 79-20-08PROC. REF: LMM 79-20-08, LMM 79-20-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727001	NO. 1 ENGINE - FAN ROTOR ASSEMBLY							Component ATA:72
PN:70040487-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1518244917075	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-02, LMM 72-70-02PROC. REF: LMM 72-70-02, LMM 72-70-02								
727001	NO. 2 ENGINE - FAN ROTOR ASSEMBLY							Component ATA:72
PN:70040487-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1518244917216	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-02, LMM 72-70-02PROC. REF: LMM 72-70-02, LMM 72-70-02								
727005	NO. 1 ENGINE - FAN STATOR VANE ASSEMBLY							Component ATA:72
PN:70040202-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:16P83847	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727005	NO. 2 ENGINE - FAN STATOR VANE ASSEMBLY							Component ATA:72
PN:70040202-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:16P83680	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727006 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FAN BY-PASS OUTER DUCT AND SYSTEMS (LRU) ATTACHMENTS (EXTERIOR)							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727006 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FAN BY-PASS OUTER DUCT AND SYSTEMS (LRU) ATTACHMENTS (EXTERIOR)							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727011	NO. 1 ENGINE - BEARING SET							Component ATA:72
PN:3037038-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162255-23799	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727011	NO. 2 ENGINE - BEARING SET							Component ATA:72
PN:3037038-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:13-162255-34228	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727012	NO. 1 ENGINE - NO. 1 BEARING HOUSING ASSEMBLY							Component ATA:72
PN:70040457-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:14-150568-01690	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10								
727012	NO. 2 ENGINE - NO. 1 BEARING HOUSING ASSEMBLY							Component ATA:72
PN:70040457-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:14-150568-01749	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10								
727016	NO. 1 ENGINE - BEARING SET							Component ATA:72
PN:3037041-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162255-741	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727016	NO. 2 ENGINE - BEARING SET							Component ATA:72
PN:3037041-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162255-22734	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727110 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION AGB ASSEMBLY							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727110 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION AGB ASSEMBLY							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727112 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE WIRING HARNESSSES							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727112 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE WIRING HARNESSSES							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727113	NO. 1 ENGINE - W4 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040314-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162599-01552	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01								
727113	NO. 2 ENGINE - W4 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040314-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162599-01311	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01								
727114	NO. 1 ENGINE - W3 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040313-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162599-01354	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01								
727114	NO. 2 ENGINE - W3 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040313-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162599-01285	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01								
727115	NO. 1 ENGINE - W5 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040315-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162599-01597	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01								
727115	NO. 2 ENGINE - W5 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040315-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162599-01606	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727116 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE DRAIN SYSTEM/ATTACHMENT FITTINGS							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727116 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE DRAIN SYSTEM/ATTACHMENT FITTINGS							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727120 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION BUFFER AIR TUBES							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727120 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION BUFFER AIR TUBES							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727124 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE MIXER NOZZLE AND THE CENTER BODY							Service ATA:72
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727124 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE MIXER NOZZLE AND THE CENTER BODY							Service ATA:72
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
727126	NO. 1 ENGINE - INSPECT (COMPLETE) HYDROMECHANICAL UNIT							Service ATA:72
PN:442650	MOS	27-Jan-16						
SN:FHC1735	HRS	0	7000 (+750)		(7000) 7000	7750	5499.5 (+750)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727126	NO. 2 ENGINE - INSPECT (COMPLETE) HYDROMECHANICAL UNIT							Service ATA:72
PN:442650	MOS	22-Jan-16						
SN:FHC1627	HRS	0	7000 (+750)		(7000) 7000	7750	5499.5 (+750)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727130	NO. 1 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3036004-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-169019-02901	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-61-01, LMM 72-61-01PROC. REF: LMM 72-61-01, LMM 72-61-01								
727130	NO. 2 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3036004-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-169019-02904	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-61-01, LMM 72-61-01PROC. REF: LMM 72-61-01, LMM 72-61-01								
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
SN:AAC00343	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC01375	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC01380	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC02084	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC00345	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC00346	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC00347	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC00350	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC00352	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC00356	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC01367	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	N/A					
SN:AAC01369	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC00349	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC01379	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC01381	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC01385	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC00351	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC00344	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC00357	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC01368	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC01371	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC01372	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC01374	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	N/A					
SN:AAC01377	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-002	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	27-Jan-16						OVERHAUL
SN:16-169016-00016	HRS	0	2250 (+100)		(2250) 2250	2350	749.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-002	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	27-Jan-16						OVERHAUL
SN:16-169016-00017	HRS	0	2250 (+100)		(2250) 2250	2350	749.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-002	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	27-Jan-16						OVERHAUL
SN:16-169016-00018	HRS	0	2250 (+100)		(2250) 2250	2350	749.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-002	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	27-Jan-16						OVERHAUL
SN:16-169016-00051	HRS	0	2250 (+100)		(2250) 2250	2350	749.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-002	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	22-Jan-16						OVERHAUL
SN:15-169016-03484	HRS	0	2250 (+100)		(2250) 2250	2350	749.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-002	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	22-Jan-16						OVERHAUL
SN:15-169016-03487	HRS	0	2250 (+100)		(2250) 2250	2350	749.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-002	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	22-Jan-16						OVERHAUL
SN:15-169016-03494	HRS	0	2250 (+100)		(2250) 2250	2350	749.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-002	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	22-Jan-16						OVERHAUL
SN:15-169016-03496	HRS	0	2250 (+100)		(2250) 2250	2350	749.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-00-004	NO. 1 ENGINE - DISCARD OF FUEL FILTER ELEMENT- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: AMM 73-10-06PROC. REF: AMM 73-10-06								
73-10-00-004	NO. 2 ENGINE - DISCARD OF FUEL FILTER ELEMENT- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: AMM 73-10-06PROC. REF: AMM 73-10-06								
73-10-00-005 ^S	NO. 1 ENGINE - VISUAL CHECK FUEL FILTER MECHANICAL DIFFERENTIAL PRESSURE INDICATOR							Service ATA:73
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
73-10-00-005 ^S	NO. 2 ENGINE - VISUAL CHECK FUEL FILTER MECHANICAL DIFFERENTIAL PRESSURE INDICATOR							Service ATA:73
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731000 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FUEL SYSTEM COMPONENTS AND TUBING							Service ATA:73
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
731000 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FUEL SYSTEM COMPONENTS AND TUBING							Service ATA:73
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
731002	NO. 1 ENGINE - FLOW DIVIDER BODY ASSEMBLY							Component ATA:73
PN:2690213	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:005101-1636	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-04, LMM 73-10-04PROC. REF: LMM 73-10-04, LMM 73-10-04								
731002	NO. 2 ENGINE - FLOW DIVIDER BODY ASSEMBLY							Component ATA:73
PN:2690213	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:005101-1603	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-04, LMM 73-10-04PROC. REF: LMM 73-10-04, LMM 73-10-04								
731003	NO. 1 ENGINE - FLOW DIVIDER MATCHED VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2688069	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:150592-0446	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731003	NO. 2 ENGINE - FLOW DIVIDER MATCHED VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2688069	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150592-0421	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731004	NO. 1 ENGINE - FLOW DIVIDER							Component ATA:73
PN:442425	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:FDAZ1676	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-04, LMM 73-10-04PROC. REF: LMM 73-10-04, LMM 73-10-04								
731004	NO. 2 ENGINE - FLOW DIVIDER							Component ATA:73
PN:442425	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:FDAZ1663	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-04, LMM 73-10-04PROC. REF: LMM 73-10-04, LMM 73-10-04								
731005	NO. 1 ENGINE - FUEL OIL HEATER							Component ATA:73
PN:160658-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1776	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731005	NO. 2 ENGINE - FUEL OIL HEATER							Component ATA:73
PN:160658-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1758	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731006	NO. 1 ENGINE - NO. 1 FILTER ASSEMBLY MODULE							Component ATA:73
PN:442322	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:FMJ1670	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-06, LMM 73-10-06PROC. REF: LMM 73-10-06, LMM 73-10-06								
731006	NO. 2 ENGINE - NO. 1 FILTER ASSEMBLY MODULE							Component ATA:73
PN:442322	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:FMJ1667	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-06, LMM 73-10-06PROC. REF: LMM 73-10-06, LMM 73-10-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731007	NO. 1 ENGINE - NO. 1 FILTER MODULE HOUSING ASSEMBLY							Component ATA:73
PN:2688742	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:005101-X-1477	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731007	NO. 2 ENGINE - NO. 1 FILTER MODULE HOUSING ASSEMBLY							Component ATA:73
PN:2688742	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:005101-X-1817	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731008	NO. 1 ENGINE - NO. 1 MATCHED FILTER BYPASS VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2687210	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:150529-0982	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731008	NO. 2 ENGINE - NO. 1 MATCHED FILTER BYPASS VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2687210	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150529-0965	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - MAIN FUEL PUMP							Component ATA:73
PN:2688676	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15ANL1830	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-10, LMM 73-10-10PROC. REF: LMM 73-10-10, LMM 73-10-10								
731010	NO. 2 ENGINE - MAIN FUEL PUMP							Component ATA:73
PN:2688676	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15ANL1703	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-10, LMM 73-10-10PROC. REF: LMM 73-10-10, LMM 73-10-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731012	NO. 1 ENGINE - MATCHED PRESSURIZING VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2687693	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:150529-1091	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731012	NO. 2 ENGINE - MATCHED PRESSURIZING VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2687693	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150529-0995	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731013	NO. 1 ENGINE - MATCHED BYPASS VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2687957	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:150529-0264	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731013	NO. 2 ENGINE - MATCHED BYPASS VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2687957	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150529-0052	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731014	NO. 1 ENGINE - MATCHED VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2687127	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:150529-1557	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731014	NO. 2 ENGINE - MATCHED VALVE AND SLEEVE ASSEMBLY							Component ATA:73
PN:2687127	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:150529-1134	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732001	NO. 1 ENGINE - MAIN FUEL CONTROL (HYDROMECHANICAL UNIT)							Component ATA:73
PN:442650	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:FHC1735	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
732001	NO. 2 ENGINE - MAIN FUEL CONTROL (HYDROMECHANICAL UNIT)							Component ATA:73
PN:442650	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:FHC1627	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
732025	NO. 1 ENGINE - NO. 1 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC00343	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732025	NO. 2 ENGINE - NO. 1 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC00349	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732026	NO. 1 ENGINE - NO. 2 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC00345	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732026	NO. 2 ENGINE - NO. 2 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC00351	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732027	NO. 1 ENGINE - NO. 3 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC00346	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732027	NO. 2 ENGINE - NO. 3 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC00344	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732028	NO. 1 ENGINE - NO. 4 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC00347	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732028	NO. 2 ENGINE - NO. 4 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC00357	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732029	NO. 1 ENGINE - NO. 5 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC00350	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732029	NO. 2 ENGINE - NO. 5 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC01368	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732030	NO. 1 ENGINE - NO. 6 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC00352	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732030	NO. 2 ENGINE - NO. 6 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC01371	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732031	NO. 1 ENGINE - NO. 7 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC00356	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732031	NO. 2 ENGINE - NO. 7 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC01372	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732032	NO. 1 ENGINE - NO. 8 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC01367	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732032	NO. 2 ENGINE - NO. 8 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC01374	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732033	NO. 1 ENGINE - NO. 9 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC01369	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732033	NO. 2 ENGINE - NO. 9 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC01377	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732034	NO. 1 ENGINE - NO. 10 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC01375	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732034	NO. 2 ENGINE - NO. 10 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC01379	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732035	NO. 1 ENGINE - NO. 11 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC01380	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732035	NO. 2 ENGINE - NO. 11 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC01381	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732036	NO. 1 ENGINE - NO. 12 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:AAC02084	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732036	NO. 2 ENGINE - NO. 12 MAIN FUEL INJECTION NOZZLE							Component ATA:73
PN:70040941-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:AAC01385	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732040	NO. 1 ENGINE - NO. 1 START FUEL NOZZLE							Component ATA:73
PN:3034073-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:16-169016-00016	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732040	NO. 2 ENGINE - NO. 1 START FUEL NOZZLE							Component ATA:73
PN:3034073-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-169016-03484	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732041	NO. 1 ENGINE - NO. 2 START FUEL NOZZLE							Component ATA:73
PN:3034073-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:16-169016-00017	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732041	NO. 2 ENGINE - NO. 2 START FUEL NOZZLE							Component ATA:73
PN:3034073-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-169016-03487	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732042	NO. 1 ENGINE - NO. 3 START FUEL NOZZLE							Component ATA:73
PN:3034073-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:16-169016-00018	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732042	NO. 2 ENGINE - NO. 3 START FUEL NOZZLE							Component ATA:73
PN:3034073-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-169016-03494	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732043	NO. 1 ENGINE - NO. 4 START FUEL NOZZLE							Component ATA:73
PN:3034073-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:16-169016-00051	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732043	NO. 2 ENGINE - NO. 4 START FUEL NOZZLE							Component ATA:73
PN:3034073-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-169016-03496	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03								
732061 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE P3 SENSOR LINE							Service ATA:73
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:5								
732061 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE P3 SENSOR LINE							Service ATA:73
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:5								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733001	NO. 1 ENGINE - FUEL PRESSURE SWITCH							Component ATA:73
PN:3038066-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1616216701243	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-30-01, LMM 73-30-01PROC. REF: LMM 73-30-01, LMM 73-30-01								
733001	NO. 2 ENGINE - FUEL PRESSURE SWITCH							Component ATA:73
PN:3038066-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1616216701228	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-30-01, LMM 73-30-01PROC. REF: LMM 73-30-01, LMM 73-30-01								
733002	NO. 1 ENGINE - FUEL FLOWMETER							Component ATA:73
PN:70040305-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:16-152330-00009	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-30-02, LMM 73-30-02PROC. REF: LMM 73-30-02, LMM 73-30-02								
733002	NO. 2 ENGINE - FUEL FLOWMETER							Component ATA:73
PN:70040305-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-152330-00650	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-30-02, LMM 73-30-02PROC. REF: LMM 73-30-02, LMM 73-30-02								
733005	NO. 1 ENGINE - DUAL FUNCTION FUEL SWITCH							Component ATA:73
PN:2718964	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1336	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-30-05, LMM 73-30-05PROC. REF: LMM 73-30-05, LMM 73-30-05								
733005	NO. 2 ENGINE - DUAL FUNCTION FUEL SWITCH							Component ATA:73
PN:2718964	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1334	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-30-05, LMM 73-30-05PROC. REF: LMM 73-30-05, LMM 73-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-10-02-710-801-A	IGNITION CONTROL PANEL - OPERATIONAL TEST							Service ATA:74
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 74-10-02PROC. REF: AMM 74-10-02								
74-20-00-002	NO. 1 ENGINE - DETAILED INSPECTION OF IGNITION LEAD ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001							Service ATA:74
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 74-20-01PROC. REF: LMM 74-20-01								
74-20-00-002	NO. 2 ENGINE - DETAILED INSPECTION OF IGNITION LEAD ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001							Service ATA:74
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 74-20-01PROC. REF: LMM 74-20-01								
741023-0101	CSL CENT IGNITION CONTROL PANEL ASSY							Component ATA:74
PN:431800-002	MOS/MSC	06-May-16	O/C	TSN 0				
SN:431800AA0067	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 74-10-02, AMM 74-10-02PROC. REF: AMM 74-10-02, AMM 74-10-02								
741110	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3038100-6	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1516250400571	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01, LMM 74-10-01PROC. REF: LMM 74-10-01, LMM 74-10-01								
741110	NO. 2 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3038100-6	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1516250400635	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PROC. REF: LMM 74-10-01, LMM 74-10-01PROC. REF: LMM 74-10-01, LMM 74-10-01								
ATA 75 - AIR								
75-21-00-003	NO. 1 ENGINE - HP TURBINE (HPT1) SEAL PLATE							Component ATA:75
PN:70040044-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:1518244916569	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-21-00-003	NO. 2 ENGINE - HP TURBINE (HPT1) SEAL PLATE							Component ATA:75
PN:70040044-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-02775	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-21-00-010	NO. 1 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:75
	MOS/MSC	27-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-21-00-010	NO. 2 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:75
	MOS/MSC	22-Jan-16	N/A					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-21-00-011	NO. 1 ENGINE - HP TURBINE (HPT2) SEAL PLATE							Component ATA:75
PN:3035109-1	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-02856	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-21-00-011	NO. 2 ENGINE - HP TURBINE (HPT2) SEAL PLATE							Component ATA:75
PN:3035109-1	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:1518244917263	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-21-00-012	NO. 1 ENGINE - HPT1 SEAL PLATE (DRIVE ARM) COUPLER							Component ATA:75
PN:3035030-3	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-03066	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-21-00-012	NO. 2 ENGINE - HPT1 SEAL PLATE (DRIVE ARM) COUPLER							Component ATA:75
PN:3035030-3	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162246-01969	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-21-00-013	NO. 1 ENGINE - HP TURBINE (HPT2) COUPLER							Component ATA:75
PN:3035053-2	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-1034-47338	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-21-00-013	NO. 2 ENGINE - HP TURBINE (HPT2) COUPLER							Component ATA:75
PN:3035053-2	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-1034-47977	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		13882	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-40-01-100-801-A01	NO. 1 ENGINE - T2 SENSOR - CLEANING							Service ATA:75
PN:3038225-2	MOS/MSC	27-Jan-16	A/R					
SN:1516901760881	HRS	0						
	ENC	0						
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								
75-40-01-100-801-A01	NO. 2 ENGINE - T2 SENSOR - CLEANING							Service ATA:75
PN:3038225-2	MOS/MSC	22-Jan-16	A/R					
SN:1516901760807	HRS	0						
	ENC	0						
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								
75-40-01-200-801-A01	NO. 1 ENGINE - T2 SENSOR INSPECTION - CHECK							Service ATA:75
PN:3038225-2	MOS/MSC	27-Jan-16	A/R					
SN:1516901760881	HRS	0						
	ENC	0						
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								
75-40-01-200-801-A01	NO. 2 ENGINE - T2 SENSOR INSPECTION - CHECK							Service ATA:75
PN:3038225-2	MOS/MSC	22-Jan-16	A/R					
SN:1516901760807	HRS	0						
	ENC	0						
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								
75-40-01-700-801-A01	NO. 1 ENGINE - T2 SENSOR TESTING							Service ATA:75
PN:3038225-2	MOS/MSC	27-Jan-16	A/R					
SN:1516901760881	HRS	0						
	ENC	0						
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								
75-40-01-700-801-A01	NO. 2 ENGINE - T2 SENSOR TESTING							Service ATA:75
PN:3038225-2	MOS/MSC	22-Jan-16	A/R					
SN:1516901760807	HRS	0						
	ENC	0						
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-40-01-920-001-A01	NO. 1 ENGINE - T2 SENSOR							Component ATA:75
PN:3038225-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1516901760881	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01PROC. REF: LMM 75-40-01, LMM 75-40-01								
75-40-01-920-001-A01	NO. 2 ENGINE - T2 SENSOR							Component ATA:75
PN:3038225-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1516901760807	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01PROC. REF: LMM 75-40-01, LMM 75-40-01								
752001 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE COOLING TUBES AND ATTACHMENT HARDWARE							Service ATA:75
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: LMM 75-20-01PROC. REF: LMM 75-20-01								
752001 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE COOLING TUBES AND ATTACHMENT HARDWARE							Service ATA:75
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: LMM 75-20-01PROC. REF: LMM 75-20-01								
752001-0101	LH ENGINE PNEUMATIC CHECK VALVE							Component ATA:75
PN:70040388-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:218	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
752001-0102	RH ENGINE PNEUMATIC CHECK VALVE							Component ATA:75
PN:70040388-1	MOS/MSC	06-May-16	O/C	TSN 0				
SN:217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
753002	NO. 1 ENGINE - NO. 1 MAIN SURGE SOLENOID BLEED VALVE							Component ATA:75
PN:540-1796-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:3286	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-03, LMM 75-30-03PROC. REF: LMM 75-30-03, LMM 75-30-03								
753002	NO. 2 ENGINE - NO. 1 MAIN SURGE SOLENOID BLEED VALVE							Component ATA:75
PN:540-1796-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:3312	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-03, LMM 75-30-03PROC. REF: LMM 75-30-03, LMM 75-30-03								
753003	NO. 1 ENGINE - NO. 2 MAIN SURGE SOLENOID BLEED VALVE							Component ATA:75
PN:540-1796-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:3311	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-03, LMM 75-30-03PROC. REF: LMM 75-30-03, LMM 75-30-03								
753003	NO. 2 ENGINE - NO. 2 MAIN SURGE SOLENOID BLEED VALVE							Component ATA:75
PN:540-1796-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:3316	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-03, LMM 75-30-03PROC. REF: LMM 75-30-03, LMM 75-30-03								
753004	NO. 1 ENGINE - TRIM SURGE SOLENOID BLEED VALVE							Component ATA:75
PN:540-1798-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1702	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-04, LMM 75-30-04PROC. REF: LMM 75-30-04, LMM 75-30-04								
753004	NO. 2 ENGINE - TRIM SURGE SOLENOID BLEED VALVE							Component ATA:75
PN:540-1798-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1707	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-04, LMM 75-30-04PROC. REF: LMM 75-30-04, LMM 75-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
753006	NO. 1 ENGINE - CVG ACUTATOR							Component ATA:75
PN:442321	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:ACD1658	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-06, LMM 75-30-06PROC. REF: LMM 75-30-06, LMM 75-30-06								
753006	NO. 2 ENGINE - CVG ACUTATOR							Component ATA:75
PN:442321	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:ACD1660	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-06, LMM 75-30-06PROC. REF: LMM 75-30-06, LMM 75-30-06								
753007	NO. 1 ENGINE - CVG ACTUATOR HOUSING ASSEMBLY							Component ATA:75
PN:2687477	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:005101-1598	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753007	NO. 2 ENGINE - CVG ACTUATOR HOUSING ASSEMBLY							Component ATA:75
PN:2687477	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:005101-1604	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753010 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE COMPRESSOR VG ASSEMBLY							Service ATA:75
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
753010 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE COMPRESSOR VG ASSEMBLY							Service ATA:75
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
ATA 76 - ENGINE CONTROLS								
76-10-03-200-801-A01	NO. 1 ENGINE - P3 LEFT SIDE TUBE - INSPECTION/CHECK							Service ATA:76
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03								
76-10-03-200-801-A01	NO. 1 ENGINE - P3 RIGHT SIDE TUBE - INSPECTION/CHECK							Service ATA:76
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03								
76-10-03-200-801-A01	NO. 2 ENGINE - P3 LEFT SIDE TUBE - INSPECTION/CHECK							Service ATA:76
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03								
76-10-03-200-801-A01	NO. 2 ENGINE - P3 RIGHT SIDE TUBE - INSPECTION/CHECK							Service ATA:76
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03								
76-10-05-200	NO. 1 ENGINE - DETAILED INSPECTION OF THE ECU							Service ATA:76
	MOS							
	HRS	EFF	4500 (+100)		(4500) 4500 *	4600	2999.5 (+100)	
	ENC							
PROC. REF: LMM 76-10-05PROC. REF: LMM 76-10-05								

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-10-05-200	NO. 2 ENGINE - DETAILED INSPECTION OF THE ECU							Service ATA:76
	MOS							
	HRS	EFF	4500 (+100)		(4500) 4500 *	4600	2999.5 (+100)	
	ENC							
PROC. REF: LMM 76-10-05PROC. REF: LMM 76-10-05								PKG:5
76-10-05-710-801-A	THRUST CONTROL QUADRANT (TCQ) - OPERATIONAL TEST							Service ATA:76
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 76-10-05PROC. REF: AMM 76-10-05								
76-10-05-900-801-A	THRUST CONTROL QUADRANT (TCQ)							Component ATA:76
PN:PN	MOS/MSC	06-May-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 76-10-05, AMM 76-10-05PROC. REF: AMM 76-10-05, AMM 76-10-05								
76-20-00-004	NO. 1 ENGINE - N1 OVERSPEED SHUT-OFF DETECTOR							Component ATA:76
PN:3034256-4	MOS	27-Jan-16		TSN 0				LIFE LIMIT
SN:15-162151-01901	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
76-20-00-004	NO. 2 ENGINE - N1 OVERSPEED SHUT-OFF DETECTOR							Component ATA:76
PN:3034256-4	MOS	22-Jan-16		TSN 0				LIFE LIMIT
SN:15-162151-01885	HRS	0	15000	TSN 0	(15000) 15000		13499.5	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
761001-0101	CSL CENT AL THROTTLE CONTROL LEVER ASSY							Component ATA:76
PN:3001-1M04	MOS/MSC	17-Jan-18	O/C	TSR 1				
SN:CD00075	HRS	379.1		TSR 0				
	AFL	270		TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
761010 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE PERMANENT MAGNET ALTERNATOR (PMA)							Service ATA:76
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
761010 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE PERMANENT MAGNET ALTERNATOR (PMA)							Service ATA:76
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
761020	NO. 1 ENGINE - A (ECU) ELECTRONIC CONTROL UNIT							Component ATA:76
PN:2119576-4103	MOS/MSC	11-May-17	O/C					
SN:125-AF0194	HRS	269.3						
	ENC	183						
PROC. REF: LMM 76-10-05, LMM 76-10-05PROC. REF: LMM 76-10-05, LMM 76-10-05								
761020	NO. 1 ENGINE - B (ECU) ELECTRONIC CONTROL UNIT							Component ATA:76
PN:2119576-4103	MOS/MSC	11-May-17	O/C					
SN:125-AF0198	HRS	269.3						
	ENC	183						
PROC. REF: LMM 76-10-05, LMM 76-10-05PROC. REF: LMM 76-10-05, LMM 76-10-05								
761020	NO. 2 ENGINE - A (ECU) ELECTRONIC CONTROL UNIT							Component ATA:76
PN:2119576-4103	MOS/MSC	11-May-17	O/C					
SN:125-AF0195	HRS	269.3						
	ENC	183						
PROC. REF: LMM 76-10-05, LMM 76-10-05PROC. REF: LMM 76-10-05, LMM 76-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
761020	NO. 2 ENGINE - B (ECU) ELECTRONIC CONTROL UNIT							Component ATA:76
PN:2119576-4103	MOS/MSC	11-May-17	O/C					
SN:105-AF0176	HRS	269.3						
	ENC	183						
PROC. REF: LMM 76-10-05, LMM 76-10-05PROC. REF: LMM 76-10-05, LMM 76-10-05								
ATA 77 - ENGINE INDICATING								
77-20-01-200-801-A01	NO. 1 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY – INSPECTION/CHECK							Service ATA:77
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
77-20-01-200-801-A01	NO. 1 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY – INSPECTION/CHECK							Service ATA:77
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
77-20-01-200-801-A01	NO. 2 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY – INSPECTION/CHECK							Service ATA:77
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
77-20-01-200-801-A01	NO. 2 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY – INSPECTION/CHECK							Service ATA:77
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-01-700-801-A01	NO. 1 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY - TESTING							Service ATA:77
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
77-20-01-700-801-A01	NO. 1 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY – TESTING							Service ATA:77
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
77-20-01-700-801-A01	NO. 2 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY - TESTING							Service ATA:77
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
77-20-01-700-801-A01	NO. 2 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY – TESTING							Service ATA:77
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
77-20-01-920-801-A01	NO. 1 ENGINE - NO. 1 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component ATA:77
PN:70040125-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1515027700212	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01PROC. REF: LMM 77-20-01, LMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-01-920-801-A01	NO. 1 ENGINE - NO. 2 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component ATA:77
PN:70040125-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1515027700213	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01PROC. REF: LMM 77-20-01, LMM 77-20-01								
77-20-01-920-801-A01	NO. 2 ENGINE - NO. 1 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component ATA:77
PN:70040125-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1515027700202	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01PROC. REF: LMM 77-20-01, LMM 77-20-01								
77-20-01-920-801-A01	NO. 2 ENGINE - NO. 2 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component ATA:77
PN:70040125-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1515027700204	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01PROC. REF: LMM 77-20-01, LMM 77-20-01								
77-42-01-710-801-A	EVENT MARKER TO CONFIG CONTROL PANEL - OPERATIONAL TEST							Service ATA:77
	MOS/MSC	06-May-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 77-42-01PROC. REF: AMM 77-42-01								
771001	NO. 1 ENGINE - N1 SPEED SENSOR MONOPOLE							Component ATA:77
PN:3038500-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150583-00865	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-01, LMM 77-10-01PROC. REF: LMM 77-10-01, LMM 77-10-01								
771001	NO. 2 ENGINE - N1 SPEED SENSOR MONOPOLE							Component ATA:77
PN:3038500-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-150583-00859	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-01, LMM 77-10-01PROC. REF: LMM 77-10-01, LMM 77-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771003	NO. 1 ENGINE - COMPENSATOR							Component ATA:77
PN:3060735-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1516909400956	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03, LMM 77-10-03PROC. REF: LMM 77-10-03, LMM 77-10-03								
771003	NO. 2 ENGINE - COMPENSATOR							Component ATA:77
PN:3060735-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1516909400958	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03, LMM 77-10-03PROC. REF: LMM 77-10-03, LMM 77-10-03								
771005 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION N2 SPEED SENSOR							Service ATA:77
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: LMM 77-10-05PKG:5								
771005 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION N2 SPEED SENSOR							Service ATA:77
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: LMM 77-10-05PKG:5								
771006	NO. 1 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:77
PN:2718896	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:2723	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771006	NO. 2 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:77
PN:2718896	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:2604	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771007	NO. 1 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:77
PN:2718897	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:2632	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771007	NO. 2 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:77
PN:2718897	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:2628	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771008	NO. 1 ENGINE - CORE ASSEMBLY							Component ATA:77
PN:2372677-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:11150779	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771008	NO. 2 ENGINE - CORE ASSEMBLY							Component ATA:77
PN:2372677-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:10150763	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
773001	NO. 1 ENGINE - VIBRATION SENSOR TRANSDUCER							Component ATA:77
PN:3038503-2	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1516328721663	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-30-01, LMM 77-30-01PROC. REF: LMM 77-30-01, LMM 77-30-01								
773001	NO. 2 ENGINE - VIBRATION SENSOR TRANSDUCER							Component ATA:77
PN:3038503-2	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1516328721659	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-30-01, LMM 77-30-01PROC. REF: LMM 77-30-01, LMM 77-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-30-00-001	^S	DETAILED INSPECTION OF THRUST REVERSER SEALS						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-31-04PROC. REF: AMM 78-31-04								PKG:15
78-30-00-003	^S	DETAILED INSPECTION OF THRUST REVERSER PIVOT DOOR MOUNTING BEAMS						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								PKG:15
78-30-00-004	^S	DETAILED INSPECTION OF S HOOK ASSEMBLIES						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-32-04PROC. REF: AMM 78-32-04								PKG:15
78-30-00-005	^S	DETAILED INSPECTION OF PIVOT DOOR HOOKS						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-32-05PROC. REF: AMM 78-32-05								PKG:15
78-30-00-006	^S	DETAILED INSPECTION OF PIVOT DOORS						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-30-00-007	^S	GENERAL VISUAL INSPECTION OF THRUST REVERSER FIREWALL						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								PKG:15
78-30-00-008	^S	DETAILED INSPECTION OF PIVOT DOOR ACTUATORS AND ATTACHMENT HARDWARE						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-32-01PROC. REF: AMM 78-32-01								PKG:15
78-30-00-009	^S	DETAILED INSPECTION OF ELECTRO-HYDRAULIC LOCK ASSEMBLY						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-32-03PROC. REF: AMM 78-32-03								PKG:15
78-30-00-010	^S	DETAILED INSPECTION OF HYDRAULIC LOCK ASSEMBLY						Service ATA:78
	MOS	06-May-16						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-32-02PROC. REF: AMM 78-32-02								PKG:15
78-30-00-012	^S	OPERATIONAL CHECK OF ELECTRO-HYDRAULIC LOCK ASSEMBLY						Service ATA:78
	MOS	06-May-16						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 78-32-03PROC. REF: AMM 78-32-03								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-30-00-013	^S	OPERATIONAL CHECK OF PIVOT DOOR ACTUATOR INTERNAL LOCK						Service ATA:78
	MOS	03-Jul-24						
	HRS	1267.3	1500 (+37/-37)					
	AFL	949						
PROC. REF: AMM 78-32-01PROC. REF: AMM 78-32-01								PKG:5
78-31-01-001	^S	INTERNAL DETAILED INSPECTION OF THRUST REVERSER HOOK LOCKINGS						Service ATA:78
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00								PKG:60
78-31-02-001	^S	INTERNAL GENERAL VISUAL INSPECTION OF THRUST REVERSER FRONT FLANGE						Service ATA:78
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS							
	AFL							
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00								PKG:60
78-31-03-001	^S	INTERNAL DETAILED INSPECTION OF THRUST REVERSER PIVOT SURROUNDING STRUCTURE AND PINS						Service ATA:78
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00								PKG:90
78-31-04-001	^S	INTERNAL DETAILED INSPECTION OF THRUST REVERSER ACTUATOR FITTINGS AND SUPPORT FITTINGS						Service ATA:78
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-31-05-001	^S	INTERNAL DETAILED INSPECTION OF THRUST REVERSER REAR BULKHEAD						Service ATA:78
	MOS	06-May-16	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00								PKG:90
783001		NO. 1 ENGINE - THRUST REVERSER SWITCH						Component ATA:78
PN:3038459-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1615154510725	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 78-30-01, LMM 78-30-01PROC. REF: LMM 78-30-01, LMM 78-30-01								
783001		NO. 2 ENGINE - THRUST REVERSER SWITCH						Component ATA:78
PN:3038459-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1515154510709	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 78-30-01, LMM 78-30-01PROC. REF: LMM 78-30-01, LMM 78-30-01								
783101-0101		LEFT THRUST REVERSER ASSEMBLY						Component ATA:78
PN:32A712-02-0G	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TR101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01, AMM 78-31-01PROC. REF: AMM 78-31-01, AMM 78-31-01								
783101-0102		RIGHT THRUST REVERSER ASSEMBLY						Component ATA:78
PN:32A713-02-0G	MOS/MSC	06-May-16	O/C	TSN 0				
SN:TR102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01, AMM 78-31-01PROC. REF: AMM 78-31-01, AMM 78-31-01								
783310-0101		GEN 1 ALUMINIUM ALLOY THRUST REVERSER ISOLATION CONTROL UNIT						Component ATA:78
PN:P518A0001-00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:2047600	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-01, AMM 78-33-01PROC. REF: AMM 78-33-01, AMM 78-33-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783310-0102	GEN 3 ALUMINIUM ALLOY THRUST REVERSER ISOLATION CONTROL UNIT							Component ATA:78
PN:P518A0001-00	MOS/MSC	06-May-16	O/C	TSN 0				
SN:20047599	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-01, AMM 78-33-01PROC. REF: AMM 78-33-01, AMM 78-33-01								
ATA 79 - OIL								
79-20-00-002 ^S	NO. 1 ENGINE - DISCARD OF ENGINE OIL FILTER ELEMENT							Service ATA:79
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: AMM 79-20-01PROC. REF: AMM 79-20-01								PKG:1
79-20-00-002 ^S	NO. 2 ENGINE - DISCARD OF ENGINE OIL FILTER ELEMENT							Service ATA:79
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)					
	ENC	1073						
PROC. REF: AMM 79-20-01PROC. REF: AMM 79-20-01								PKG:1
79-20-00-003	NO. 1 ENGINE - SERVICING OF ENGINE OIL							Service ATA:79
	MOS	03-Jul-24						
	HRS	1267.3	1500 (+100)		(2767.3) 2767.3	2867.3	1266.8 (+100)	
	ENC	949						
PROC. REF: AMM 12-12-01PROC. REF: AMM 12-12-01								
79-20-00-003	NO. 2 ENGINE - SERVICING OF ENGINE OIL							Service ATA:79
	MOS	03-Jul-24						
	HRS	1267.3	1500 (+100)		(2767.3) 2767.3	2867.3	1266.8 (+100)	
	ENC	949						
PROC. REF: AMM 12-12-01PROC. REF: AMM 12-12-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-00-003	NO. 1 ENGINE - VISUAL CHECK OF COCKPIT OIL LEVEL INDICATION WITH OIL TANK SIGHT GLASS							Service ATA:79
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)		(2196.4) 2196.4	2233.4	695.9 (+37)	
	ENC	1073						
PROC. REF: AMM 79-32-00PROC. REF: AMM 79-32-00								
79-30-00-003	NO. 2 ENGINE - VISUAL CHECK OF COCKPIT OIL LEVEL INDICATION WITH OIL TANK SIGHT GLASS							Service ATA:79
	MOS	10-Jun-25						
	HRS	1446.4	750 (+37/-37)		(2196.4) 2196.4	2233.4	695.9 (+37)	
	ENC	1073						
PROC. REF: AMM 79-32-00PROC. REF: AMM 79-32-00								
79-30-04-200-801-A01	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER – INSPECTION/CHECK							Service ATA:79
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 79-30-04PROC. REF: LMM 79-30-04								
79-30-04-200-801-A01	NO. 2 ENGINE - OIL PRESSURE TRANSDUCER – INSPECTION/CHECK							Service ATA:79
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 79-30-04PROC. REF: LMM 79-30-04								
79-30-04-700-801-A01	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER – TESTING							Service ATA:79
	MOS/MSC	27-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 79-30-04PROC. REF: LMM 79-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-04-700-801-A01	NO. 2 ENGINE - OIL PRESSURE TRANSDUCER – TESTING							Service ATA:79
	MOS/MSC	22-Jan-16	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: LMM 79-30-04PROC. REF: LMM 79-30-04								
79-30-04-920-801-A01	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component ATA:79
PN:3038700-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1516206700310	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-04, LMM 79-30-04PROC. REF: LMM 79-30-04, LMM 79-30-04								
79-30-04-920-801-A01	NO. 2 ENGINE - OIL PRESSURE TRANSDUCER							Component ATA:79
PN:3038700-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:16206700306	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-04, LMM 79-30-04PROC. REF: LMM 79-30-04, LMM 79-30-04								
792006	NO. 1 ENGINE - DE-OIL VALVE							Component ATA:79
PN:3038779-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-150503-01634	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-06, LMM 79-20-06PROC. REF: LMM 79-20-06, LMM 79-20-06								
792006	NO. 2 ENGINE - DE-OIL VALVE							Component ATA:79
PN:3038779-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-1505030-01653	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-06, LMM 79-20-06PROC. REF: LMM 79-20-06, LMM 79-20-06								
792010	NO. 1 ENGINE - OIL PUMP							Component ATA:79
PN:3038704-3	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-162407-00319	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-04, LMM 79-20-04PROC. REF: LMM 79-20-04, LMM 79-20-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792010	NO. 2 ENGINE - OIL PUMP							Component ATA:79
PN:3038704-3	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-162407-00366	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-04, LMM 79-20-04PROC. REF: LMM 79-20-04, LMM 79-20-04								
793005	NO. 1 ENGINE - REMOTE OIL LEVEL SENSOR							Component ATA:79
PN:70040524-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:15-152330-00715	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-05, LMM 79-30-05PROC. REF: LMM 79-30-05, LMM 79-30-05								
793005	NO. 2 ENGINE - REMOTE OIL LEVEL SENSOR							Component ATA:79
PN:70040524-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:15-152330-00672	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-05, LMM 79-30-05PROC. REF: LMM 79-30-05, LMM 79-30-05								
797118 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OIL SYSTEM EXTERNAL PLUMBING							Service ATA:79
	MOS	27-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
797118 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OIL SYSTEM EXTERNAL PLUMBING							Service ATA:79
	MOS	22-Jan-16						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5
ATA 80 - STARTING								
80-10-00-001 ^S	NO. 1 ENGINE - DRAIN AIR TURBINE STARTER OIL SYSTEM							Service ATA:80
	MOS	10-Jun-25						
	HRS	1446.4	750 (+100)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: LEGACY 450 Serial: 55010007 RegNo: N629PT HRS: 1500.5 AFL: 1118 As Of: 05-Jan-2026

12-Feb-2026 11:57 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 80 - STARTING								
	ENC	1073						
PROC. REF: AMM 12-12-03PROC. REF: AMM 12-12-03								PKG:1
80-10-00-001 ^S	NO. 2 ENGINE - DRAIN AIR TURBINE STARTER OIL SYSTEM							Service ATA:80
	MOS	10-Jun-25						
	HRS	1446.4	750 (+100)					
	ENC	1073						
PROC. REF: AMM 12-12-03PROC. REF: AMM 12-12-03								PKG:1
801001	NO. 1 ENGINE - AIR TURBINE STARTER							Component ATA:80
PN:63506068-1	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:210	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 80-10-01, LMM 80-10-01PROC. REF: LMM 80-10-01, LMM 80-10-01								
801001	NO. 2 ENGINE - AIR TURBINE STARTER							Component ATA:80
PN:63506068-1	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:213	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 80-10-01, LMM 80-10-01PROC. REF: LMM 80-10-01, LMM 80-10-01								
801002	NO. 1 ENGINE - ATS START CONTROL-PRESSURE REGULATING AND SHUTOFF VALVE							Component ATA:80
PN:3215772-4	MOS/MSC	27-Jan-16	O/C	TSN 0				
SN:1762	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 80-10-02, LMM 80-10-02PROC. REF: LMM 80-10-02, LMM 80-10-02								
801002	NO. 2 ENGINE - ATS START CONTROL-PRESSURE REGULATING AND SHUTOFF VALVE							Component ATA:80
PN:3215772-4	MOS/MSC	22-Jan-16	O/C	TSN 0				
SN:1765	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 80-10-02, LMM 80-10-02PROC. REF: LMM 80-10-02, LMM 80-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task