



Status Report

HAWKER 800XP

S/N 258466 N33RC

OWNER: OMNI JET TRADING
ADDRESS: 9415 JET LANE HANGAR 3
EASTON MD 21601

OPERATOR: OMNI JET TRADING
ADDRESS: 9415 JET LANE HANGAR 3
EASTON MD 21601

OPERATOR: OMNI JET TRADING
ADDRESS: 9415 JET LANE
EASTON MD 21601

OFFICE:
FAX:

OFFICE:
FAX:

OFFICE:
FAX:

ANALYST: CHRISTOPHER CUTLER
EMAIL: CCUTLER@CAMPSYSTEMS.COM

+1-316-462-2451 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL / REGNO: 258466/N33RC	MODEL: HAWKER 800XP	MANUFACTURER: TEXTRON AVIATION INC.
CERTIFICATION DATE: 14-JUN-2000		LAST ACTUALS:	
		9102 A/C HRS	as of 02-SEP-2025
		5804 AFL	as of 02-SEP-2025
		6863 APH	as of 26-MAR-2024
APU	SERIAL / PART: P-540/3800304-1	MODEL: GTCP36-150(W)	MANUFACTURER: HONEYWELL
INSTALLED ON: 14-JUN-2000		LAST ACTUALS:	
0 APU HRS 0 A/C HRS		6863 APU HRS	as of 26-MAR-2024
0 APUS		0 APUS	as of 26-MAR-2024
ENGINE NO. 1	SERIAL / PART: P-107476/3075160-4	MODEL: TFE731-5BR-1H	MANUFACTURER: HONEYWELL
INSTALLED ON: 06-JUN-2008		LAST ACTUALS:	
7971.3 ENG. HRS 8206 A/C HRS		8825.1 ENG. HRS	as of 02-SEP-2025
4956 ENC		5632 ENC	as of 02-SEP-2025
ENGINE NO. 2	SERIAL / PART: P-107480/3075160-4	MODEL: TFE731-5BR-1H	MANUFACTURER: HONEYWELL
INSTALLED ON: 13-JUN-2008		LAST ACTUALS:	
7577.8 ENG. HRS 8208.8 A/C HRS		8429.1 ENG. HRS	as of 02-SEP-2025
4718 ENC		5386 ENC	as of 02-SEP-2025



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
BCXP-160901	REVIEW HAWKER 750/800XP/850XP/900XP AFMS REVISION 32 DATED SEP.16 REVISION SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF BCXPPROC. REF: RCF BCXP								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050001	INSPECTION PRE-FLIGHT							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.T01	AFL	0						
PROC. REF: AMS 5-20-01, AFMS 05-00-00PROC. REF: AMS 5-20-01, AFMS 05-00-00								
050005	INSPECTION POST FLIGHT							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.T02	AFL	0						
PROC. REF: AFMS 05-00-00, AMS 5-20-02PROC. REF: AFMS 05-00-00, AMS 5-20-02								
050110	INSPECTION B1-B12 COMPLETE							Package ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)		9261.4	9301.4	159.4 (+40)	
	AFL							
								PKG:91
PROC. REF: AMS 5-21-00PROC. REF: AMS 5-21-00								
050141 ^S	INSPECT AREA F1-800 HOURS							Service ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 05.203	AFL							
								PKG:9,91
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050171 ^S	INSPECT AREA F3 ABOVE FLOOR-800 HOURS							Service ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 05.206	AFL							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:12,91	
050181 ^S	INSPECT AREA F4-800 HOURS							Service ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 05.207	AFL							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:13,91	
050191 ^S	INSPECT AREA T1-800 HOURS							Service ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 05.208	AFL							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:14,91	
050201 ^S	INSPECT AREA W1-800 HOURS							Service ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 05.209	AFL							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:15,91	
050211 ^S	INSPECT AREA W2-800 HOURS							Service ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 05.210	AFL							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:16,91	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050221 ^S	INSPECT AREA M1/M2-800 HOURS							Service ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 05.211	AFL							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:17,91
050231 ^S	INSPECT AREA G-800 HOURS							Service ATA:05
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 05.212	AFL							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:18,91
050240	INSPECTION C1-C12 COMPLETE							Package ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)		9373.3	9423.3	271.3 (+50)	
	AFL	4882						
PROC. REF: AMS 5-22-00PROC. REF: AMS 5-22-00								PKG:92
050271 ^S	INSPECT AREA F1-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.303	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:21,92
050281 ^S	INSPECT AREA F2-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.304	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:22,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050291 ^S	INSPECT AREA F3 UNDERFLOOR-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.305	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:23,92	
050301 ^S	INSPECT AREA F3- ABOVE FLOOR-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.306	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:24,92	
050311 ^S	INSPECT AREA F4-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.307	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:25,92	
050321 ^S	INSPECT AREA T1-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.308	AFL	4882						
							PKG:26,92	
050331 ^S	INSPECT AREA W1-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.309	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:27,92	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050341 ^S	INSPECT AREA W2-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.310	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:28,92	
050351 ^S	INSPECT AREA M1/M2-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.311	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:29,92	
050361 ^S	INSPECT AREA G-1600 HOURS							Service ATA:05
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 05.312	AFL	4882						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:30,92	
050370	INSPECTION D1-D12 COMPLETE							Package ATA:05
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)		9883.9	10033.9	781.9 (+150)	
	AFL	4176						
PROC. REF: AMS 5-23-00PROC. REF: AMS 5-23-00							PKG:93	
050411 ^S	INSPECT AREA F2-3200 HOURS							Service ATA:05
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 05.404	AFL	4176						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00							PKG:34,93	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050431 ^S	INSPECT AREA F3 ABOVE FLOOR-3200 HOURS							Service ATA:05
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 05.406	AFL	4176						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:36,93
050441 ^S	INSPECT AREA F4-3200 HOURS							Service ATA:05
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 05.407	AFL	4176						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:37,93
050491 ^S	INSPECT AREA G-3200 HOURS							Service ATA:05
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 05.412	AFL	4176						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:42,93
050500	INSPECTION E1-E12 COMPLETE							Package ATA:05
	MOS	In progress	12 (+1m/-1m)		18-Mar-25	18-Apr-25	OVD	
	HRS	9102						
	AFL	5804						
PROC. REF: AMS 5-24-00PROC. REF: AMS 5-24-00								PKG:94
050571 ^S	INSPECT AREA F4-12 MONTHS							Service ATA:05
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 05.506	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:49,94

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050630	INSPECTION F1-F12 COMPLETE							Package ATA:05
	MOS	18-Mar-24	24 (+2m/-2m)		18-Mar-26	18-May-26	94 d (+61)	
	HRS	9102						
	AFL	5804						
Special Properties: TRACKED ITEM								PKG:95
PROC. REF: AMS 5-25-00PROC. REF: AMS 5-25-00								
050661 ^S	INSPECT AREA F1-24 MONTHS							Service ATA:05
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 05.603	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:57,95
050671 ^S	INSPECT AREA F2-24 MONTHS							Service ATA:05
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 05.604	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:58,95
050691 ^S	INSPECT AREA F3-24 MONTHS							Service ATA:05
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 05.606	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:60,95
050701 ^S	INSPECT AREA F4-24 MONTHS							Service ATA:05
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 05.607	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:61,95

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050721 ^S	INSPECT AREA W1-24 MONTHS							Service ATA:05
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 05.609	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:63,95
050731 ^S	INSPECT AREA W2-24 MONTHS							Service ATA:05
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 05.610	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:64,95
050751 ^S	INSPECT AREA G-24 MONTHS							Service ATA:05
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 05.612	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:66,95
050760	INSPECTION G COMPLETE							Package ATA:05
	MOS	18-Mar-24	48 (+2m/-2m)		18-Mar-28	18-May-28	825 d (+61)	
	HRS	9102						
	AFL	5804						
PROC. REF: AMS 5-26-00PROC. REF: AMS 5-26-00								PKG:96
050761 ^S	INSPECT AREA F1-48 MONTHS							Service ATA:05
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 05.703	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:96

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050762 ^S	INSPECT AREA F2-48 MONTHS							Service ATA:05
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 05.704	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:96
050763 ^S	INSPECT AREA F3-48 MONTHS							Service ATA:05
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 05.705	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:96
050764 ^S	INSPECT AREA F4-48 MONTHS							Service ATA:05
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 05.707	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:96
050765 ^S	INSPECT AREA T1-48 MONTHS							Service ATA:05
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 05.708	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:96
050766 ^S	INSPECT AREA W1/W2-48 MONTHS							Service ATA:05
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 05.709	AFL	5804						
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00								PKG:96

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050771	INSPECTION 400 HOUR DETAILED WALK-AROUND							Service ATA:05
	MOS	16-Mar-18						
	HRS	9008.8	400 (+40/-10)		9408.8	9448.8	306.8 (+40)	
WC#: 05.100	AFL	5727						
PROC. REF: AMS 5-20-07PROC. REF: AMS 5-20-07								
055005	ACCOMPLISH INSPECTIONS AFTER AN OVERWEIGHT OR HEAVY LANDING							Service ATA:05
	MOS/MSC	07-Jun-19	A/R					
	HRS	9086.9						
WC#: 05.710	AFL	5793						
PROC. REF: AMS 5-50-01PROC. REF: AMS 5-50-01								
055010	ACCOMPLISH INSPECTIONS AFTER FLIGHT IN HEAVY TURBULENCE							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.711	AFL	0						
PROC. REF: AMS 5-50-02PROC. REF: AMS 5-50-02								
055015	ACCOMPLISH INSPECTIONS AFTER A LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.712	AFL	0						
PROC. REF: AMS 5-50-03PROC. REF: AMS 5-50-03								
055035	ACCOMPLISH INSPECTIONS AFTER A COLD SOAK BELOW -40 DEGREE C							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.713	AFL	0						
PROC. REF: AMS 5-50-06PROC. REF: AMS 5-50-06								
055040	ACCOMPLISH INSPECTIONS AFTER MISUSE OF REVERSE THRUST							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.714	AFL	0						
PROC. REF: AMS 5-50-04PROC. REF: AMS 5-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055045	ACCOMPLISH INSPECTIONS AFTER LANDING GEAR VIBRATION							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.715	AFL	0						
PROC. REF: AMS 5-50-05PROC. REF: AMS 5-50-05								
055050	ACCOMPLISH INSPECTIONS AFTER LANDING OR ABORTED TAKE-OFF IN DEEP WATER PUDDLES, SLUSH OR SNOW							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.716	AFL	0						
PROC. REF: AMS 5-50-07PROC. REF: AMS 5-50-07								
055060	ACCOMPLISH INSPECTIONS AFTER AN EMERGENCY STOP							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.717	AFL	0						
PROC. REF: AMS 5-50-08PROC. REF: AMS 5-50-08								
055065	ACCOMPLISH INSPECTIONS AFTER ABNORMAL APU CONDITIONS							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.718	AFL	0						
PROC. REF: AMS 5-50-09PROC. REF: AMS 5-50-09								
055070	ACCOMPLISH INSPECTIONS AFTER FLAP OVERSPEED							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.719	AFL	0						
PROC. REF: AMS 5-50-10PROC. REF: AMS 5-50-10								
055075	ACCOMPLISH INSPECTIONS AFTER EXPOSURE TO VOLCANIC ASH							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 05.720	AFL	0						
PROC. REF: AMS 5-50-11PROC. REF: AMS 5-50-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055080	ACCOMPLISH INSPECTIONS FOR HYDRAULIC CONTAMINATION OF THE CABIN VENTILATION SYSTEM							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMS 5-50-12PROC. REF: AMS 5-50-12								
055090	ACCOMPLISH AIRCRAFT STORAGE							Service ATA:05
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
057110	NO. 1 ENGINE - 150 TO 250 HOUR INSPECTION							Package ATA:05
	MOS	07-Jun-19						
	HRS	8810	150 (+100)		(8960) 9236.9	9060	134.9 (+100)	
	ENC	5621						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
057110	NO. 2 ENGINE - 150 TO 250 HOUR INSPECTION							Package ATA:05
	MOS	07-Jun-19						
	HRS	8414	150 (+100)		(8564) 9236.9	8664	134.9 (+100)	
	ENC	5375						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
057120	NO. 1 ENGINE - 300 TO 400 HOUR INSPECTION							Package ATA:05
	MOS	07-Jun-19						
	HRS	8810	300 (+100)		(9110) 9386.9	9210	284.9 (+100)	
	ENC	5621						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057120	NO. 2 ENGINE - 300 TO 400 HOUR INSPECTION							Package ATA:05
	MOS	07-Jun-19						
	HRS	8414	300 (+100)		(8714) 9386.9	8814	284.9 (+100)	
	ENC	5375						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:2
057140	NO. 1 ENGINE - 500 TO 850 HOUR INSPECTION							Package ATA:05
	MOS	02-Apr-09						
	HRS	8400.3	800 (+50)		(9200.3) 9477.2	9250.3	375.2 (+50)	
	ENC	5238						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:4
057140	NO. 2 ENGINE - 500 TO 850 HOUR INSPECTION							Package ATA:05
	MOS	16-Mar-18						
	HRS	8335.9	800 (+50)		(9135.9) 9808.8	9185.9	706.8 (+50)	
	ENC	5308						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:4
057160	NO. 1 ENGINE - 1000 TO 1400 HOUR INSPECTION							Package ATA:05
	MOS	02-Apr-09						
	HRS	8400.3	1200 (+200)		(9600.3) 9877.2	9800.3	775.2 (+200)	
	ENC	5238						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								
057160	NO. 2 ENGINE - 1000 TO 1400 HOUR INSPECTION							Package ATA:05
	MOS	02-Jun-08						
	HRS	7577.8	1200 (+200)		(8777.8) 9450.7	8977.8	348.7 (+200)	
	ENC	4718						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057170	NO. 1 ENGINE - 1200 TO 1650 HOUR INSPECTION							Package ATA:05
	MOS	02-Apr-09						
	HRS	8400.3	1600 (+50)		(10000.3) 10277.2	10050.3	1175.2 (+50)	
	ENC	5238						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:5
057170	NO. 2 ENGINE - 1200 TO 1650 HOUR INSPECTION							Package ATA:05
	MOS	02-Jun-08						
	HRS	7577.8	1600 (+50)		(9177.8) 9850.7	9227.8	748.7 (+50)	
	ENC	4718						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:5
T05T03 ^U	INSPECTION CRITERIA/STRUCTURAL INSPECTIONS							Service ATA:05
	MOS/MSC	14-Jun-00	O/C					
	HRS	0						
WC#: 05.T03	AFL	0						
ATA 06 - DIMENSIONS AND AREAS								
T06T01 ^U	GENERAL INSPECTION PANEL LOCATION CHARTS							Service ATA:06
	MOS/MSC	14-Jun-00	O/C					
	HRS	0						
WC#: 06.T01	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
100002	ACCOMPLISH AIRPLANE "FLIGHT READY" STORAGE 2 WEEK INSPECTION							Service ATA:10
	MOS/MSC	14-Jun-00	N/R					
	HRS	0						
WC#: 10.010	AFL	0						
PROC. REF: AMM 10-10-00PROC. REF: AMM 10-10-00								
100004	ACCOMPLISH AIRPLANE "FLIGHT READY" STORAGE 4 WEEK INSPECTION							Service ATA:10
	MOS/MSC	14-Jun-00	N/R					
	HRS	0						
WC#: 10.020	AFL	0						
PROC. REF: AMM 10-10-00PROC. REF: AMM 10-10-00								
100006	ACCOMPLISH AIRPLANE "FLIGHT READY" STORAGE 6 MONTH INSPECTION							Service ATA:10
	MOS/MSC	14-Jun-00	N/R					
	HRS	0						
WC#: 10.030	AFL	0						
PROC. REF: AMM 10-10-00PROC. REF: AMM 10-10-00								
ATA 12 - SERVICING								
120001	LUBRICATE AREA G-200 HOURS							Service ATA:12
	MOS	18-Mar-24						
	HRS	9102	200 (+40/-10)		9302	9342	200 (+40)	
WC#: 12.001	AFL	5804						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
120003	LUBRICATE AREA F1-400 HOURS							Service ATA:12
	MOS	16-Mar-18						
	HRS	9008.8	400 (+40/-10)		9408.8	9448.8	306.8 (+40)	
WC#: 12.003	AFL	5727						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
120004	LUBRICATE AREA T1-400 HOURS							Service ATA:12
	MOS	16-Mar-18						
	HRS	9008.8	400 (+40/-10)		9408.8	9448.8	306.8 (+40)	
WC#: 12.004	AFL	5727						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
120007	LUBRICATE AREA W1/W2-400 HOURS							Service ATA:12
	MOS	16-Mar-18						
	HRS	9008.8	400 (+40/-10)		9408.8	9448.8	306.8 (+40)	
WC#: 12.007	AFL	5727						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
120012 ^S	LUBRICATE AREA F3 (ABOVE FLOOR)-800 HOURS							Service ATA:12
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 12.012	AFL							
								PKG:12,91
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
120013 ^S	LUBRICATE AREA F4-800 HOURS							Service ATA:12
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 12.009	AFL							
								PKG:13,91
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
120015 ^S	LUBRICATE AREA W1-800 HOURS							Service ATA:12
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 12.015	AFL							
								PKG:15,91
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
120016 ^S	LUBRICATE AREA W2-800 HOURS							Service ATA:12
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 12.016	AFL							
								PKG:16,91
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
120018 ^S	LUBRICATE AREA G-800 HOURS							Service ATA:12
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 12.018	AFL							
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:18,91	
120019 ^S	LUBRICATE AREA F1-1600 HOURS							Service ATA:12
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 12.013	AFL	4882						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:21,92	
120020 ^S	LUBRICATE AREA F2-1600 HOURS							Service ATA:12
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 12.020	AFL	4882						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:22,92	
120021 ^S	LUBRICATE AREA F3 (UNDERFLOOR)-1600 HOURS							Service ATA:12
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 12.021	AFL	4882						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:23,92	
120022 ^S	LUBRICATE AREA F3-1600 HOURS							Service ATA:12
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 12.022	AFL	4882						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:24,92	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
120023 ^S	LUBRICATE AREA F4-1600 HOURS							Service ATA:12
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 12.023	AFL	4882						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:25,92	
120024 ^S	LUBRICATE AREA T1-1600 HOURS							Service ATA:12
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 12.024	AFL	4882						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:26,92	
120025 ^S	LUBRICATE AREA W1-1600 HOURS							Service ATA:12
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 12.025	AFL	4882						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:27,92	
120026 ^S	LUBRICATE AREA W2-1600 HOURS							Service ATA:12
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 12.026	AFL	4882						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:28,92	
120030 ^S	LUBRICATE AREA F2-3200 HOURS							Service ATA:12
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 12.030	AFL	4176						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11							PKG:34,93	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
120049 ^S	LUBRICATE AREA F1-24 MONTHS							Service ATA:12
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 12.049	AFL	5804						
							PKG:57,95	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
120050 ^S	LUBRICATE AREA F2-24 MONTHS							Service ATA:12
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 12.050	AFL	5804						
							PKG:58,95	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
ATA 20 - STANDARD PRACTICES - AIRFRAME								
200001 ^S	BONDING CHECK CONTROL SURFACES							Service ATA:20
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 20.010	AFL							
							PKG:7,91	
200002 ^S	FUNCTIONAL TEST REFUEL POINT EARTHING STUDS (3 OFF)							Service ATA:20
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 20.020	AFL							
							PKG:7,91	
200003 ^S	CHECK RADIO RACKING, ELECTRICAL-BONDING							Service ATA:20
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 20.030	AFL	5804						
							PKG:96	
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-10-15-201	AIR CONDITIONING - PIPES AND DUCTING							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-10-15PROC. REF: AMM 21-10-15								
21-10-24-201.3	MAIN AIR VALVE (RIGHT SIDE) -FUNCTIONAL TEST							Service ATA:21
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-10-24PROC. REF: AMM 21-10-24								
21-10-25-201.3	MAIN AIR VALVE (LEFT SIDE) -FUNCTIONAL TEST							Service ATA:21
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-10-25PROC. REF: AMM 21-10-25								
21-10-35-501.2	MIXING VALVE (LP-HP) LEAK TEST							Service ATA:21
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-10-35PROC. REF: AMM 21-10-35								
21-10-35-501.3	MIXING VALVE (LP-HP) FUNCTIONAL TEST							Service ATA:21
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-10-35PROC. REF: AMM 21-10-35								
21-10-87-201.2	ENVIRONMENTAL CONTROL UNIT (ECU)							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-10-87PROC. REF: AMM 21-10-87								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-10-87-201.3	CLEANING THE ENVIRONMENTAL CONTROL UNIT (ECU) HEAT EXCHANGERS							Service ATA:21
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-10-87PROC. REF: AMM 21-10-87								
210002 ^S	CHECK/TEST RAM AIR VALVE/DUMP VALVE/VENT VALVE							Service ATA:21
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 21.075	AFL							
								PKG:7,91
210003 ^S	BENCH CHECK ENVIRONMENTAL CONTROL SYSTEM							Service ATA:21
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 21.110	AFL							
								PKG:7,91
210004 ^S	CHECK MANUAL CABIN ALTITUDE CONTROL VALVE							Service ATA:21
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 21.270	AFL							
								PKG:10,91
210005 ^S	CHECK COOLING TURBINE EXHAUST DUCT DRAIN							Service ATA:21
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 21.260	AFL							
								PKG:13,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210006	INSPECT WATER SEPARATOR FOR SATISFACTORY CONDITION							Service ATA:21
	MOS	07-Jun-19						
	HRS	9086.9	400 (+10%)		9486.9	9526.9	384.9 (+40)	
WC#: 21.221	AFL	5793						
PROC. REF: AMM 21-10-95PROC. REF: AMM 21-10-95								
210007	INSPECT WATER SEPARATOR WATER DRAIN, WATER DRAIN PIPELINE, HP LINE TO WATER INJECTOR NOZZLE AND WATER INJECTOR NOZZLE ARE FREE FROM BLOCKAGES AND OBSTRUCTIONS							Service ATA:21
	MOS	07-Jun-19						
	HRS	9086.9	400 (+10%)		9486.9	9526.9	384.9 (+40)	
WC#: 21.280	AFL	5793						
PROC. REF: AMM 21-10-95PROC. REF: AMM 21-10-95								
210008 ^S	VISUALLY INSPECT CABIN PRESSURE OUTFLOW/SAFETY VALVE CONTROLLER							Service ATA:21
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 21.118	AFL	4882						
PKG:22,92								
210009 ^S	CHECK PRESSURIZATION CONTROL VENTURI SCREEN							Service ATA:21
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 21.275	AFL	4882						
PKG:24,92								
210010 ^S	CLEAN PRESSURE REGULATOR FILTER SCREENS							Service ATA:21
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 21.155	AFL	5804						
PKG:96								
PROC. REF: AMM 21-30-55PROC. REF: AMM 21-30-55								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210011 ^S	CLEAN/FUNCTIONAL TEST OUTFLOW/SAFETY VALVES							Service ATA:21
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 21.120	AFL	5804						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:96
210012 ^S	INSPECT AIR CONDITIONING DUCTS							Service ATA:21
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 21.250	AFL	4882						
PROC. REF: AMM 21-10-15PROC. REF: AMM 21-10-15								PKG:25,92
210013 ^S	INSPECT RAM AIR DUCT							Service ATA:21
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 21.255	AFL	4882						
PROC. REF: AMM 21-10-15PROC. REF: AMM 21-10-15								PKG:25,92
210014 ^S	INSPECT CABIN AIR FILTERS (PRESSURIZATION SYSTEM)							Service ATA:21
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 21.310	AFL	5804						
PROC. REF: AMM 21-10-15PROC. REF: AMM 21-10-15								PKG:96
210015 ^S	INSPECT SILENCER DUCT/SOUNDPROOFING							Service ATA:21
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 21.015	AFL	4176						
PROC. REF: AMM 21-10-15PROC. REF: AMM 21-10-15								PKG:37,93

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210016 ^S	BENCH CHECK SYSTEM OVERHEAT TEMPERATURE SWITCH							Service ATA:21
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 21.195	AFL	4176						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:37,93
210017 ^S	CHECK BAGGAGE PANNIER HEATING SYSTEM INLET AND OUTLET VALVE (IF FITTED) OREXTERNAL BAGGAGE UNIT (EBU) INLET VALVE (750 AIRPLANES ONLY).							Service ATA:21
	MOS	14-Jun-00						
	HRS	0	3200 (+150/-50)					
WC#: 21.285	AFL	0						
PROC. REF: AMM 21-10-205PROC. REF: AMM 21-10-205								PKG:37,93
210018 ^S	FUNCTIONAL TEST ALTITUDE SWITCH, CABIN DEPRESSURIZATION WARNING							Service ATA:21
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 21.135	AFL	5804						
PROC. REF: AMM 21-30-70PROC. REF: AMM 21-30-70								PKG:96
210019 ^S	INSPECT CABIN SUPPLY NON-RETURN VALVE							Service ATA:21
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 21.065	AFL	4176						
PROC. REF: AMM 21-10-107PROC. REF: AMM 21-10-107								PKG:37,93
210020 ^S	FUNCTIONAL TEST ELECTRICALLY ACTUATED AUXILIARY HEATING VALVE							Service ATA:21
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 21.180	AFL	4882						
PROC. REF: AMM 21-60-105PROC. REF: AMM 21-60-105								PKG:19,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210021 ^S	INSPECT/CHECK APU SUPPLY, AUXILIARY SUPPLY, RAM AIR SUPPLY AND MAIN ENGINE SUPPLY CHECK/NON-RETURN VALVES							Service ATA:21
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 21.030	AFL	4176						
PROC. REF: AMM 21-10-165PROC. REF: AMM 21-10-165								PKG:37,93
210022	CHECK TORQUE AIR CONDITIONING DUCTS							Service ATA:21
	MOS	07-Jun-19						
	HRS	9086.9	T:300		9386.9		284.9	
WC#: 21.010	AFL	5793						
PROC. REF: AMM 21-10-15PROC. REF: AMM 21-10-15								
210024 ^S	CLEAN/REPLACE LOW LIMIT TEMPERATURE CONTROL VALVE FILTER							Service ATA:21
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 21.290	AFL							
PROC. REF: AMM 21-60-61PROC. REF: AMM 21-60-61								PKG:13,91
210025 ^S	INSPECT PATS APU GTCP36-150W BLEED AIR SYSTEM							Service ATA:21
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 21.035	AFL	4882						
								PKG:25,92
211013	LEFT SWITCHES BLEED AIR OVER TEMPERATURE TEST							Service ATA:21
	MOS	18-Mar-24	60		18-Mar-29		1190 d	
	HRS	9102						
WC#: 21.265	AFL	5804						
211014	RIGHT SWITCHES BLEED AIR OVER TEMPERATURE TEST							Service ATA:21
	MOS	18-Mar-24	60		18-Mar-29		1190 d	
	HRS	9102						
WC#: 21.265	AFL	5804						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
211019	APU SHUTOFF VALVE							Component ATA:21
PN:321292-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.020	AFL	0		TSN 0				
PROC. REF: AMM 21-10-195PROC. REF: AMM 21-10-195								
211031	APU BLEED AIR NON-RETURN VALVE							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211088	NO. 1 AIR DISTRIBUTION ACTUATOR							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.108	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211089	NO. 2 AIR DISTRIBUTION ACTUATOR							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.108	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211090	NO. 3 AIR DISTRIBUTION ACTUATOR							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.108	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211091	NO. 4 AIR DISTRIBUTION ACTUATOR							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.108	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211092	NO. 5 AIR DISTRIBUTION ACTUATOR							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.108	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212001	LEFT MAIN AIR VALVE							Component ATA:21
PN:321292-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: AMM 21-10-25PROC. REF: AMM 21-10-25								
212002	RIGHT MAIN AIR VALVE							Component ATA:21
PN:250072	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.045	AFL	0		TSN 0				
PROC. REF: AMM 21-10-24PROC. REF: AMM 21-10-24								
212008	PRESSURE REGULATOR VALVE							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.295	AFL	0		TSN 0				
PROC. REF: AMM 21-10-76PROC. REF: AMM 21-10-76								
212026	NO. 1 ENGINE BLEED AIR NON-RETURN VALVE							Component ATA:21
PN:HTE4168	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212027	NO. 2 ENGINE BLEED AIR NON-RETURN VALVE							Component ATA:21
PN:HTE4168	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.050	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212050	AUXILIARY HEATING BLEED AIR NON-RETURN VALVE							Component ATA:21
PN:123190-1-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212062	LEFT (HP/LP) MIXING VALVE							Component ATA:21
PN:3213788-1-1	MOS/MSC	29-Mar-08	O/C	TSN 0				
SN:1681	HRS	8139.1		TSN 0				
WC#: 21.060	AFL	5090		TSN 0				
PROC. REF: AMM 21-10-35PROC. REF: AMM 21-10-35								
212063	RIGHT (HP/LP) MIXING VALVE							Component ATA:21
PN:3213788-1-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.060	AFL	0		TSN 0				
PROC. REF: AMM 21-10-35PROC. REF: AMM 21-10-35								
212074	MAIN SUPPLY NON-RETURN VALVE							Component ATA:21
PN:AWE124-51-2	MOS	14-Jun-00		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	12000	TSN 0	12000		2898	
WC#: 21.245	AFL	0		TSN 0				
PROC. REF: AMM 21-10-107PROC. REF: AMM 21-10-107								
212082	BLEED AIR CHECK VALVE							Component ATA:21
PN:HTE4405	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212086	RAM AIR NON-RETURN VALVE							Component ATA:21
PN:321262-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.075	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212098	RAM AIR SUPPLY NON-RETURN VALVE							Component ATA:21
PN:123190-1-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.080	AFL	0		TSN 0				
PROC. REF: AMM 21-10-165PROC. REF: AMM 21-10-165								
212103	TEMPERATURE DUCT SWITCH							Component ATA:21
PN:25-6MC-415	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.085	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212122	UPPER CHECK VALVE							Component ATA:21
PN:130156-2	MOS/MSC	20-Apr-07	O/C	TSN 0				
SN:17-A0809	HRS	7312.4		TSN 0				
WC#: 21.095	AFL	4554		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212123	LOWER CHECK VALVE							Component ATA:21
PN:130156-2	MOS/MSC	20-Apr-07	O/C	TSN 0				
SN:126-A0808	HRS	7312.4		TSN 0				
WC#: 21.095	AFL	4554		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212146	CABIN RECIRCULATING FAN							Component ATA:21
PN:45C3-111	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213001	NO. 1 ENGINE HIGH PRESSURE BLEED AIR SHUTOFF VALVE							Component ATA:21
PN:B01A2-14128A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.105	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213002	NO. 2 ENGINE HIGH PRESSURE BLEED AIR SHUTOFF VALVE							Component ATA:21
PN:B01A2-14128A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213019	OUTFLOW/SAFETY VALVE CONTROLLER							Component ATA:21
PN:130530-4	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.115	AFL	0		TSN 0				
PROC. REF: AMM 21-30-16PROC. REF: AMM 21-30-16								
213020	CABIN PRESSURE CONTROLLER							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.321	AFL	0		TSN 0				
213031	LEFT OUTFLOW VALVE							Component ATA:21
PN:103278-13	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.120	AFL	0		TSN 0				
PROC. REF: AMM 21-30-25PROC. REF: AMM 21-30-25								
213032	RIGHT OUTFLOW VALVE							Component ATA:21
PN:103278-13	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.120	AFL	0		TSN 0				
PROC. REF: AMM 21-30-25PROC. REF: AMM 21-30-25								
213035	2" BUTTERFLY VALVE							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213067	CABIN ALTITUDE CONTROL VALVE							Component ATA:21
PN:131004-2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.125	AFL	0		TSN 0				
PROC. REF: AMM 21-30-95PROC. REF: AMM 21-30-95								
213073	MECHANICAL DUMP VALVE							Component ATA:21
PN:258VF43-35A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.130	AFL	0		TSN 0				
PROC. REF: AMM 21-30-136PROC. REF: AMM 21-30-136								
213097	ALTIMETER PRESSURE SWITCH							Component ATA:21
PN:214C40-2-57	MOS/MSC	17-Dec-04	O/C	TSN 0				
SN:W59940A	HRS	4970.6		TSN 0				
WC#: 21.135	AFL	3076		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213098	ALTIMETER PRESSURE SWITCH							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213109	VENTURI							Component ATA:21
PN:131052-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.140	AFL	0		TSN 0				
PROC. REF: AMM 21-30-105PROC. REF: AMM 21-30-105								
213115	FAN OPERATED VENTURI							Component ATA:21
PN:132322-3-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.145	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-30-65PROC. REF: AMM 21-30-65								
213121	LEFT PNEUMATIC VALVE							Component ATA:21
PN:107312-4-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.150	AFL	0		TSN 0				
PROC. REF: AMM 21-30-35PROC. REF: AMM 21-30-35								
213122	RIGHT PNEUMATIC VALVE							Component ATA:21
PN:107312-4-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.150	AFL	0		TSN 0				
PROC. REF: AMM 21-30-35PROC. REF: AMM 21-30-35								
213133	LEFT ABSOLUTE PRESSURE CONTROL							Component ATA:21
PN:102466-13	MOS/MSC	20-Apr-07	O/C	TSN 0				
SN:39-2248	HRS	7312.4		TSN 0				
WC#: 21.155	AFL	4554		TSN 0				
PROC. REF: AMM 21-30-55PROC. REF: AMM 21-30-55								
213134	RIGHT ABSOLUTE PRESSURE CONTROL							Component ATA:21
PN:102466-13	MOS/MSC	20-Apr-07	O/C	TSN 0				
SN:39-2266	HRS	7312.4		TSN 0				
WC#: 21.155	AFL	4554		TSN 0				
PROC. REF: AMM 21-30-55PROC. REF: AMM 21-30-55								
213157	JET PUMP							Component ATA:21
PN:131150-1-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.160	AFL	0		TSN 0				
PROC. REF: AMM 21-30-45PROC. REF: AMM 21-30-45								
213169	CABIN DIFFERENTIAL PRESSURE INDICATOR							Component ATA:21
PN:51010-1113	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.165	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213181	GROUND PRESSURE CONNECTOR							Component ATA:21
PN:WGE133-2A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.170	AFL	0		TSN 0				
PROC. REF: AMM 21-30-85PROC. REF: AMM 21-30-85								
216001	CABIN TEMPERATURE CONTROL VALVE							Component ATA:21
PN:104968	MOS/MSC	25-Dec-04	O/C	TSN 0				
SN:842	HRS	4998.5		TSN 0				
WC#: 21.175	AFL	3092		TSN 0				
PROC. REF: AMM 21-60-57PROC. REF: AMM 21-60-57								
216006	AIR CONDITIONING DUCT, SILENCER TO REAR PRESSURE BULKHEAD SHUTOFF VALVE							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.326	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216025	AUXILIARY HEATING VALVE							Component ATA:21
PN:104568	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: AMM 21-60-105PROC. REF: AMM 21-60-105								
216055	CABIN TEMPERATURE (CONTROLLER) SENSOR							Component ATA:21
PN:607148-1-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.185	AFL	0		TSN 0				
PROC. REF: MMA 21-60-05PROC. REF: MMA 21-60-05								
216073	CABIN TEMPERATURE CONTROLLER							Component ATA:21
PN:617452-4	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-60-67PROC. REF: AMM 21-60-67								
216097	TEMPERATURE DUCT SELECTOR							Component ATA:21
PN:25-6MC-415	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.195	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216115	COLD AIR UNIT PACK							Component ATA:21
PN:2214070-5	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216121	MODULATING VALVE							Component ATA:21
PN:978836-5-1	MOS/MSC	05-Jul-04	O/C	TSN 0				
SN:674	HRS	4387.4		TSN 0				
WC#: 21.210	AFL	2680		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216127	CONTROL SENSOR							Component ATA:21
PN:1150642-3	MOS/MSC	27-May-01	O/C	TSN 0				
SN:020C-10356	HRS	1051.4		TSN 0				
WC#: 21.215	AFL	614		TSN 0				
PROC. REF: AMM 21-60-60PROC. REF: AMM 21-60-60								
216135	TOTAL TEMPERATURE SENSOR							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.305	AFL	0		TSN 0				
PROC. REF: AMM 34-48-622PROC. REF: AMM 34-48-622								
217001	WATER SEPARATOR							Component ATA:21
PN:25VF1351-131	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-10-95PROC. REF: AMM 21-10-95								
217014	CABIN TRIPLE INDICATOR							Component ATA:21
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.225	AFL	0		TSN 0				
PROC. REF: AMM 21-30-90PROC. REF: AMM 21-30-90								
217023	PRESSURE SWITCH							Component ATA:21
PN:690090	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.235	AFL	0		TSN 0				
PROC. REF: AMM 21-10-39PROC. REF: AMM 21-10-39								
ATA 22 - AUTO FLIGHT								
221001	AFCS CONTROL PANEL							Component ATA:22
PN:7011702-915	MOS/MSC	10-Mar-04	O/C	TSN 0				
SN:00121110	HRS	4125.3		TSN 0				
WC#: 22.010	AFL	2515		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
221007	NO. 1 FLIGHT GUIDANCE COMPUTER							Component ATA:22
PN:7003974-713	MOS/MSC	10-Jul-05	O/C	TSN 0				
SN:92013151	HRS	5454.3		TSN 0				
WC#: 22.015	AFL	3373		TSN 0				
PROC. REF: AMM 34-22-05PROC. REF: AMM 34-22-05								
221008	NO. 2 FLIGHT GUIDANCE COMPUTER							Component ATA:22
PN:7003974-732	MOS/MSC	29-Dec-15	O/C	TSR 0				
SN:96084578	HRS	8805.5		TSR 0				
WC#: 22.015	AFL	5523		TSR 0				
PROC. REF: AMM 34-22-05PROC. REF: AMM 34-22-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221010	NO. 1 AUTO PILOT MODE SELECT PANEL							Component ATA:22
PN:622-6209-205	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.040	AFL	0		TSN 0				
PROC. REF: MMA 34-22-56PROC. REF: MMA 34-22-56								
221011	NO. 2 AUTO PILOT MODE SELECT PANEL							Component ATA:22
PN:622-6209-205	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.040	AFL	0		TSN 0				
PROC. REF: MMA 34-22-56PROC. REF: MMA 34-22-56								
221037	AUTOPILOT ELEVATOR SERVO							Component ATA:22
PN:4006719-910	MOS/MSC	20-Dec-04	O/C	TSN 0				
SN:99021734	HRS	4985.3		TSN 0				
WC#: 22.020	AFL	3084		TSN 0				
221039	ELEVATOR SERVO MOUNT							Component ATA:22
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.050	AFL	0		TSN 0				
PROC. REF: AMM 27-30-81PROC. REF: AMM 27-30-81								
221043	AUTOPILOT RUDDER SERVO							Component ATA:22
PN:4006719-913	MOS/MSC	03-Dec-03	O/C	TSN 0				
SN:99062491	HRS	3794.4		TSN 0				
WC#: 22.020	AFL	2321		TSN 0				
221045	RUDDER SERVO MOUNT							Component ATA:22
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.050	AFL	0		TSN 0				
PROC. REF: AMM 27-20-121PROC. REF: AMM 27-20-121								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221049	AUTOPILOT AILERON SERVO							Component ATA:22
PN:4006719-906	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
221052	AILERON SERVO MOUNT							Component ATA:22
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.050	AFL	0		TSN 0				
ATA 23 - COMMUNICATIONS								
231001	NO. 1 HF COMMUNICATIONS CONTROLLER							Component ATA:23
PN:071-01274-0002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.015	AFL	0		TSN 0				
PROC. REF: AMM 23-10-10PROC. REF: AMM 23-10-10								
231002	NO. 2 HF COMMUNICATIONS CONTROLLER							Component ATA:23
PN:071/1274-02	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.015	AFL	0		TSN 0				
PROC. REF: MMA 23-10-05PROC. REF: MMA 23-10-05								
231004	NO. 1 HF CONTROLLER ADAPTER							Component ATA:23
PN:071-01268-0001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231006	NO. 2 HF CONTROLLER ADAPTER							Component ATA:23
PN:071-1268-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231011	NO. 1 HF COMMUNICATIONS POWER AMPLIFIER							Component ATA:23
PN:064-1017-02	MOS/MSC	31-May-06	O/C	TSN 0				
SN:U10854	HRS	6451.1		TSN 0				
WC#: 23.025	AFL	4008		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231012	NO. 2 HF COMMUNICATIONS POWER AMPLIFIER							Component ATA:23
PN:064-1017-02	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231015	COLLINS HG 9041 HF ANTENNA							Component ATA:23
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231016	COLLINS HF 9031A RECEIVER/TRANSMITTER							Component ATA:23
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.135	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231025	NO. 1 HF RECEIVER EXCITER							Component ATA:23
PN:064-01015-0001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
231026	NO. 2 HF RECEIVER EXCITER							Component ATA:23
PN:064-1015-0001	MOS/MSC	31-May-06	O/C	TSN 0				
SN:30100	HRS	6451.1		TSN 0				
WC#: 23.030	AFL	4008		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231027	NO. 1 HF BRIDGING AMPLIFIER							Component ATA:23
PN:071-0019-00	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231028	NO. 2 HF BRIDGING AMPLIFIER							Component ATA:23
PN:071-0019-00	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231029	DUAL HF CAPACITOR							Component ATA:23
PN:071-1270-01	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231041	VHF COMMUNICATION (CTL-23D) CONTROL							Component ATA:23
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.136	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231043	NO. 1 VHF COMMUNICATIONS TRANSCEIVER							Component ATA:23
PN:7510700-766	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.045	AFL	0		TSN 0				
PROC. REF: AMM NO REF-1, MMA 23-20-79, MMA 23-20-80, MMA 23-20-81PROC. REF: AMM NO REF-1, MMA 23-20-79, MMA 23-20-80, MMA 23-20-81								
231049	NO. 2 VHF COMMUNICATIONS TRANSCEIVER							Component ATA:23
PN:7510700-766	MOS/MSC	30-May-02	O/C	TSN 0				
SN:99043920	HRS	2096.1		TSN 0				
WC#: 23.045	AFL	1209		TSN 0				
PROC. REF: AMM NO REF-1, MMA 23-20-79, MMA 23-20-80, MMA 23-20-81PROC. REF: AMM NO REF-1, MMA 23-20-79, MMA 23-20-80, MMA 23-20-81								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231050	ATC UPPER ANTENNA							Component ATA:23
PN:S65-5366-8L	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231055	NO. 1 VHF AERIAL							Component ATA:23
PN:16-21-1T	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.055	AFL	0		TSN 0				
PROC. REF: AMM 23-20-1626PROC. REF: AMM 23-20-1626								
231056	NO. 2 VHF AERIAL							Component ATA:23
PN:16-21-1T	MOS/MSC	11-Apr-04	O/C	TSN 0				
SN:7576	HRS	4243.8		TSN 0				
WC#: 23.055	AFL	2588		TSN 0				
PROC. REF: AMM 23-20-1626PROC. REF: AMM 23-20-1626								
231058	AUDIO TONE GENERATOR							Component ATA:23
PN:M1285AC	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.060	AFL	0		TSN 0				
PROC. REF: MMA 23-50-67PROC. REF: MMA 23-50-67								
231061	NO. 1 RADIO MANAGEMENT UNIT							Component ATA:23
PN:7012100-825	MOS/MSC	05-Mar-05	O/C	TSN 0				
SN:02093594	HRS	5232.4		TSN 0				
WC#: 23.065	AFL	3238		TSN 0				
PROC. REF: AMM 23-80-05PROC. REF: AMM 23-80-05								
231062	NO. 2 RADIO MANAGEMENT UNIT							Component ATA:23
PN:7012100-825	MOS/MSC	10-Mar-06	O/C	TSN 0				
SN:94031159	HRS	6193		TSN 0				
WC#: 23.065	AFL	3849		TSN 0				
PROC. REF: AMM 23-80-05PROC. REF: AMM 23-80-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231064	CLEARANCE DELIVERY CONTROL							Component ATA:23
PN:7513000-801	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
234001	MOBILE RADIO/TELEPHONE TRANSCEIVER							Component ATA:23
PN:724855-801	MOS/MSC	03-Nov-02	O/C	TSN 0				
SN:MSA1514	HRS	2577.2		TSN 0				
WC#: 23.075	AFL	1532		TSN 0				
234007	MOBILE RADIO ANTENNA							Component ATA:23
PN:902131-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
234013	COCKPIT MOBILE RADIO TELEPHONE HANDSET							Component ATA:23
PN:725729-815BK	MOS/MSC	10-Mar-06	O/C	TSN 0				
SN:MX46072	HRS	6193		TSN 0				
WC#: 23.085	AFL	3849		TSN 0				
PROC. REF: MMA 23-16-05, MMA 23-16-10, AMM 23-17-05PROC. REF: MMA 23-16-05, MMA 23-16-10, AMM 23-17-05								
234019	CABIN MOBILE RADIO TELEPHONE HANDSET							Component ATA:23
PN:725729-815WH	MOS/MSC	28-Apr-04	O/C	TSN 0				
SN:MX41927	HRS	4272.9		TSN 0				
WC#: 23.085	AFL	2602		TSN 0				
PROC. REF: MMA 23-16-05, MMA 23-16-10, AMM 23-17-05PROC. REF: MMA 23-16-05, MMA 23-16-10, AMM 23-17-05								
234041	FLITEPHONE AUXILIARY BELL							Component ATA:23
PN:SC628D	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235001	NO. 1 AUDIO CONTROLLER							Component ATA:23
PN:7511001-909	MOS/MSC	01-Mar-05	O/C	TSN 0				
SN:01026248	HRS	5213		TSN 0				
WC#: 23.095	AFL	3226		TSN 0				
PROC. REF: MMA 23-50-67PROC. REF: MMA 23-50-67								
235002	NO. 2 AUDIO CONTROLLER							Component ATA:23
PN:7511001-909	MOS/MSC	30-Jan-07	O/C	TSN 0				
SN:97052226	HRS	7082.1		TSN 0				
WC#: 23.095	AFL	4413		TSN 0				
PROC. REF: MMA 23-50-67PROC. REF: MMA 23-50-67								
235017	NO. 1 HANDHELD AUDIO MICROPHONE							Component ATA:23
PN:602-3375	MOS/MSC	21-Jun-05	O/C	TSN 0				
SN:UNKNOWN	HRS	5427.5		TSN 0				
WC#: 23.100	AFL	3354		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
235019	NO. 2 HANDHELD AUDIO MICROPHONE							Component ATA:23
PN:602-7664	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
237001	COCKPIT VOICE RECORDER							Component ATA:23
PN:1603-02-03	MOS/MSC	16-Mar-18	O/C	TSN 213				
SN:628	HRS	9008.8		TSN 9008.8				
WC#: 23.105	AFL	5727		TSN 5727				
PROC. REF: MMA 23-70-05, MMA 23-70-35, AMM 23-70-15, AMM 23-70-25PROC. REF: MMA 23-70-05, MMA 23-70-35, AMM 23-70-15, AMM 23-70-25								
237004	COCKPIT VOICE RECORDER NO.1 MICROPHONE							Component ATA:23
PN:16301-01	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237005		COCKPIT VOICE RECORDER NO.2 MICROPHONE						Component ATA:23
PN:16301-01	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
237014		COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON						Component ATA:23
PN:DK120/90	MOS/MSC	In progress	O/C					
SN:AT68537	HRS	9008.8						
WC#: 23.105	AFL	5727						
PROC. REF: MMA 23-70-35, AMM 23-70-15, AMM 23-70-25PROC. REF: MMA 23-70-35, AMM 23-70-15, AMM 23-70-25								
237015		TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON						Service ATA:23
	MOS	18-Mar-24	24		18-Mar-26		94 d	
	HRS	9102						
WC#: 23.105	AFL	5804						
Special Properties: TRACKED ITEM				Test Date: : 18-Mar-24				
PROC. REF: CMM DUKANE, MMA 23-70-05, MMA 23-70-35, AMM 23-70-15, AMM 23-70-25PROC. REF: CMM DUKANE, MMA 23-70-05, MMA 23-70-35, AMM 23-70-15, AMM 23-70-25								
237016		CLEAN/TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON						Service ATA:23
	MOS	18-Mar-24	24		18-Mar-26		94 d	
	HRS	9102						
WC#: 23.105	AFL	5804						
Special Properties: TRACKED ITEM								
PROC. REF: CMM DUKANE, MMA 23-70-05, MMA 23-70-35, AMM 23-70-15, AMM 23-70-25PROC. REF: CMM DUKANE, MMA 23-70-05, MMA 23-70-35, AMM 23-70-15, AMM 23-70-25								
237017		REPLACE COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY						Service ATA:23
	MOS/MSC	In progress	DUE		01-Aug-24 (M)		OVD	
	HRS	9008.8						
WC#: 23.105	AFL	5727						
PROC. REF: MMA 23-70-05PROC. REF: MMA 23-70-05								
237019		LEFT COCKPIT VOICE RECORDER CONTROL						Component ATA:23
PN:1634-01	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.125	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237020	RIGHT COCKPIT VOICE RECORDER CONTROL							Component ATA:23
PN:1634-01	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.125	AFL	0		TSN 0				
237021	VOICE RECORDER INERTIA SWITCH							Component ATA:23
PN:3LO-453/2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.115	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
237022	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY							Component ATA:23
PN:PN	MOS/MSC	In progress	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
238015	SELCAL DECODER UNIT							Component ATA:23
PN:1200008-001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.120	AFL	0		TSN 0				
PROC. REF: MMA 23-20-05, AMM 23-20-10PROC. REF: MMA 23-20-05, AMM 23-20-10								
ATA 24 - ELECTRICAL POWER								
240001	INSPECT/CHECK NO. 1 ENGINE STARTER/GENERATOR							Service ATA:24
PN:23080-064	MOS	16-Mar-18						
SN:P-1128	HRS	9008.8	400 (+10%)		9408.8	9448.8	306.8 (+40)	
WC#: 24.045	AFL	5727						
PROC. REF: AMM 24-30-21PROC. REF: AMM 24-30-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240001	INSPECT/CHECK NO. 2 ENGINE STARTER/GENERATOR							Service ATA:24
PN:23080-064	MOS	16-Mar-18						
SN:Y-10466	HRS	9008.8	400 (+10%)		9408.8	9448.8	306.8 (+40)	
WC#: 24.045	AFL	5727						
PROC. REF: AMM 24-30-21PROC. REF: AMM 24-30-21								
240002 ^S	OPERATE NO.1 AND NO.2 MAIN STATIC INVERTERS							Service ATA:24
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 24.010	AFL							PKG:7,91
240003 ^S	FUNCTION TEST FREQUENCY WILD A.C. SYSTEM							Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.030	AFL	4176						PKG:31,93
PROC. REF: AMM 24-22-02PROC. REF: AMM 24-22-02								
240004 ^S	CHECK BUSBAR CONTACTOR CONTROL							Service ATA:24
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 24.145	AFL	4882						PKG:19,92
240005 ^S	FUNCTIONAL TEST APU GENERATOR OVERHEAT INDICATION CIRCUIT							Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.180	AFL	4176						PKG:31,93
PROC. REF: AMM 24-36-03PROC. REF: AMM 24-36-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240006 ^S	CHECK D.C. BUSBAR PROTECTION/VOLTAGE SENSING UNIT							Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.070	AFL	4176						
PROC. REF: AMM 24-30-142PROC. REF: AMM 24-30-142								PKG:36,93
240007 ^S	BENCH CHECK GROUND POWER OVERVOLTAGE SENSOR (IF FITTED).							Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.110	AFL	4176						
PROC. REF: AMM 24-30-146PROC. REF: AMM 24-30-146								PKG:37,93
240009 ^S	FUNCTIONAL TEST D.C. GENERATING SYSTEM							Service ATA:24
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 24.065	AFL							
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								PKG:7,91
240010 ^S	INSPECT PE, PS1 AND PS2 BUSBAR FEEDER CABLES BELOW PANEL DA							Service ATA:24
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 24.160	AFL	4882						
PROC. REF: AMM 24-01-00PROC. REF: AMM 24-01-00								PKG:24,92
240011 ^S	FUNCTIONAL TEST OF THE BUSBAR PE, PS1 AND PS2 FEEDER FUSES							Service ATA:24
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 24.150	AFL	4882						
PROC. REF: AMM 24-01-00PROC. REF: AMM 24-01-00								PKG:25,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240012	^U S	INSPECT BUSBAR PE, PS1 AND PS2 FEEDER SYSTEM CONNECTIONS						Service ATA:24
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 24.165	AFL	4882						PKG:25,92
240013	^S	FUNCTION TEST ALL CIRCUIT BREAKERS						Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.005	AFL	4176						PKG:31,93
240014	^S	FUNCTION TEST MAIN GENERATOR CONTROL UNIT (GCU)						Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.040	AFL	4176						PKG:31,93
PROC. REF: AMM 24-30-07PROC. REF: AMM 24-30-07								
240015	^S	FUNCTION TEST APU GENERATOR CONTROL UNIT (GCU)						Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.040	AFL	4176						PKG:31,93
PROC. REF: AMM 24-36-03PROC. REF: AMM 24-36-03								
240016	^S	INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FORWARD PRESSURE BULKHEAD)						Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.235	AFL	4176						PKG:33,93
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240017 ^S	INSPECT/CHECK EARTH STATIONS *16, *17, *18, AND *19							Service ATA:24
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 24.155	AFL	5804						
PROC. REF: AMM 24-01-00PROC. REF: AMM 24-01-00							PKG:96	
240018 ^S	INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE REAR PRESSURE-BULKHEAD)							Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.235	AFL	4176						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1							PKG:37,93	
240024	INSPECT/CHECK APU STARTER/GENERATOR							Service ATA:24
PN:23080-064	MOS	28-Nov-14						
SN:5887	HRS	8775.4						
WC#: 24.085	AFL	5483						
	APH	6509	500		7009		146	
PROC. REF: AMM 24-30-21PROC. REF: AMM 24-30-21								
240025 ^S	INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FUSELAGE KEEL AT THE FRONT SPAR)							Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.245	AFL	4176						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1							PKG:35,93	
240026 ^S	INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FORWARD PRESSURE BULKHEAD)							Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.240	AFL	4176						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1							PKG:34,93	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240027 ^S	CHECK MAIN BATTERIES							Service ATA:24
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 24.250	AFL	4176						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:37,93
240028	VISUAL INSPECTION PANEL GG AND TERMINAL BLOCK M							Service ATA:24
	MOS	18-Mar-24						
	HRS	9102	400 (+10%)		9502	9542	400 (+40)	
WC#: 24.095	AFL	5804						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
240029 ^S	VISUAL INSPECTION FOR DISCOLORATION AND SIGNS OF HEAT DISTRESS, INSPECT DA-PANEL FOR PROPER MOUNTING OF COMPONENTS							Service ATA:24
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 24.260	AFL	5804						
								PKG:48,94
240030	FUNCTION TEST CABIN INVERTER (115 VAC) SYSTEM (IF INSTALLED)							Service ATA:24
	DAYS/MSC	29-Dec-15	N/R					
	HRS	8805.5						
WC#: 24.255	AFL	5523						
PROC. REF: MMA 24-20-00, MMA 24-20-05, MMA 24-20-10PROC. REF: MMA 24-20-00, MMA 24-20-05, MMA 24-20-10								
242001	NO. 1 (MAIN) INVERTER							Component ATA:24
PN:ASH664-5	MOS/MSC	10-Aug-04	O/C	TSN 0				
SN:BG1219	HRS	4497		TSN 0				
WC#: 24.015	AFL	2747		TSN 0				
PROC. REF: AMM 24-21-102PROC. REF: AMM 24-21-102								
242002	NO. 2 (MAIN) INVERTER							Component ATA:24
PN:ASH-664-5	MOS/MSC	16-Jul-07	O/C	TSN 0				
SN:BJ815M	HRS	7484.5		TSN 0				
WC#: 24.015	AFL	4682		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-21-102PROC. REF: AMM 24-21-102								
242013	NO. 3 (STANDBY) INVERTER							Component ATA:24
PN:SPS-1607	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.015	AFL	0		TSN 0				
PROC. REF: AMM 24-21-105PROC. REF: AMM 24-21-105								
242031	NO. 1 INVERTER CONTACTOR							Component ATA:24
PN:LDA200-B18C	MOS	17-Mar-05		TSN 0				OVERHAUL
SN:Y4382	HRS	5250.6	5000	TSN 0	10250.6		1148.6	
WC#: 24.020	AFL	3248		TSN 0				
242032	NO. 2 INVERTER CONTACTOR							Component ATA:24
PN:LDA200-B18C	MOS	05-Sep-07		TSN 0				OVERHAUL
SN:A3130	HRS	7641.7	5000	TSN 0	12641.7		3539.7	
WC#: 24.020	AFL	4791		TSN 0				
242073	NO. 1 ENGINE AC GENERATOR							Component ATA:24
PN:BA02801-1	MOS	18-Mar-24	96	TSN 220, TSO 0	18-Mar-32		2286 d	OVERHAUL
SN:1266	HRS	9102	3000	TSN 3263.1, TSO 0	12102		3000	
WC#: 24.025	AFL	5804		TSO 0				
PROC. REF: AMM 24-22-21PROC. REF: AMM 24-22-21								
242074	NO. 2 ENGINE AC GENERATOR							Component ATA:24
PN:BA02801-1	MOS	18-Mar-24	96	TSN 217, TSO 0	18-Mar-32		2286 d	OVERHAUL
SN:2366	HRS	9102	3000	TSN 2992.5, TSO 0	12102		3000	
WC#: 24.025	AFL	5804		TSO 0				
PROC. REF: AMM 24-22-21PROC. REF: AMM 24-22-21								
242097	LEFT AC GENERATOR CONTROL UNIT							Component ATA:24
PN:CB02701	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.035	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-30-07PROC. REF: AMM 24-30-07								
242098	RIGHT AC GENERATOR CONTROL UNIT							Component ATA:24
PN:CB02701	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.035	AFL	0						
PROC. REF: AMM 24-30-07PROC. REF: AMM 24-30-07								
243001	NO. 1 ENGINE STARTER/GENERATOR							Component ATA:24
PN:23080-064	MOS	16-Mar-18		TSO 3				OVERHAUL
SN:P-1128	HRS	9008.8	1000	TSO 0	10008.8		906.8	
WC#: 24.045	AFL	5727		TSO 0				
PROC. REF: AMM 24-30-21PROC. REF: AMM 24-30-21								
243002	NO. 2 ENGINE STARTER/GENERATOR							Component ATA:24
PN:23080-064	MOS	16-Mar-18		TSO 13				OVERHAUL
SN:Y-10466	HRS	9008.8	1000	TSO 0	10008.8		906.8	
WC#: 24.045	AFL	5727		TSO 0				
PROC. REF: AMM 24-30-21PROC. REF: AMM 24-30-21								
243037	NO. 1 DC GENERATOR CONTROL UNIT							Component ATA:24
PN:51539-006H	MOS/MSC	16-Nov-02	O/C	TSN 0				
SN:97881	HRS	2615.3		TSN 0				
WC#: 24.050	AFL	1557		TSN 0				
PROC. REF: AMM 24-30-07PROC. REF: AMM 24-30-07								
243038	NO. 2 DC GENERATOR CONTROL UNIT							Component ATA:24
PN:51539-006H	MOS/MSC	18-Jan-08	O/C	TSN 0				
SN:93030	HRS	7965.6		TSN 0				
WC#: 24.050	AFL	4987		TSN 0				
PROC. REF: AMM 24-30-07PROC. REF: AMM 24-30-07								
243049	H (UPPER) CONTACTOR							Component ATA:24
PN:A.703.ZS	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.055	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243050	H (LOWER) CONTACTOR							Component ATA:24
PN:A.703.ZS	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.055	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243061	G (UPPER) CONTACTOR							Component ATA:24
PN:A.703.ZS	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.060	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243062	G (LOWER) CONTACTOR							Component ATA:24
PN:A.703.ZS	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.060	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243079	DC VOLTAGE SENSING UNIT							Component ATA:24
PN:U3626	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.070	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243091	GROUND SUPPLY START (E) CONTACTOR							Component ATA:24
PN:LDG150Y4	MOS	14-Nov-05		TSN 0				OVERHAUL
SN:W3869	HRS	5838.9	6000	TSN 0	11838.9		2736.9	
WC#: 24.075	AFL	3640		TSN 0				
243103	APU STARTER/GENERATOR CONTROL UNIT							Component ATA:24
PN:4651539-006H	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.080	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-30-21, AMM 49-11-00PROC. REF: AMM 24-30-21, AMM 49-11-00								
243115	APU STARTER/GENERATOR							Component ATA:24
PN:23080-064	MOS	28-Nov-14		TSO 0				OVERHAUL
SN:5887	HRS	8775.4		TSO 0				
WC#: 24.085	AFL	5483		TSO 0				
	APH	6509	1000	TSO 0	7509		646	
PROC. REF: MMA 49-16-00, AMM 24-30-21PROC. REF: MMA 49-16-00, AMM 24-30-21								
243137	NO. 1 BATTERY							Component ATA:24
PN:9750W0640	MOS/MSC	07-Jun-19	O/C					
SN:150160040	HRS	9086.9						
WC#: 24.090	AFL	5793						
PROC. REF: AMM 24-30-104, AMM 24-30-151PROC. REF: AMM 24-30-104, AMM 24-30-151								
243138	NO. 2 BATTERY							Component ATA:24
PN:9750W0640	MOS/MSC	07-Jun-19	O/C					
SN:150160041	HRS	9086.9						
WC#: 24.090	AFL	5793						
PROC. REF: AMM 24-30-104, AMM 24-30-151PROC. REF: AMM 24-30-104, AMM 24-30-151								
243139	NO. 3 BATTERY							Component ATA:24
PN:RG-126	MOS/MSC	07-Jun-19	O/C					
SN:40783479	HRS	9086.9						
WC#: 24.210	AFL	5793						
PROC. REF: AMM 24-30-104, AMM 24-30-153PROC. REF: AMM 24-30-104, AMM 24-30-153								
243140	NO. 4 BATTERY							Component ATA:24
PN:RG-126	MOS/MSC	In progress	O/C					
SN:40674101	HRS	9086.9						
WC#: 24.220	AFL	5793						
PROC. REF: AMM 24-30-07, AMM 24-30-153, AMM 24-30-154PROC. REF: AMM 24-30-07, AMM 24-30-153, AMM 24-30-154								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243141	NO. 5 BATTERY							Component ATA:24
PN:RG-126	MOS/MSC	18-Mar-24	O/C					
SN:70024271	HRS	9102						
WC#: 24.230	AFL	5804						
PROC. REF: AMM 24-30-153PROC. REF: AMM 24-30-153								
243142	NO. 6 BATTERY							Component ATA:24
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.230	AFL	0		TSN 0				
243143	NO. 7 BATTERY							Component ATA:24
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.230	AFL	0		TSN 0				
243154	CAPACITY CHECK NO. 1 BATTERY							Service ATA:24
PN:9750W0640	MOS	In progress	12 (+1m/-1m)	18-Mar-25	18-Apr-25	OVD		
SN:150160040	HRS	9102						
WC#: 24.090	AFL	5804						
PROC. REF: AMM 24-30-104, AMM 24-30-151PROC. REF: AMM 24-30-104, AMM 24-30-151								
243155	CAPACITY CHECK NO. 2 BATTERY							Service ATA:24
PN:9750W0640	MOS	In progress	12 (+1m/-1m)	18-Mar-25	18-Apr-25	OVD		
SN:150160041	HRS	9102						
WC#: 24.090	AFL	5804						
PROC. REF: AMM 24-30-104, AMM 24-30-151PROC. REF: AMM 24-30-104, AMM 24-30-151								
243156	CAPACITY CHECK NO. 3 BATTERY							Service ATA:24
PN:RG-126	MOS	In progress	12 (+30d/-30d)	18-Mar-25	17-Apr-25	OVD		
SN:40783479	HRS	9102						
WC#: 24.210	AFL	5804						
PROC. REF: AMM 24-30-153, AMM 24-30-154PROC. REF: AMM 24-30-153, AMM 24-30-154								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243157	CAPACITY CHECK NO. 4 BATTERY							Service ATA:24
PN:RG-126	MOS	In progress	12 (+30d/-30d)		18-Mar-25	17-Apr-25	OVD	
SN:40674101	HRS	9102						
WC#: 24.220	AFL	5804						
PROC. REF: AMM 24-30-153, AMM 24-30-154PROC. REF: AMM 24-30-153, AMM 24-30-154								
243158	CAPACITY CHECK NO. 5 BATTERY							Service ATA:24
PN:RG-126	MOS	In progress	12 (+30d/-30d)		18-Mar-25	17-Apr-25	OVD	
SN:70024271	HRS	9102						
WC#: 24.230	AFL	5804						
PROC. REF: AMM 24-30-153, AMM 24-30-154PROC. REF: AMM 24-30-153, AMM 24-30-154								
243159	ENERGY LEVEL TEST NO. 6 BATTERY							Service ATA:24
PN:PN	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.230	AFL	0						
243160	ENERGY LEVEL TEST NO. 7 BATTERY							Service ATA:24
PN:PN	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.230	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243238	OVERVOLTAGE SENSOR							Component ATA:24
PN:E311TS	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.110	AFL	0						
PROC. REF: AMM 24-30-146PROC. REF: AMM 24-30-146								
243246	THERMAL SWITCH							Component ATA:24
PN:21346-6	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.115	AFL	0						
PROC. REF: AMM 26-16-03PROC. REF: AMM 26-16-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243247	S CONTACTOR							Component ATA:24
PN:LDA200-B18C	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.120	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243253	FORWARD U CONTACTOR							Component ATA:24
PN:LDA-200-B18	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.120	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243259	J CONTACTOR							Component ATA:24
PN:A.770-RSS	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.125	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243265	K CONTACTOR							Component ATA:24
PN:A.770-RSS	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.125	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243271	AFT U CONTACTOR							Component ATA:24
PN:A.848-MAS	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.130	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243277	L CONTACTOR							Component ATA:24
PN:9124-9290	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.135	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243283	M CONTACTOR							Component ATA:24
PN:9124-9290	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.135	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245001	BUS TIE (T) CONTACTOR							Component ATA:24
PN:LDA150A-8C	MOS	18-Mar-05		TSO 0				OVERHAUL
SN:P36454	HRS	5250.6	5000	TSO 0	10250.6		1148.6	
WC#: 24.140	AFL			TSO 0				
245043	TEMPERATURE SENSOR							Component ATA:24
PN:548408-1	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 24.170	AFL	0						
PROC. REF: AMM 34-48-622PROC. REF: AMM 34-48-622								
ATA 25 - EQUIPMENT/FURNISHINGS								
250003 ^S	CHECK 3RD CREW MEMBERS SEAT							Service ATA:25
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 25.115	AFL							
								PKG:12,91
250005 ^S	INSPECT EMERGENCY PACKS (IF FITTED)							Service ATA:25
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 25.125	AFL	5804						
								PKG:48,94

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250006 ^S	CHECK FIRST AID KITS							Service ATA:25
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 25.130	AFL	5804						
								PKG:48,94
250007 ^S	OPERATIONAL CHECK CREW SEATS							Service ATA:25
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 25.145	AFL							
								PKG:10,91
250008 ^S	DETAILED CHECK CREW SEATS							Service ATA:25
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 25.150	AFL	4176						
								PKG:34,93
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
251001	NO. 1 CREW SEAT							Component ATA:25
PN:3A/026/0013/00	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 25.010	AFL	0						
PROC. REF: AMM 25-10-14PROC. REF: AMM 25-10-14								
251002	NO. 2 CREW SEAT							Component ATA:25
PN:3A/026/0014/00	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 25.010	AFL	0						
PROC. REF: AMM 25-10-14PROC. REF: AMM 25-10-14								
251020	THROTTLE BOX							Component ATA:25
PN:25-8CX/179-577A	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 25.020	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251038	FLIGHT DECK CONTROLLER							Component ATA:25
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.135	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251057	NO. 1 DIGITAL AUDIO AMPLIFIER							Component ATA:25
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.050	AFL	0		TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
251058	NO. 2 DIGITAL AUDIO AMPLIFIER							Component ATA:25
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.050	AFL	0		TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
253089	MICROWAVE OVEN							Component ATA:25
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.055	AFL	0		TSN 0				
PROC. REF: MMA 25-30-31PROC. REF: MMA 25-30-31								
256001	EMERGENCY LOCATOR TRANSMITTER (ELT)							Component ATA:25
PN:453-5002	MOS/MSC	07-Jun-19	O/C					
SN:210-01195	HRS	9086.9						
WC#: 25.025	AFL	5793						
PROC. REF: MMA 25-61-05, MMA 25-61-10, MMA 25-61-15PROC. REF: MMA 25-61-05, MMA 25-61-10, MMA 25-61-15								
256005	INSPECT EMERGENCY LOCATOR TRANSMITTER (ELT)							Service ATA:25
PN:453-5002	MOS	02-Sep-25	12		02-Sep-26		262 d	
SN:210-01195	HRS	9102						
WC#: 25.025	AFL	5804						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256006	ELT REMOTE (CONTROL UNIT) SWITCH							Component ATA:25
PN:DMU231-2	MOS/MSC	24-Nov-03	O/C	TSN 0				
SN:1787B	HRS	3773.9		TSN 0				
WC#: 25.030	AFL	2305		TSN 0				
256007	REPLACE EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Service ATA:25
PN:452-0133	MOS/MSC	18-Mar-24	DUE		01-Feb-29 (M)		1145 d	
SN:1005119-008	HRS	9102						
WC#: 25.025	AFL	5804						
PROC. REF: MMA 25-61-05, MMA 25-61-10, MMA 25-61-15PROC. REF: MMA 25-61-05, MMA 25-61-10, MMA 25-61-15								
256009	EMERGENCY LOCATOR TRANSMITTER ANTENNA							Component ATA:25
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.015	AFL	0		TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
256010	FUNCTIONAL TEST EMERGENCY LOCATOR TRANSMITTER (ELT)							Service ATA:25
PN:453-5002	MOS	In progress	12		18-Mar-25		OVD	
SN:210-01195	HRS	9102						
WC#: 25.025	AFL	5804						
PROC. REF: MMA 25-61-05, MMA 25-61-10, MMA 25-61-15PROC. REF: MMA 25-61-05, MMA 25-61-10, MMA 25-61-15								
256011	REPLACE ELT REMOTE (CONTROL UNIT) SWITCH BATTERY							Service ATA:25
PN:DMU231-2	MOS/MSC	24-Jun-07	N/A					
SN:1787B	HRS	7449.1						
WC#: 25.030	AFL	4655						
256013	INSPECT LIFE VESTS							Service ATA:25
	MOS/MSC	14-Jun-00	N/R					
	HRS	0						
WC#: 25.040	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256097	DIGITAL INTERFACE UNIT							Component ATA:25
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.140	AFL	0		TSN 0				
PROC. REF: MMA 23-33-40, MMA 23-33-41PROC. REF: MMA 23-33-40, MMA 23-33-41								
256301	EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Component ATA:25
PN:452-0133	MOS/MSC	18-Mar-24	O/C					
SN:1005119-008	HRS	9102						
	AFL	5804						
ATA 26 - FIRE PROTECTION								
260001 ^S	CHECK AFT ENGINE FIRE EXTINGUISHER							Service ATA:26
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 26.020	AFL	5804						
								PKG:43,94
260001 ^S	CHECK FORWARD ENGINE FIRE EXTINGUISHER							Service ATA:26
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 26.010	AFL	5804						
								PKG:43,94
260002 ^S	FUNCTIONAL TEST REAR EQUIPMENT BAY OVERHEAT DETECTION SYSTEM							Service ATA:26
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 26.035	AFL							
								PKG:7,91
PROC. REF: AMM 26-10-00PROC. REF: AMM 26-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
260003	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:C352	MOS	In progress	12 (+1m/-1m)		18-Mar-25	18-Apr-25	OVD		
SN:Y-298384	HRS	9102							
WC#: 26.080	AFL	5804							
WeightCheck Date : : 18-Mar-24							PKG:46,94		
260004	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:C352	MOS	In progress	12 (+1m/-1m)		18-Mar-25	18-Apr-25	OVD		
SN:Y-277761	HRS	9102							
WC#: 26.075	AFL	5804							
WeightCheck Date : : 18-Mar-24							PKG:48,94		
260005 ^S	WEIGHT CHECK AFT ENGINE FIRE EXTINGUISHER							Service	ATA:26
	MOS	In progress	12 (+1m/-1m)						
	HRS	9102							
WC#: 26.020	AFL	5804							
WeightCheck Date : : 18-Mar-24							PKG:49,94		
PROC. REF: AMM 26-20-12PROC. REF: AMM 26-20-12									
260005 ^S	WEIGHT CHECK FORWARD ENGINE FIRE EXTINGUISHER							Service	ATA:26
	MOS	In progress	12 (+1m/-1m)						
	HRS	9102							
WC#: 26.010	AFL	5804							
WeightCheck Date : : 18-Mar-24							PKG:49,94		
PROC. REF: AMM 26-20-12PROC. REF: AMM 26-20-12									
260007 ^S	CHECK/FUNCTIONAL TEST APU FIRE EXTINGUISHER							Service	ATA:26
	MOS	In progress	12 (+1m/-1m)						
	HRS	9102							
WC#: 26.090	AFL	5804							
							PKG:49,94		
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
260008	FUNCTIONAL TEST SMOKE DETECTION SYSTEM (IF FITTED)							Service ATA:26
	MOS/MSC	18-Mar-24	N/R					
	HRS	9102						
WC#: 26.115	AFL	5804						
Special Properties: TRACKED ITEM								
PROC. REF: MMA 26-11-00PROC. REF: MMA 26-11-00								
260010 ^S	CHECK/FUNCTIONAL TEST APU FIRE EXTINGUISHER							Service ATA:26
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 26.085	AFL	5804						
								PKG:49,94
PROC. REF: AMM 49-61-20, CMM 26-20-02PROC. REF: AMM 49-61-20, CMM 26-20-02								
261030	APU ENCLOSURE HOT SECTION LOWER THERMAL SWITCH							Component ATA:26
PN:17343-62-600	MOS/MSC	03-Jul-18	O/C					
SN:9645	HRS	9038.9						
WC#: 26.120	AFL	5753						
PROC. REF: AMM 26-16-03PROC. REF: AMM 26-16-03								
261031	APU ENCLOSURE FUEL CONTROL AREA THERMAL SWITCH							Component ATA:26
PN:17343-62-450	MOS/MSC	03-Jul-18	O/C					
SN:NSN	HRS	9038.9						
WC#: 26.125	AFL	5753						
PROC. REF: AMM 26-16-03PROC. REF: AMM 26-16-03								
261032	APU ENCLOSURE HOT SECTION UPPER THERMAL SWITCH							Component ATA:26
PN:17343-62-600	MOS/MSC	03-Jul-18	O/C					
SN:0005	HRS	9038.9						
WC#: 26.130	AFL	5753						
PROC. REF: AMM 26-16-03PROC. REF: AMM 26-16-03								
261033	APU ENCLOSURE STARTER/GENERATOR AREA THERMAL SWITCH							Component ATA:26
PN:17343-62-450	MOS/MSC	03-Jul-18	O/C					
SN:NSN	HRS	9038.9						
WC#: 26.135	AFL	5753						
PROC. REF: AMM 26-16-03PROC. REF: AMM 26-16-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261034	TEST APU ENCLOSURE HOT SECTION LOWER THERMAL SWITCH							Service ATA:26
PN:17343-62-600	MOS	18-Mar-24	60		18-Mar-29		1190 d	
SN:9645	HRS	9102						
WC#: 26.120	AFL	5804						
261035	TEST APU ENCLOSURE FUEL CONTROL AREA THERMAL SWITCH							Service ATA:26
PN:17343-62-450	MOS	18-Mar-24	60		18-Mar-29		1190 d	
SN:NSN	HRS	9102						
WC#: 26.125	AFL	5804						
261036	TEST APU ENCLOSURE HOT SECTION UPPER THERMAL SWITCH							Service ATA:26
PN:17343-62-600	MOS	18-Mar-24	60		18-Mar-29		1190 d	
SN:0005	HRS	9102						
WC#: 26.130	AFL	5804						
261037	TEST APU ENCLOSURE STARTER/GENERATOR AREA THERMAL SWITCH							Service ATA:26
PN:17343-62-450	MOS	18-Mar-24	60		18-Mar-29		1190 d	
SN:NSN	HRS	9102						
WC#: 26.135	AFL	5804						
261074	OVERHEAT DETECTION SWITCHES TEST							Service ATA:26
	MOS	18-Mar-24	60		18-Mar-29		1190 d	
	HRS	9102						
WC#: 26.030	AFL	5804						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
261171	NO. 1 ENGINE ZONE 1 FIRE DETECTOR							Component ATA:26
PN:3001-112-900/400-10	MOS/MSC	14-Jun-00	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 26.050	AFL	0			TSN 0			
PROC. REF: AMM 26-10-12PROC. REF: AMM 26-10-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261172	NO. 2 ENGINE ZONE 1 FIRE DETECTOR							Component ATA:26
PN:3001-112-900/400-10	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.055	AFL	0		TSN 0				
PROC. REF: AMM 26-10-12PROC. REF: AMM 26-10-12								
261183	NO. 1 ENGINE ZONE 2 FIRE DETECTOR							Component ATA:26
PN:3001-133-900/500-6	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.050	AFL	0		TSN 0				
PROC. REF: AMM 26-10-12PROC. REF: AMM 26-10-12								
261184	NO. 2 ENGINE ZONE 2 FIRE DETECTOR							Component ATA:26
PN:3001-133-900/500-6	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.055	AFL	0		TSN 0				
PROC. REF: AMM 26-10-12PROC. REF: AMM 26-10-12								
261187	NO. 1 ENGINE FIRE DETECTOR HARNESS							Component ATA:26
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.161	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261188	NO. 2 ENGINE FIRE DETECTOR HARNESS							Component ATA:26
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.162	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262001	ENGINE FORWARD FIRE EXTINGUISHER							Component ATA:26
PN:33200009-3	MOS/MSC	03-Jul-18	O/C					
SN:21054C1	HRS	9038.9						
WC#: 26.010	AFL	5753						
PROC. REF: AMM 26-20-12PROC. REF: AMM 26-20-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262002	ENGINE AFT FIRE EXTINGUISHER							Component ATA:26
PN:33200009-3	MOS/MSC	28-Nov-14	O/C					
SN:17947C1	HRS	8775.4						
WC#: 26.020	AFL	5483						
PROC. REF: AMM 26-20-12PROC. REF: AMM 26-20-12								
262025	HYDROSTATIC TEST ENGINE FORWARD FIRE EXTINGUISHER							Service ATA:26
PN:33200009-3	MOS	21-May-18	120		21-May-28		889 d	
SN:21054C1	HRS							
WC#: 26.010	AFL							
HydroCheck Date: : 21-May-18								
262026	HYDROSTATIC TEST ENGINE AFT FIRE EXTINGUISHER							Service ATA:26
PN:33200009-3	MOS	In progress	120		28-Nov-24		OVD	
SN:17947C1	HRS							
WC#: 26.020	AFL							
HydroCheck Date: : 28-Nov-14								
262027	FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE							Component ATA:26
PN:M30900000M	MOS/MSC	03-Jul-18	O/C	TSN 4				
SN:08711	HRS	9038.9		TSN 0				
WC#: 26.015	AFL	5753		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262028	AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE							Component ATA:26
PN:30900000M	MOS/MSC	In progress	O/C	TSN 2				
SN:UNKNOWN	HRS			TSN 0				
WC#: 26.025	AFL			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262029	FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE							Component ATA:26
PN:M30900000M	MOS/MSC	03-Jul-18	O/C	TSN 4				
SN:08702	HRS	9038.9		TSN 0				
WC#: 26.015	AFL	5753		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262030	AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE							Component ATA:26
PN:AE30900000M	MOS/MSC	In progress	O/C	TSN 10				
SN:UNKNOWN	HRS	8775.4		TSN 0				
WC#: 26.025	AFL	5483		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262037	REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (SERVICE LIFE)							Service ATA:26
PN:M30900000M	MOS	03-Jul-18	120		03-Jul-28		932 d	LIFE LIMIT
SN:08711	HRS							
WC#: 26.015	AFL							
Installation Date: : 03-Jul-18								
PROC. REF: AMM 26-20-22PROC. REF: AMM 26-20-22								
262038	REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (SERVICE LIFE)							Service ATA:26
PN:30900000M	MOS	In progress	120		21-Dec-25		7 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.025	AFL							
Installation Date: : 21-Dec-15								
PROC. REF: AMM 26-20-22PROC. REF: AMM 26-20-22								
262049	REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (SERVICE LIFE)							Service ATA:26
PN:M30900000M	MOS	03-Jul-18	120		03-Jul-28		932 d	LIFE LIMIT
SN:08702	HRS							
WC#: 26.015	AFL							
Installation Date: : 03-Jul-18								
PROC. REF: AMM 26-20-22PROC. REF: AMM 26-20-22								
262050	REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (SERVICE LIFE)							Service ATA:26
PN:AE30900000M	MOS	In progress	120		28-Nov-24		OVD	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.025	AFL							
Installation Date: : 28-Nov-14								
PROC. REF: AMM 26-20-22PROC. REF: AMM 26-20-22								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262061	REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (LIFE LIMIT)							Service ATA:26
PN:M30900000M	MOS	01-Mar-18	180		01-Mar-33		2634 d	LIFE LIMIT
SN:08711	HRS							
WC#: 26.015	AFL							
Manufacture Date:: 01-Mar-18								
PROC. REF: AMM 26-20-22PROC. REF: AMM 26-20-22								
262062	REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (LIFE LIMIT)							Service ATA:26
PN:30900000M	MOS	In progress	180		01-Oct-30		1752 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.025	AFL							
Manufacture Date:: 01-Oct-15								
PROC. REF: AMM 26-20-22PROC. REF: AMM 26-20-22								
262073	REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (LIFE LIMIT)							Service ATA:26
PN:M30900000M	MOS	01-Mar-18	180		01-Mar-33		2634 d	LIFE LIMIT
SN:08702	HRS							
WC#: 26.015	AFL							
Manufacture Date:: 01-Mar-18								
PROC. REF: AMM 26-20-22PROC. REF: AMM 26-20-22								
262074	REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (LIFE LIMIT)							Service ATA:26
PN:AE30900000M	MOS	In progress	180		01-Jan-29		1114 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.025	AFL							
Manufacture Date:: 01-Jan-14								
PROC. REF: AMM 26-20-22PROC. REF: AMM 26-20-22								
262091	CABIN PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352	MOS	07-Jun-19	120	TSN 0	07-Jun-29		1271 d	LIFE LIMIT
SN:Y-277761	HRS	9086.9		TSN 0				
WC#: 26.075	AFL	5793		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262109	COCKPIT PORTABLE FIRE EXTINGUISHER							Component	ATA:26
PN:C352	MOS	07-Jun-19	120	TSN 0	07-Jun-29		1271 d	LIFE LIMIT	
SN:Y-298384	HRS	9086.9		TSN 0					
WC#: 26.080	AFL	5793		TSN 0					
262127	APU FIRE EXTINGUISHER							Component	ATA:26
PN:4190-1	MOS/MSC	28-Nov-14	O/C						
SN:1804	HRS	8775.4							
WC#: 26.085	AFL	5483							
PROC. REF: MMA 26-16-00, AMM 26-20-54, AMM 49-61-20PROC. REF: MMA 26-16-00, AMM 26-20-54, AMM 49-61-20									
262137	LEAK CHECK APU FIRE EXTINGUISHER							Service	ATA:26
	MOS/MSC	14-Jun-00	O/C						
	HRS	0							
WC#: 26.085	AFL	0							
PROC. REF: CMM 26-20-02PROC. REF: CMM 26-20-02									
262139	HYDROSTATIC TEST APU FIRE EXTINGUISHER							Service	ATA:26
PN:4190-1	MOS	18-Mar-24	60		18-Mar-29		1190 d		
SN:1804	HRS								
WC#: 26.085	AFL								
Special Properties: TRACKED ITEM			HydroCheck Date: : 18-Mar-24						
262143	APU FORWARD CARTRIDGE							Component	ATA:26
PN:PN-UNKNOWN	MOS/MSC	30-Aug-22	O/C						
SN:UNKNOWN	HRS	9102							
WC#: 26.060	AFL	5804							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262144	APU AFT CARTRIDGE							Component	ATA:26
PN:M30900000M	MOS/MSC	18-Mar-24	O/C	TSN 13	01-Feb-33 (M)		2606 d		
SN:10876	HRS	9102							
WC#: 26.065	AFL	5804							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262145	REPLACE APU FORWARD CARTRIDGE (SERVICE LIFE)							Service ATA:26
PN:PN-UNKNOWN	MOS	30-Aug-22	72		30-Aug-28		990 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.060	AFL							
Installation Date: : 30-Aug-22								
PROC. REF: CMM 26-20-02PROC. REF: CMM 26-20-02								
262157	REPLACE APU FORWARD CARTRIDGE (LIFE LIMIT)							Service ATA:26
PN:PN-UNKNOWN	MOS/MSC		N/R					
SN:UNKNOWN	HRS							
WC#: 26.060	AFL							
Special Properties: TRACKED ITEM								
PROC. REF: AMM 26-20-54, CMM 26-20-02PROC. REF: AMM 26-20-54, CMM 26-20-02								
262163	REPLACE APU AFT CARTRIDGE (LIFE LIMIT)							Service ATA:26
PN:M30900000M	MOS	01-Feb-23	72		01-Feb-29		1145 d	LIFE LIMIT
SN:10876	HRS	9102						
WC#: 26.065	AFL	5804						
Manufacture Date:: 01-Feb-23								
PROC. REF: AMM 26-20-54PROC. REF: AMM 26-20-54								
262190	FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED							Component ATA:26
PN:A1003(1)	MOS/MSC	18-Mar-24	O/C	TSN 13				
SN:UNKNOWN	HRS	9102						
WC#: 26.100	AFL	5804						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262195	AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED							Component ATA:26
PN:A1003(1)	MOS/MSC	18-Mar-24	O/C	TSN 13				
SN:UNKNOWN	HRS	9102						
WC#: 26.105	AFL	5804						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262199	REPLACE FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (LIFE LIMIT)							Service ATA:26
PN:A1003(1)	MOS	21-Feb-23	48		21-Feb-27		434 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.100	AFL							
			Manufacture Date:: 21-Feb-23					
PROC. REF: AMM 26-20-41PROC. REF: AMM 26-20-41								
262200	REPLACE AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (LIFE LIMIT)							Service ATA:26
PN:A1003(1)	MOS	21-Feb-23	48		21-Feb-27		434 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.105	AFL							
			Manufacture Date:: 21-Feb-23					
PROC. REF: AMM 26-20-41PROC. REF: AMM 26-20-41								
262201	REPLACE FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (SERVICE LIFE)							Service ATA:26
PN:A1003(1)	MOS	18-Mar-24	36		18-Mar-27		459 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.100	AFL							
			Installation Date: : 18-Mar-24					
PROC. REF: AMM 26-20-41PROC. REF: AMM 26-20-41								
262202	REPLACE AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (SERVICE LIFE)							Service ATA:26
PN:A1003(1)	MOS	18-Mar-24	36		18-Mar-27		459 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.105	AFL							
			Installation Date: : 18-Mar-24					
PROC. REF: AMM 26-20-41PROC. REF: AMM 26-20-41								
262301	SMOKE DETECTOR AMPLIFIER							Component ATA:26
PN:30-326-7	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.070	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262307	FORWARD BAGGAGE COMPARTMENT SMOKE DETECTOR							Component ATA:26
PN:473054	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.110	AFL	0		TSN 0				
PROC. REF: MMA 26-11-00, AMM 26-10-51PROC. REF: MMA 26-11-00, AMM 26-10-51								
262308	AFT BAGGAGE COMPARTMENT SMOKE DETECTOR							Component ATA:26
PN:473054	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.110	AFL	0		TSN 0				
PROC. REF: MMA 26-11-00, AMM 26-10-51PROC. REF: MMA 26-11-00, AMM 26-10-51								
262309	VANITY SMOKE DETECTOR							Component ATA:26
PN:470354	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.110	AFL	0		TSN 0				
PROC. REF: MMA 26-11-00PROC. REF: MMA 26-11-00								
ATA 27 - FLIGHT CONTROLS								
270002 ^S	INSPECT LEFT WING FLAP VANE INNER							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.490	AFL	4882						
								PKG:27,92
270003 ^S	INSPECT LEFT WING FLAP SCREWJACKS SCREW THREADS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.495	AFL							
								PKG:15,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270004 ^S	FUNCTIONAL TEST STALL WARNING AND IDENTIFICATION SYSTEM							Service ATA:27
	MOS	14-Dec-17						
	HRS	8987.8	800 (+40/-10)					
WC#: 27.120	AFL	5706						
PROC. REF: AMM 27-33-00PROC. REF: AMM 27-33-00								PKG:8,91
270008 ^S	FUNCTIONAL TEST RUDDER BIAS STRUT HEATER MUFFS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.060	AFL							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:8,91
270009 ^S	FUNCTIONAL TEST STALL DETECTOR UNIT (THIRD CHANNEL)							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.110	AFL							
PROC. REF: AMM 27-33-14PROC. REF: AMM 27-33-14								PKG:8,91
270011 ^S	INSPECT GUST LOCKS/AILERONS AND ELEVATORS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.415	AFL							
								PKG:10,91
270012 ^S	CHECK AND INSPECT RUDDER TRIM TAB AND ANTI SERVO TAB							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.450	AFL							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:14,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270013 ^S	CHECK AND INSPECT ELEVATORS AND TRIM TABS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.485	AFL							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:14,91
270014 ^S	INSPECT RUDDER AND ELEVATORS PRIMARY SURFACES							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.420	AFL							
								PKG:14,91
270015 ^S	OPERATIONAL CHECK LEFT AILERON PRIMARY SURFACES							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.425	AFL							
								PKG:15,91
270016 ^S	CHECK AND INSPECT LEFT AILERON TRIM AND SERVO TABS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.435	AFL							
								PKG:15,91
270017 ^S	CHECK LEFT FLAP SCREWJACK AND REDUCTION GEARBOX							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.500	AFL							
PROC. REF: AMM 27-50-141PROC. REF: AMM 27-50-141								PKG:15,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270018 ^S	INSPECT LEFT FLAP SYNCHRONIZATION SYSTEM CONTROL CABLES							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.550	AFL							
								PKG:15,91
270019 ^S	CHECK FLAP CONTROL UNIT							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.525	AFL							
								PKG:15,91
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								
270020 ^S	OPERATE FLAP CONTROL UNIT							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.520	AFL							
								PKG:15,91
270021 ^S	INSPECT LEFT FLAP DRIVE SHAFTS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.510	AFL							
								PKG:15,91
270022 ^S	OPERATIONAL CHECK RIGHT AILERON PRIMARY SURFACES							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.425	AFL							
								PKG:16,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270023 ^S	CHECK AND INSPECT RIGHT AILERON SERVO TABS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.435	AFL							
								PKG:16,91
270024 ^S	CHECK RIGHT FLAP SCREWJACK AND REDUCTION GEARBOX							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.500	AFL							
								PKG:16,91
PROC. REF: AMM 27-50-141PROC. REF: AMM 27-50-141								
270025 ^S	INSPECT RIGHT FLAP SYNCHRONIZATION SYSTEM CONTROL CABLES							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.550	AFL							
								PKG:16,91
270026 ^S	INSPECT RIGHT FLAP DRIVE SHAFTS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.510	AFL							
								PKG:16,91
270027 ^S	FUNCTIONAL TEST FLAP CONTROL SYSTEM							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.200	AFL							
								PKG:18,91
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270028 ^S	FUNCTIONAL TEST AIRBRAKE AND LIFT DUMP SYSTEM							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.260	AFL							
PROC. REF: AMM 27-61-02PROC. REF: AMM 27-61-02								PKG:18,91
270030 ^S	CHECK ELEVATOR TRIM SERVO							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.095	AFL	4882						
								PKG:20,92
270032 ^S	CHECK AILERON AUTOPILOT SERVO CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.440	AFL	4882						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								PKG:22,92
270033 ^S	INSPECT ELEVATOR CONTROL SYSTEM BALANCE/FEEL SPRING							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.100	AFL	4882						
								PKG:22,92
270034 ^S	CHECK ELEVATOR PRIMARY CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.460	AFL	4882						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:23,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270035 ^S	CHECK FLAP CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.540	AFL	4882						
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								PKG:23,92
270036 ^S	CHECK ELEVATOR PRIMARY AND ELEVATOR TRIM CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.465	AFL	4882						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:25,92
270037 ^S	CHECK RUDDER PRIMARY AND RUDDER TRIM CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.455	AFL	4882						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:25,92
270038 ^S	CHECK ELEVATOR AUTOPILOT SERVO CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.475	AFL	4882						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:25,92
270039 ^S	CHECK RUDDER AUTOPILOT SERVO CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.445	AFL	4882						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:25,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270040 ^S	CHECK ELEVATOR AUTOPILOT TRIM-SERVO CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.480	AFL	4882						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:25,92
270041 ^S	INSPECT ELEVATOR TRIM CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.470	AFL	4882						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:26,92
270042 ^S	CHECK LEFT AILERON PRIMARY AND TRIM CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.430	AFL	4882						
								PKG:27,92
270043 ^S	INSPECT LEFT FLAP DRIVE SHAFT UNIVERSAL JOINT							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.565	AFL	4882						
								PKG:27,92
270044 ^S	CHECK LEFT FLAP BEVEL DRIVE ASSEMBLY							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.535	AFL	4882						
								PKG:27,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270045 ^S	CHECK FLAP CONTROL UNIT BAULK RELEASE CABLE							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.515	AFL	4882						
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								PKG:27,92
270046 ^S	CHECK FLAP/AIRBRAKE BAULK BOBBIN							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.575	AFL	4882						
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								PKG:27,92
270047 ^S	CHECK FLAP SPRING DRUM PULLEY-LEVER							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.555	AFL	4882						
								PKG:27,92
270048 ^S	CHECK LEFT FLAP SCREWJACK/REDUCTION GEARBOX							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.505	AFL	4882						
PROC. REF: AMM 27-50-141PROC. REF: AMM 27-50-141								PKG:27,92
270049 ^S	CHECK LEFT FLAP SYNCHRONIZING SYSTEM							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.530	AFL	4882						
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								PKG:27,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270050 ^S	CHECK LEFT AIRBRAKE CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.570	AFL	4882						
PROC. REF: AMM 27-61-02PROC. REF: AMM 27-61-02								PKG:27,92
270051 ^S	CHECK RIGHT AILERON PRIMARY AND TRIM CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.430	AFL	4882						
								PKG:28,92
270052 ^S	INSPECT RIGHT FLAP DRIVE SHAFT UNIVERSAL JOINT							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.565	AFL	4882						
								PKG:28,92
270053 ^S	CHECK RIGHT FLAP BEVEL DRIVE ASSEMBLY							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.535	AFL	4882						
								PKG:28,92
270054 ^S	CHECK RIGHT FLAP SCREWJACK/REDUCTION GEARBOX							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.505	AFL	4882						
PROC. REF: AMM 27-50-141PROC. REF: AMM 27-50-141								PKG:28,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270055 ^S	CHECK RIGHT FLAP SYNCHRONIZING SYSTEM							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.530	AFL	4882						
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								PKG:28,92
270056 ^S	CHECK RIGHT AIRBRAKE CONTROL CABLES							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.570	AFL	4882						
PROC. REF: AMM 27-61-02PROC. REF: AMM 27-61-02								PKG:28,92
270057 ^S	CHECK FLAP CONTROL FORWARD SPRING STRUT							Service ATA:27
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 27.560	AFL	4176						
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								PKG:34,93
270058 ^S	CHECK FLAP CONTROL INPUT-CIRCUIT							Service ATA:27
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 27.210	AFL	4176						
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								PKG:34,93
270059 ^S	INSPECT CONTROL CABLE PRESSURE SEALS AT REAR PRESSURE BULKHEAD							Service ATA:27
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 27.545	AFL	5804						
								PKG:49,94

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270060 ^S	REPLACE FLAP AUXILIARY HYDRAULIC SYSTEM SUPPLY TO FLAP CONTROL UNIT FILTER							Service ATA:27
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 27.215	AFL	4176						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:40,93
270061	CHECK FLIGHT CONTROL CABLES TENSION							Service ATA:27
	MOS/MSC	23-Jun-08	O/C					
	HRS	8208.8						
WC#: 27.010	AFL	5130						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
270063	LUBRICATE/CLEAN SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service ATA:27
	MOS/MSC	14-Jun-00	C/C					
	HRS	0						
WC#: 27.030	AFL	0						
270064 ^S	INSPECT RIGHT WING FLAP VANE INNER							Service ATA:27
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 27.490	AFL	4882						
								PKG:28,92
270065 ^S	INSPECT RIGHT WING FLAP SCREWJACKS SCREW THREADS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.495	AFL							
								PKG:16,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270066 ^S	INSPECT LEFT AILERON CONTROL CABLE PRESSURE SEALS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.600	AFL							PKG:15,91
270067 ^S	INSPECT RIGHT AILERON CONTROL CABLE PRESSURE SEALS							Service ATA:27
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 27.605	AFL							PKG:16,91
270068 ^S	LUBRICATE/CLEAN AILERON SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service ATA:27
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 27.610	AFL	5804						PKG:96
270069 ^S	LUBRICATE/CLEAN ELEVATOR SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service ATA:27
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 27.615	AFL	5804						PKG:96
270070 ^S	LUBRICATE/CLEAN RUDDER SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service ATA:27
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 27.620	AFL	5804						PKG:96

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270071 ^S	INSPECT RUDDER TRIM JACK							Service ATA:27
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
	AFL	5804						
PROC. REF: AMM 27-20-11PROC. REF: AMM 27-20-111								PKG:96
270072 ^S	INSPECT ELEVATOR TRIM JACK							Service ATA:27
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
	AFL	5804						
PROC. REF: AMM 27-30-51PROC. REF: AMM 27-30-51								PKG:96
270100	LEFT CONTROL COLUMN							Component ATA:27
PN:25-8CF53-217	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.015	AFL	0		TSN 0				
PROC. REF: AMM 27-10-11PROC. REF: AMM 27-10-11								
270102	RIGHT CONTROL COLUMN							Component ATA:27
PN:25-8CF55-215	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.015	AFL	0		TSN 0				
PROC. REF: AMM 27-10-11PROC. REF: AMM 27-10-11								
271001	LEFT AILERON							Component ATA:27
PN:25-9WG1-111A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.020	AFL	0		TSN 0				
PROC. REF: AMM 27-10-31PROC. REF: AMM 27-10-31								
271002	RIGHT AILERON							Component ATA:27
PN:25-9WG1-112A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.020	AFL	0		TSN 0				
PROC. REF: AMM 27-10-31PROC. REF: AMM 27-10-31								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
271025	AILERON TRIM SCREWJACK							Component ATA:27
PN:25-8CW49/39A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.025	AFL	0		TSN 0				
PROC. REF: AMM 27-10-71PROC. REF: AMM 27-10-71								
272001	RUDDER							Component ATA:27
PN:25TR235A/L	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:8459	HRS	0		TSN 0				
WC#: 27.045	AFL	0		TSN 0				
PROC. REF: AMM 27-20-23PROC. REF: AMM 27-20-23								
272019	RUDDER TRIM JACK							Component ATA:27
PN:25CW573G	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: AMM 27-20-111PROC. REF: AMM 27-20-111								
272020	RUDDER GEARED TAB							Component ATA:27
PN:25TR209A/F	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
272021	RUDDER TRIM TAB							Component ATA:27
PN:25TR221A/F	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.285	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
272022	LEFT RUDDER PEDAL ASSEMBLY							Component ATA:27
PN:25-CF1365A/G	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.065	AFL	0		TSN 0				
PROC. REF: AMM 27-20-35PROC. REF: AMM 27-20-35								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272023	RIGHT RUDDER PEDAL ASSEMBLY							Component ATA:27
PN:25-CF1365A/G	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.065	AFL	0		TSN 0				
PROC. REF: AMM 27-20-35PROC. REF: AMM 27-20-35								
272049	LEFT RUDDER BIAS STRUT							Component ATA:27
PN:ACA1218	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.055	AFL	0		TSN 0				
PROC. REF: AMM 27-20-51PROC. REF: AMM 27-20-51								
272050	RIGHT RUDDER BIAS STRUT							Component ATA:27
PN:ACA1218	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.055	AFL	0		TSN 0				
PROC. REF: AMM 27-20-51PROC. REF: AMM 27-20-51								
272066	LEFT RUDDER BIAS STRUT HEATER MUFF							Component ATA:27
PN:XC5732	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
272067	RIGHT RUDDER BIAS STRUT HEATER MUFF							Component ATA:27
PN:XC5732	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.061	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
272103	LEFT RUDDER BIAS PRESSURE SWITCH							Component ATA:27
PN:HTE.690011	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272105	RIGHT RUDDER BIAS PRESSURE SWITCH							Component ATA:27
PN:HTE.690011	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273001	LEFT ELEVATOR							Component ATA:27
PN:258TE1-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.070	AFL	0		TSN 0				
PROC. REF: AMM 27-30-22PROC. REF: AMM 27-30-22								
273002	RIGHT ELEVATOR							Component ATA:27
PN:258TE1-2A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:712	HRS	0		TSN 0				
WC#: 27.070	AFL	0		TSN 0				
PROC. REF: AMM 27-30-22PROC. REF: AMM 27-30-22								
273021	ELEVATOR TRIM SERVOMOTOR							Component ATA:27
PN:622-3260-001	MOS	28-Nov-14		TSO 0				OVERHAUL
SN:878	HRS	8775.4	3500	TSO 0	12275.4		3173.4	
WC#: 27.085	AFL	5483		TSO 0				
PROC. REF: AMM 27-30-61PROC. REF: AMM 27-30-61								
273022	ELEVATOR TRIM SERVOMOTOR MOUNT ASSEMBLY							Component ATA:27
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.701	AFL	0		TSN 0				
273025	LEFT ELEVATOR TRIM JACK							Component ATA:27
PN:25-8CT29-115A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:594	HRS	0		TSN 0				
WC#: 27.080	AFL	0		TSN 0				
PROC. REF: AMM 27-30-51PROC. REF: AMM 27-30-51								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273026	RIGHT ELEVATOR TRIM JACK							Component ATA:27
PN:25-8CT29-116A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:596	HRS	0		TSN 0				
WC#: 27.080	AFL	0		TSN 0				
PROC. REF: AMM 27-30-51PROC. REF: AMM 27-30-51								
273040	LEFT ELEVATOR TRIM TAB							Component ATA:27
PN:25-8TE3-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273041	RIGHT ELEVATOR TRIM TAB							Component ATA:27
PN:25-8TE3-2A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273104	LEFT STICK SHAKER							Component ATA:27
PN:B1443/2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.140	AFL	0		TSN 0				
PROC. REF: AMM 27-33-20PROC. REF: AMM 27-33-20								
273105	RIGHT STICK SHAKER							Component ATA:27
PN:B1443/2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.140	AFL	0		TSN 0				
PROC. REF: AMM 27-33-20PROC. REF: AMM 27-33-20								
273110	FORWARD STALL WARNING DETECTOR							Component ATA:27
PN:C87706-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.145	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273111	AFT STALL WARNING DETECTOR							Component ATA:27
PN:C87706-1	MOS/MSC	08-Jul-04	O/C	TSR 0				
SN:787	HRS	4387.5		TSR 0				
WC#: 27.145	AFL	2681		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273115	NO. 1 STALL WARNING VANE							Component ATA:27
PN:1703-12MODA/B	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273116	NO. 2 STALL WARNING VANE							Component ATA:27
PN:1703-12MODA/B	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273121	THIRD CHANNEL STALL DETECTOR							Component ATA:27
PN:10201-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.305	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275001	LEFT FLAP							Component ATA:27
PN:25-8WF251-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.155	AFL	0		TSN 0				
PROC. REF: AMM 27-50-151PROC. REF: AMM 27-50-151								
275002	RIGHT FLAP							Component ATA:27
PN:25-8WF251-2A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.155	AFL	0		TSN 0				
PROC. REF: AMM 27-50-151PROC. REF: AMM 27-50-151								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275025	LEFT FLAP SCREWJACK AND REDUCTION GEARBOX							Component ATA:27
PN:25-8CW159AC	MOS	07-Jun-19						OVERHAUL
SN:MFC/R3/DHB/036	HRS	9086.9						
WC#: 27.160	AFL	5793	4000	TSN 2024	7769		1965	
PROC. REF: AMM 27-50-141PROC. REF: AMM 27-50-141								
275026	RIGHT FLAP SCREWJACK AND REDUCTION GEARBOX							Component ATA:27
PN:25-8CW161A/C	MOS	15-Feb-06		TSO 0				OVERHAUL
SN:MEC/DHB/538	HRS	6109.5		TSO 0				
WC#: 27.160	AFL	3807	4000	TSO 0	7807		2003	
PROC. REF: AMM 27-50-141PROC. REF: AMM 27-50-141								
275049	LEFT OUTBOARD FLAP VANE							Component ATA:27
PN:25-8WF13-65	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.165	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275050	RIGHT OUTBOARD FLAP VANE							Component ATA:27
PN:25-8WF13-66	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275051	LEFT INBOARD FLAP VANE							Component ATA:27
PN:25-7WF101A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.165	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275052	RIGHT INBOARD FLAP VANE							Component ATA:27
PN:25-7WF102-A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275057	LEFT FLAP BEVEL SHAFT ASSEMBLY							Component ATA:27
PN:25-CF2667A/D	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275058	RIGHT FLAP BEVEL SHAFT ASSEMBLY							Component ATA:27
PN:25-CF2668A/D	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275073	FLAP CONTROL UNIT							Component ATA:27
PN:614MK2	MOS	02-Mar-04		TSO 0				OVERHAUL
SN:R783	HRS	4090.9		TSO 0				
WC#: 27.180	AFL	2492	6000	TSO 0	8492		2688	
PROC. REF: AMM 27-50-121PROC. REF: AMM 27-50-121								
275074	FLAP DESIGN UNIT ASSEMBLY							Component ATA:27
PN:258NW111-1A	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 27.590	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275085	FLAP SYNCHRONIZING SYSTEM RECEIVER							Component ATA:27
PN:617MK4	MOS	27-Nov-06		TSO 0				OVERHAUL
SN:5847	HRS	6928.4		TSO 0				
WC#: 27.185	AFL	4323	4500	TSO 0	8823		3019	
PROC. REF: AMM 27-50-162PROC. REF: AMM 27-50-162								
275091	FLAP POSITION INDICATOR							Component ATA:27
PN:2132-1-11	MOS/MSC	24-May-04	O/C	TSO 0				
SN:82276	HRS	4365.8		TSO 0				
WC#: 27.190	AFL	2665		TSO 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275097	FLAP POSITION TRANSMITTER							Component ATA:27
PN:25-8CW209-1A	MOS/MSC	26-Aug-06	O/C	TSO 0				
SN:258374	HRS	6683.9		TSO 0				
WC#: 27.195	AFL	4176		TSO 0				
PROC. REF: AMM 27-50-181PROC. REF: AMM 27-50-181								
275145	LEFT FLAP INBOARD FORWARD SYNCHRO CABLE							Component ATA:27
PN:25CF3455/17A	MOS	17-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 27.220	AFL	4882	5000	TSN 0	9882		4078	
275146	RIGHT FLAP INBOARD FORWARD SYNCHRO CABLE							Component ATA:27
PN:25CF3455/9A	MOS	17-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 27.225	AFL	4882	5000	TSN 0	9882		4078	
275147	LEFT FLAP INBOARD AFT SYNCHRO CABLE							Component ATA:27
PN:25CF3455-19A	MOS	17-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 27.220	AFL	4882	5000	TSN 0	9882		4078	
275148	RIGHT FLAP INBOARD AFT SYNCHRO CABLE							Component ATA:27
PN:25CF3455/11A	MOS	17-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 27.225	AFL	4882	5000	TSN 0	9882		4078	
275149	LEFT FLAP OUTBOARD FORWARD SYNCHRO CABLE							Component ATA:27
PN:25CF3455/3A	MOS	17-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 27.230	AFL	4882	5000	TSN 0	9882		4078	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275150	RIGHT FLAP OUTBOARD FORWARD SYNCHRO CABLE							Component ATA:27
PN:25CF3455/13A	MOS	17-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 27.235	AFL	4882	5000	TSN 0	9882		4078	
275151	LEFT FLAP OUTBOARD AFT SYNCHRO CABLE							Component ATA:27
PN:25CF3455/7A	MOS	17-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 27.230	AFL	4882	5000	TSN 0	9882		4078	
275152	RIGHT FLAP OUTBOARD AFT SYNCHRO CABLE							Component ATA:27
PN:25CF3455/15A	MOS	17-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 27.235	AFL	4882	5000	TSN 0	9882		4078	
276001	LEFT UPPER AIRBRAKE							Component ATA:27
PN:25-8WB-9-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.240	AFL	0		TSN 0				
PROC. REF: AMM 27-61-21PROC. REF: AMM 27-61-21								
276002	RIGHT UPPER AIRBRAKE							Component ATA:27
PN:25-8WB-9-2A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.245	AFL	0		TSN 0				
PROC. REF: AMM 27-61-21PROC. REF: AMM 27-61-21								
276003	LEFT LOWER AIRBRAKE							Component ATA:27
PN:25-7WB-1A/B	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.240	AFL	0		TSN 0				
PROC. REF: AMM 27-61-21PROC. REF: AMM 27-61-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276004	RIGHT LOWER AIRBRAKE							Component ATA:27
PN:25-7WB-2A/B	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.245	AFL	0		TSN 0				
PROC. REF: AMM 27-61-21PROC. REF: AMM 27-61-21								
276039	LEFT AIRBRAKE JACK ASSEMBLY							Component ATA:27
PN:AIR46520-1	MOS	22-Feb-08		TSO 0				OVERHAUL
SN:LK05500	HRS	8076	3000	TSO 0	11076		1974	
WC#: 27.250	AFL	5049		TSO 0				
PROC. REF: AMM 27-61-31PROC. REF: AMM 27-61-31								
276040	RIGHT AIRBRAKE JACK ASSEMBLY							Component ATA:27
PN:AIR46521/2	MOS	25-Jan-17		TSO 4				OVERHAUL
SN:APB971552	HRS	8891.2	3000	TSO 0	11891.2		2789.2	
WC#: 27.255	AFL	5619		TSO 0				
PROC. REF: AMM 27-61-31PROC. REF: AMM 27-61-31								
276051	LEFT AIRBRAKE JACK BODY							Component ATA:27
PN:AIR111478	MOS	22-Feb-08						LIFE LIMIT
SN:LK05500	HRS	8076						
WC#: 27.250	AFL	5049	25000	TSN 4083	25966		20162	
PROC. REF: AMM 27-61-31PROC. REF: AMM 27-61-31								
276052	RIGHT AIRBRAKE JACK BODY							Component ATA:27
PN:AIR111463	MOS	22-Feb-08						LIFE LIMIT
SN:APB970804	HRS							
WC#: 27.255	AFL	3640	25000	TSN 8100	20540		14736	
PROC. REF: AMM 27-61-31PROC. REF: AMM 27-61-31								
276063	LEFT AIRBRAKE JACK EYE END							Component ATA:27
PN:AIR150338	MOS/MSC	22-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	8076		TSN 0				
WC#: 27.250	AFL	5049		TSN 0				
PROC. REF: AMM 27-61-31PROC. REF: AMM 27-61-31								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276064	RIGHT AIRBRAKE JACK EYE END							Component ATA:27
PN: AIR150339	MOS/MSC	26-Mar-03	O/C	TSO 0				
SN: LK016	HRS	2987.9		TSO 0				
WC#: 27.255	AFL	1781		TSO 0				
PROC. REF: AMM 27-61-31PROC. REF: AMM 27-61-31								
276110	STICK PUSHER							Component ATA:27
PN: PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 27.585	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 28 - FUEL								
280001 ^S	FLOW CHECK FUEL TRANSFER SYSTEM, WING TANKS							Service ATA:28
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 28.075	AFL							
								PKG:7,91
280002 ^S	CHECK FUEL VALVE CONTROL CABLES							Service ATA:28
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 28.010	AFL	4882						
								PKG:23,92
280003 ^S	FUNCTIONAL TEST LP VALVES							Service ATA:28
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 28.050	AFL	4176						
								PKG:31,93
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280004 ^S	INSPECT/CLEAN OR REPLACE APU FUEL INLET FILTER ELEMENT (IF FITTED)							Service ATA:28
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 28.085	AFL	4176						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								PKG:37,93
280005 ^S	VISUALLY INSPECT LEFT WING SUCTION PIPE STRAINERS							Service ATA:28
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 28.165	AFL	4882						
								PKG:27,92
280006 ^S	VISUALLY INSPECT LEFT WING WATER TRANSFER SYSTEM PIPE SUCTION BLOCKS							Service ATA:28
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 28.170	AFL	4882						
								PKG:27,92
280007 ^S	VISUALLY INSPECT RIGHT WING SUCTION PIPE STRAINERS							Service ATA:28
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 28.165	AFL	4882						
								PKG:28,92
280008 ^S	VISUALLY INSPECT RIGHT WING WATER TRANSFER SYSTEM PIPE SUCTION BLOCKS							Service ATA:28
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 28.170	AFL	4882						
								PKG:28,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280010	CHECK CABLE TENSION OF FUEL CONTROL VALVES							Service ATA:28
	MOS/MSC	14-Jun-00	O/C					
	HRS	0						
WC#: 28.020	AFL	0						
PROC. REF: AMM 28-20-83PROC. REF: AMM 28-20-83								
280014 ^S	CHECK LEFT BOOST PUMP BRUSH LENGTH							Service ATA:28
PN:2C40-2	MOS/MSC	09-Nov-07	N/R					
SN:10AR140	HRS	7773.3						
WC#: 28.080	AFL	4882						
								PKG:27,92
280015 ^S	CHECK RIGHT BOOST PUMP BRUSH LENGTH							Service ATA:28
PN:2C40-2	MOS/MSC	09-Nov-07	N/R					
SN:12BA193	HRS	7773.3						
WC#: 28.080	AFL	4882						
								PKG:28,92
280016 ^S	VISUAL INSPECTION LOW PRESSURE FUEL VALVE SUPPORT STRUT. PART NO. 25 PF361, 25 PF361-5A (MOD. 25G310A) AND 25 PF363							Service ATA:28
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 28.195	AFL	5804						
								PKG:96
281067	VENTRAL FUEL TANK							Component ATA:28
PN:25-8PT463-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.015	AFL	0		TSN 0				
PROC. REF: AMM 28-10-15PROC. REF: AMM 28-10-15								
282001	LEFT WING HIGH LEVEL FLOAT SWITCH							Component ATA:28
PN:3515000/107	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.025	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-22-143PROC. REF: AMM 28-22-143								
282002 RIGHT WING HIGH LEVEL FLOAT SWITCH								Component ATA:28
PN:3515000/107	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.025	AFL	0		TSN 0				
PROC. REF: AMM 28-22-143PROC. REF: AMM 28-22-143								
282004 LOW PRESSURE FUEL COCK VALVE								Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.191	AFL	0		TSN 0				
282005 LEFT FUEL COCK								Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282006 RIGHT FUEL COCK								Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282007 LEFT FUEL ACTUATOR								Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.185	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282008 RIGHT FUEL ACTUATOR								Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.185	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282009	LEFT FUEL NON-RETURN VALVE							Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: AMM 28-20-32PROC. REF: AMM 28-20-32								
282010	RIGHT FUEL NON-RETURN VALVE							Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: AMM 28-20-32PROC. REF: AMM 28-20-32								
282011	LEFT FUEL NON-RETURN VALVE							Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.192	AFL	0		TSN 0				
PROC. REF: AMM 28-20-32PROC. REF: AMM 28-20-32								
282012	RIGHT FUEL NON-RETURN VALVE							Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.193	AFL	0		TSN 0				
PROC. REF: AMM 28-20-32PROC. REF: AMM 28-20-32								
282025	APU FUEL PRESSURE SWITCH							Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 28-22-91PROC. REF: AMM 28-22-91								
282053	LEFT FUEL SYSTEM RIB NO.8 NON-RETURN VALVE							Component ATA:28
PN:AWE124-13	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.035	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-20-32PROC. REF: AMM 28-20-32								
282054 RIGHT FUEL SYSTEM RIB NO.8 NON-RETURN VALVE								Component ATA:28
PN:AWE124-13	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.035	AFL	0		TSN 0				
PROC. REF: AMM 28-20-32PROC. REF: AMM 28-20-32								
282253 LEFT HAND LP FUEL VALVE								Component ATA:28
PN:HTE1984	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.045	AFL	0		TSN 0				
282254 RIGHT HAND LP FUEL VALVE								Component ATA:28
PN:HTE1984	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.045	AFL	0		TSN 0				
282289 FUEL 3C VALVE								Component ATA:28
PN:HTE1984	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.055	AFL	0		TSN 0				
PROC. REF: AMM 28-20-61PROC. REF: AMM 28-20-61								
282295 FUEL 4S VALVE								Component ATA:28
PN:HTE1984	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 28-20-61PROC. REF: AMM 28-20-61								
282301 VENTRAL TANK FUEL TRANSFER VALVE								Component ATA:28
PN:HTE1984/1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.065	AFL	0		TSN 0				
PROC. REF: AMM 28-20-78PROC. REF: AMM 28-20-78								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282343	LEFT BOOST PUMP							Component ATA:28
PN:2C40-2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:10AR140	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 28-20-12PROC. REF: AMM 28-20-12								
282344	RIGHT BOOST PUMP							Component ATA:28
PN:2C40-2	MOS/MSC	06-Dec-06	O/C	TSR 0				
SN:12BA193	HRS	6943.8		TSR 0				
WC#: 28.080	AFL	4333		TSR 0				
PROC. REF: AMM 28-20-12PROC. REF: AMM 28-20-12								
282384	SINGLE-POINT PRESSURE CONTROL VALVE							Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284013	LEFT NO. 1 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284014	RIGHT NO.1 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284015	LEFT NO.2 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.105	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284016	RIGHT NO.2 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.105	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284017	LEFT NO.3 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-3	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284018	RIGHT NO.3 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-3	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284019	LEFT NO.4 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-4	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.115	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284020	RIGHT NO.4 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-4	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.115	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284021	LEFT NO.5 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-5	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.120	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284022	RIGHT NO.5 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-5	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.120	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284023	LEFT NO.6 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-6	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.125	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284024	RIGHT NO.6 FUEL TANK UNIT							Component ATA:28
PN:0207-KTU-6	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.125	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284025	LEFT NO.7 FUEL TANK CONTENTS UNIT							Component ATA:28
PN:0207-KTU-7	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284026	RIGHT NO.7 FUEL TANK CONTENTS UNIT							Component ATA:28
PN:0207-KTU-7	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284115	LEFT FUEL QUANTITY INDICATOR							Component ATA:28
PN:WL1901KID-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284116	RIGHT FUEL QUANTITY INDICATOR							Component ATA:28
PN:WL1901KID1	MOS/MSC	23-Feb-02	O/C	TSO 0				
SN:TT2255	HRS	1805.1		TSO 0				
WC#: 28.140	AFL	1050		TSO 0				
PROC. REF: AMM 28-42-03PROC. REF: AMM 28-42-03								
284130	FUEL PRESSURE SWITCH							Component ATA:28
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.194	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284139	VENTRAL TANK LOW LEVEL FLOAT SWITCH							Component ATA:28
PN:3515000/149	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.145	AFL	0		TSN 0				
PROC. REF: AMM 28-20-78PROC. REF: AMM 28-20-78								
284145	VENTRAL TANK HIGH LEVEL FLOAT SWITCH							Component ATA:28
PN:3515001-105	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-22-143PROC. REF: AMM 28-22-143								
284151	LEFT SURGE TANK FLOAT SWITCH							Component ATA:28
PN:3515000-106	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.155	AFL	0		TSN 0				
PROC. REF: AMM 28-44-43PROC. REF: AMM 28-44-43								
284152	RIGHT SURGE TANK FLOAT SWITCH							Component ATA:28
PN:3515000-106	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.155	AFL	0		TSN 0				
PROC. REF: AMM 28-44-43PROC. REF: AMM 28-44-43								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
290003 ^S	REPLACE HYDRAULIC SUCTION FILTER ELEMENT							Service ATA:29
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 29.070	AFL							
PROC. REF: AMM 29-10-21PROC. REF: AMM 29-10-21								PKG:13,91
290004 ^S	FUNCTIONAL TEST MAIN HYDRAULIC SYSTEM							Service ATA:29
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 29.075	AFL							
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00								PKG:18,91
290005 ^S	OPERATIONAL TEST LANDING GEAR AND FLAPS EMERGENCY LOWERING SYSTEM							Service ATA:29
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 29.115	AFL							
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:18,91
290006 ^S	DRAIN HYDRAULIC TANK PRESSURIZATION SYSTEM							Service ATA:29
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 29.160	AFL	4882						
								PKG:25,92
290007 ^S	TEST FLAPS, AIRBRAKES, LANDING GEAR, NOSEWHEEL STEERING, NOSE LEG SELF-CENTERING							Service ATA:29
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 29.165	AFL	4882						
								PKG:30,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
290008 ^S	CHECK EMERGENCY BRAKE SYSTEM LEAK RATE							Service ATA:29
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 29.175	AFL	4882						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:30,92
290009 ^S	FUNCTIONAL TEST AUXILIARY RESERVOIR LOW-LEVEL WARNING SYSTEM							Service ATA:29
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 29.180	AFL							
PROC. REF: AMM 29-30-00PROC. REF: AMM 29-30-00								PKG:18,91
290010 ^S	FUNCTIONAL TEST HYDRAULIC RESERVOIR PRESSURIZATION SYSTEM							Service ATA:29
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 29.170	AFL	4882						
PROC. REF: AMM 29-10-13PROC. REF: AMM 29-10-13								PKG:30,92
290011 ^S	CLEAN FULL-FLOW RELIEF VALVE							Service ATA:29
	MOS	27-Nov-06						
	HRS	6928.4	3200 (+150/-50)					
WC#: 29.005	AFL	4323						
PROC. REF: AMM 29-10-71PROC. REF: AMM 29-10-71								PKG:37,93
290012 ^S	INSPECT HYDRAULIC POWER HIGH TEMPERATURE WARNING SYSTEM							Service ATA:29
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 29.145	AFL	4176						
PROC. REF: AMM 29-30-00PROC. REF: AMM 29-30-00								PKG:37,93

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291018	PRESSURE REGULATOR VALVE							Component ATA:29
PN: PAS129-163	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291025	NO. 1 ENGINE HYDRAULIC PUMP CASE DRAIN NONRETURN VALVE							Component ATA:29
PN: AIR87240/0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291026	NO. 2 ENGINE HYDRAULIC PUMP CASE DRAIN NONRETURN VALVE							Component ATA:29
PN: AIR87240/0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291037	LEFT HYDRAULIC SUCTION VALVE							Component ATA:29
PN: 7907015E	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.020	AFL	0		TSN 0				
PROC. REF: AMM 29-10-31PROC. REF: AMM 29-10-31								
291038	RIGHT HYDRAULIC SUCTION VALVE							Component ATA:29
PN: 7907015E	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.020	AFL	0		TSN 0				
PROC. REF: AMM 29-10-31PROC. REF: AMM 29-10-31								
291049	NO. 1 FULL FLOW HYDRAULIC RELIEF VALVE							Component ATA:29
PN: AIR45394-0	MOS	27-Nov-06		TSO 0				OVERHAUL
SN: LK0696	HRS	6928.4		TSO 0				
WC#: 29.025	AFL	4323	4500	TSO 0	8823		3019	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291050	NO. 2 FULL FLOW HYDRAULIC RELIEF VALVE							Component ATA:29
PN: AIR45394-0	MOS	27-Nov-06		TSO 0				OVERHAUL
SN: LK8900466	HRS	6928.4		TSO 0				
WC#: 29.025	AFL	4323	4500	TSO 0	8823		3019	
291061	NO. 1 DUNLOP VALVE							Component ATA:29
PN: PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291062	NO. 2 DUNLOP VALVE							Component ATA:29
PN: PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291063	NO. 3 DUNLOP VALVE							Component ATA:29
PN: PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291073	PRESSURE MAINTAINING VALVE							Component ATA:29
PN: AIR45474	MOS	24-Aug-06		TSO 0				OVERHAUL
SN: APB890080	HRS	6683.9		TSO 0				
WC#: 29.030	AFL	4176	5000	TSO 0	9176		3372	
291079	GROUND SERVICE HANDPUMP SUPPLY NONRETURN VALVE							Component ATA:29
PN: AIR48026-0-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291091	MAIN HYDRAULIC RESERVOIR							Component ATA:29
PN:25-8HC7/1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.040	AFL	0		TSN 0				
PROC. REF: AMM 29-10-13PROC. REF: AMM 29-10-13								
291096	HYDRAULIC PRESSURE GAUGE							Component ATA:29
PN:G-6419-30-002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291103	MAIN HYDRAULIC ACCUMULATOR							Component ATA:29
PN:AIR45574-3-4	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.050	AFL	0		TSN 0				
PROC. REF: AMM 29-10-81PROC. REF: AMM 29-10-81								
291109	EMERGENCY BRAKE ACCUMULATOR							Component ATA:29
PN:AIR45574-3-4	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291131	HYDRAULIC FILTER							Component ATA:29
PN:MFH15104-03	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291132	PRESSURE FILTER ASSEMBLY							Component ATA:29
PN:B2125-H4	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.065	AFL	0		TSN 0				
PROC. REF: AMM 29-10-21PROC. REF: AMM 29-10-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291163	NO. 1 ENGINE HYDRAULIC PUMP							Component ATA:29
PN:AP05V-086-03	MOS/MSC	27-Dec-05	O/C	TSO 0				
SN:AE024	HRS	5948.2		TSO 0				
WC#: 29.080	AFL	3707		TSO 0				
PROC. REF: AMM 29-10-54PROC. REF: AMM 29-10-54								
291164	NO. 2 ENGINE HYDRAULIC PUMP							Component ATA:29
PN:42022-03	MOS/MSC	10-Aug-05	O/C	TSO 0				
SN:OS61	HRS	5546.1		TSO 0				
WC#: 29.080	AFL	3440		TSO 0				
PROC. REF: AMM 29-10-54PROC. REF: AMM 29-10-54								
291165	NO. 1 ENGINE HYDRAULIC OIL PRESSURE SENSOR							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.181	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291166	NO. 2 ENGINE HYDRAULIC OIL PRESSURE SENSOR							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.182	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291170	HYDRAULIC RESERVOIR RELIEF VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.117	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291178	BANJO ASSEMBLY							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.118	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291182	GROUND SERVICING HANDPUMP							Component ATA:29
PN:AIR45424-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.085	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291186	NO. 1 NON-RETURN TANK PRESSURE VALVE							Component ATA:29
PN:HTE4350	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291193	NO. 2 NON-RETURN TANK PRESSURE VALVE							Component ATA:29
PN:HTE4350	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
292001	EMERGENCY HYDRAULIC TANK							Component ATA:29
PN:25HC161A/D	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.095	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
292003	SUCTION FILTER ASSEMBLY							Component ATA:29
PN:AIR87366-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.100	AFL	0		TSN 0				
PROC. REF: AMM 29-10-21PROC. REF: AMM 29-10-21								
292007	EMERGENCY HYDRAULIC HAND PUMP							Component ATA:29
PN:AIR45448	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
292013	AUXILIARY RESERVOIR LOW-LEVEL WARNING SYSTEM SWITCH							Component ATA:29
PN:3515000/76	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.110	AFL	0		TSN 0				
PROC. REF: AMM 29-30-00PROC. REF: AMM 29-30-00								
292031	EMERGENCY TANK ON/OFF HAND PUMP VALVE							Component ATA:29
PN:AIR45446-1-2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
292037	EMERGENCY SYSTEM CHECK VALVE							Component ATA:29
PN:AIR48026-0-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
293001	NO. 1 ENGINE HYDRAULIC PUMP LOW PRESSURE SWITCH							Component ATA:29
PN:15185-4SN1	MOS/MSC	12-Sep-04	O/C	TSN 0				
SN:5772TW	HRS	4634.4		TSN 0				
WC#: 29.130	AFL	2847		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
293002	NO. 2 ENGINE HYDRAULIC PUMP LOW PRESSURE SWITCH							Component ATA:29
PN:HE5185-4SN1	MOS/MSC	20-Nov-07	O/C					
SN:6068TW	HRS	7795.3						
WC#: 29.130	AFL	4897						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
293013	EMERGENCY BRAKE LOW PRESSURE WARNING SWITCH							Component ATA:29
PN:TP42001	MOS	11-Aug-04						OVERHAUL
SN:669	HRS	4497	5000	TSO 0	9497		395	
WC#: 29.135	AFL	2747		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
293019	HYDRAULIC PRESSURE TRANSDUCER							Component ATA:29
PN:695-4-20	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
293024	HYDRAULIC SYSTEM OVERTEMPERATURE SWITCH							Component ATA:29
PN:150T.283	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.145	AFL	0		TSN 0				
PROC. REF: AMM 29-30-00PROC. REF: AMM 29-30-00								
294001	LEFT HYDRAULIC NON-RETURN VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.183	AFL	0		TSN 0				
294002	RIGHT HYDRAULIC NON-RETURN VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.184	AFL	0		TSN 0				
294003	NO. 1 HYDRAULIC NON-RETURN VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.186	AFL	0		TSN 0				
294004	NO. 2 HYDRAULIC NON-RETURN VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.187	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
294005	HYDRAULIC NON-RETURN VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.188	AFL	0		TSN 0				
294006	HYDRAULIC RELIEF VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.189	AFL	0		TSN 0				
294007	LEFT HYDRAULIC NON-RETURN VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.190	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68PROC. REF: AMM 29-10-68								
294008	RIGHT HYDRAULIC NON-RETURN VALVE							Component ATA:29
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.191	AFL	0		TSN 0				
ATA 30 - ICE AND RAIN PROTECTION								
300001 ^S	FUNCTIONAL TEST ROTARY ICE DETECTOR							Service ATA:30
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 30.085	AFL							
PROC. REF: AMM 30-80-00PROC. REF: AMM 30-80-00								PKG:7,91
300002 ^S	OPERATIONAL TEST WINDSHIELD ELECTRICAL DE-ICE SYSTEM							Service ATA:30
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 30.080	AFL	4882						
								PKG:19,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: AMM 30-41-00PROC. REF: AMM 30-41-00								
300003	^S	REPLACE AIRFRAME DE-ICING FILTER ELEMENT						Service ATA:30
		MOS	21-Nov-08					
		HRS	8461.4	800 (+40/-10)				
WC#: 30.020		AFL						
PROC. REF: AMM 30-10-52PROC. REF: AMM 30-10-52								PKG:12,91
300004	^S	FUNCTIONAL TEST PITOT HEAD AND STATIC PLATE HEATERS						Service ATA:30
		MOS	09-Nov-07					
		HRS	7773.3	1600 (+50/-50)				
WC#: 30.065		AFL	4882					
PROC. REF: AMM 30-35-15PROC. REF: AMM 30-35-15								PKG:19,92
300005	^S	REPLACE AIRFRAME DE-ICING PUMP SUCTION FILTER						Service ATA:30
		MOS	09-Nov-07					
		HRS	7773.3	1600 (+50/-50)				
WC#: 30.045		AFL	4882					
PROC. REF: AMM 30-10-43PROC. REF: AMM 30-10-43								PKG:24,92
300007		PURGE ICE PROTECTION SYSTEM						Service ATA:30
		MOS/MSC	07-Jun-19	A/R				
		HRS	9086.9					
WC#: 30.090		AFL	5793					
PROC. REF: AMM 12-30-00PROC. REF: AMM 12-30-00								
301001		TKS DE-ICER TANK						Component ATA:30
PN:08301-1		MOS/MSC	14-Jun-00	O/C	TSN 0			
SN:UNKNOWN		HRS	0		TSN 0			
WC#: 30.010		AFL	0		TSN 0			
PROC. REF: AMM 30-10-35PROC. REF: AMM 30-10-35								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301007	AIRFRAME DE-ICING PUMP ASSEMBLY							Component ATA:30
PN:XA9511E009	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.015	AFL	0		TSN 0				
PROC. REF: AMM 30-10-43PROC. REF: AMM 30-10-43								
301013	AIRFRAME DE-ICING FILTER ASSEMBLY							Component ATA:30
PN:TKSF903	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-10-52PROC. REF: AMM 30-10-52								
301025	DE-ICING VALVE ASSEMBLY							Component ATA:30
PN:FV131-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.025	AFL	0		TSN 0				
PROC. REF: AMM 30-10-43PROC. REF: AMM 30-10-43								
301037	DE-ICING SYSTEM CONTENTS GAUGE							Component ATA:30
PN:S458-3-191	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301043	DE-ICING SYSTEM CONTENTS FLOAT							Component ATA:30
PN:FRH070001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301063	EMPENNAGE TKS PROPORTION UNIT							Component ATA:30
PN:PU308J-T40	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 30-10-25PROC. REF: AMM 30-10-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301067	TKS VENT VALVE							Component ATA:30
PN:FV141	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301069	TKS PRESSURE SWITCH							Component ATA:30
PN:P067D-075	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304019	NO. 1 WINDSCREEN (A PANEL) CONTROLLER							Component ATA:30
PN:ND0075-2011	MOS/MSC	01-May-06	O/C	TSN 0				
SN:L356004	HRS	6385.5		TSN 0				
WC#: 30.070	AFL	3963		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304020	NO. 2 WINDSCREEN (A PANEL) CONTROLLER							Component ATA:30
PN:ND0075-2001	MOS/MSC	22-Jan-07	O/C	TSN 0				
SN:L360623	HRS	7072		TSN 0				
WC#: 30.070	AFL	4408		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304022	NO. 1 WINDSCREEN (B PANEL) CONTROLLER							Component ATA:30
PN:ND0075-2001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.075	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304023	NO. 2 WINDSCREEN (B PANEL) CONTROLLER							Component ATA:30
PN:ND0075-2001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.075	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
308001	ROTARY ICE DETECTOR							Component ATA:30
PN:NF0075/667	MOS/MSC	13-Feb-08	O/C	TSR 0				
SN:L48020	HRS	8047.5		TSR 0				
WC#: 30.085	AFL	5032		TSR 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
ATA 31 - INDICATING/RECORDING SYSTEMS								
310002	LIGHTNING SENSOR ANTENNA							Component ATA:31
PN:4057697-01	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.015	AFL	0		TSN 0				
PROC. REF: AMM 34-42-05PROC. REF: AMM 34-42-05								
310100	LIGHTNING PROCESSOR UNIT							Component ATA:31
PN:7011822-903	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.010	AFL	0		TSN 0				
PROC. REF: MMA 34-43-05, MMA 34-43-10PROC. REF: MMA 34-43-05, MMA 34-43-10								
311001	TKS TIMER							Component ATA:31
PN:25-7NF1565A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
312001	PILOT CLOCK							Component ATA:31
PN:M877A-5V	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
312002	COPILOT CLOCK							Component ATA:31
PN:M877A-5V	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
312008	O.A.T. INDICATOR							Component ATA:31
PN:2141-01-0014	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
312009	PITOT AMMETER							Component ATA:31
PN:2132-01-0062	MOS/MSC	17-Jul-01	O/C	TSN 0				
SN:82323	HRS	1192.5		TSN 0				
WC#: 31.035	AFL	699		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313003	NO. 1 CURRENT MONITOR-							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313004	NO. 2 CURRENT MONITOR-							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313005	LEFT CURRENT LEVEL INDICATOR							Component ATA:31
PN:770-537	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313006	RIGHT CURRENT LEVEL INDICATOR							Component ATA:31
PN:770-537	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313007	CABIN TEMPERATURE INDICATOR							Component ATA:31
PN:2132-01-0015	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313008	DC VOLTMETER							Component ATA:31
PN:1/12/2132	MOS/MSC	25-Nov-00	O/C	TSO 0				
SN:BG78565	HRS	454.4		TSO 0				
WC#: 31.050	AFL	268		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313009	LEFT DC AMMETER							Component ATA:31
PN:2132-1-13	MOS/MSC	18-Jan-08	O/C	TSN 0				
SN:UNKNOWN	HRS	7965.6		TSN 0				
WC#: 31.055	AFL	4987		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313010	AC VOLTMETER							Component ATA:31
PN:2132-01-0014	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313011	RIGHT DC AMMETER							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.065	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313012	FLIGHT DATA ACCELEROMETER							Component ATA:31
PN:17A47102	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313014	DUCT AIR TEMPERATURE INDICATOR							Component ATA:31
PN:2132-01-0018	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313015	TEMPERATURE SELECTOR							Component ATA:31
PN:25-6MC-415	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.075	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313020	FUEL PROCESSOR UNIT							Component ATA:31
PN:0107KPU-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313023	FLIGHT DATA RECORDER							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.085	AFL	0		TSN 0				
PROC. REF: MMA 31-30-10PROC. REF: MMA 31-30-10								
313030	FILTER UNIT							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313031	FILTER UNIT							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313032	FILTER UNIT							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313033	FILTER UNIT							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313101	ANGLE OF ATTACK INDICATOR COMPUTER							Component ATA:31
PN:C-87705-4	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.095	AFL	0		TSN 0				
PROC. REF: MMA 31-20-06, AMM 31-20-05PROC. REF: MMA 31-20-06, AMM 31-20-05								
313109	NO. 1 ANGLE OF ATTACK INDEXER							Component ATA:31
PN:965-0113-003	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.100	AFL	0		TSN 0				
PROC. REF: MMA 31-20-06, AMM 31-20-05PROC. REF: MMA 31-20-06, AMM 31-20-05								
313110	NO. 2 ANGLE OF ATTACK INDEXER							Component ATA:31
PN:965-0113-003	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.100	AFL	0		TSN 0				
PROC. REF: MMA 31-20-06, AMM 31-20-05PROC. REF: MMA 31-20-06, AMM 31-20-05								
313201	BRAKE PRESSURE INDICATOR							Component ATA:31
PN:696-01-0013	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313301	FATIGUE METER							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	N/R					
SN:UNKNOWN	HRS	0						
WC#: 31.110	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314008	NO. 1 INCLINOMETER							Component ATA:31
PN:7005400-901	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.115	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314009	NO. 2 INCLINOMETER							Component ATA:31
PN:7005400-901	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.115	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314012	NO. 1 IAPS (ICC 3000) CARD CAGE							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314014	MAINTENANCE DIAGNOSTIC COMPUTER							Component ATA:31
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 32 - LANDING GEAR								
320001 ^S	TEST BRAKING SYSTEMS							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.305	AFL							
								PKG:18,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
320002	^S	FUNCTIONAL TEST MAXARET UNITS						Service ATA:32
		MOS	21-Nov-08					
		HRS	8461.4	800 (+40/-10)				
WC#: 32.370		AFL						
								PKG:18,91
PROC. REF: AMM 32-40-101PROC. REF: AMM 32-40-101								
320003	^S	CHECK NOSE GEAR LEG ASSEMBLY						Service ATA:32
		MOS	21-Nov-08					
		HRS	8461.4	800 (+40/-10)				
WC#: 32.430		AFL						
								PKG:18,91
320004	^S	CHECK NOSE GEAR LEG LOCK AND CHANGE OVER MICROSWITCHES OPERATING MECHANISM						Service ATA:32
		MOS	21-Nov-08					
		HRS	8461.4	800 (+40/-10)				
WC#: 32.435		AFL						
								PKG:18,91
320005	^S	INSPECT NOSEWHEEL STEERING JACK						Service ATA:32
		MOS	21-Nov-08					
		HRS	8461.4	800 (+40/-10)				
WC#: 32.470		AFL						
								PKG:18,91
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
320006	^S	INSPECT NOSE GEAR RETRACTION AND STEERING SYSTEM SPRING STRUTS						Service ATA:32
		MOS	21-Nov-08					
		HRS	8461.4	800 (+40/-10)				
WC#: 32.450		AFL						
								PKG:18,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320007 ^S	INSPECT NOSEWHEEL STEERING ON/OFF VALVE							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.350	AFL							
								PKG:18,91
320008 ^S	CHECK NOSE GEAR DRAG STAY ASSEMBLY							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.440	AFL							
								PKG:18,91
PROC. REF: AMM 32-20-21PROC. REF: AMM 32-20-21								
320009 ^S	DETAIL INSPECT NOSEWHEEL STEERING JACK SELECTOR VALVE							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.545	AFL							
								PKG:18,91
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
320010 ^S	CHECK MAIN GEAR LEG ASSEMBLIES							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.420	AFL							
								PKG:18,91
PROC. REF: AMM 12-32-00PROC. REF: AMM 12-32-00								
320011 ^S	INSPECT MAIN LANDING GEAR SIDE-STAYS							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.010	AFL							
								PKG:18,91
PROC. REF: AMM 32-10-25PROC. REF: AMM 32-10-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320012 ^S	CHECK MAIN LANDING GEAR TORQUE LINKS							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.015	AFL							
PROC. REF: AMM 32-10-12PROC. REF: AMM 32-10-12								PKG:18,91
320013 ^S	INSPECT MAIN LANDING GEAR DOORS							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.460	AFL							
								PKG:18,91
320014 ^S	INSPECT/CLEAN MAIN LANDING GEAR DOOR UPLOCK SPRING STRUTS							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.425	AFL							
								PKG:18,91
320015 ^S	INSPECT REVERSING VALVES AND OPERATING MECHANISMS							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.445	AFL							
								PKG:18,91
320016 ^S	CHECK STEERING SYSTEM CABLES AND CHAINS							Service ATA:32
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 32.475	AFL	4882						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:22,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320017 ^S	CHECK NOSE LANDING GEAR RETRACTION SPRING STRUT							Service ATA:32
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 32.180	AFL	4882						
PROC. REF: AMM 32-20-21PROC. REF: AMM 32-20-21								PKG:30,92
320018 ^S	CHECK NOSEWHEEL STEERING SYSTEM SPRING STRUT BREAK-OUT LOAD							Service ATA:32
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 32.350	AFL	4882						
								PKG:30,92
320019 ^S	INSPECT/CLEAN STEERING SYSTEM FILTER ELEMENT							Service ATA:32
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 32.385	AFL	4176						
PROC. REF: AMM 32-30-22PROC. REF: AMM 32-30-22								PKG:42,93
320020 ^S	CLEAN FILTERS, HYDRAULIC SUPPLY (4 OFF)							Service ATA:32
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 32.185	AFL	4176						
PROC. REF: AMM 32-30-22PROC. REF: AMM 32-30-22								PKG:42,93
320021 ^S	CLEAN RESTRICTOR VALVES							Service ATA:32
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 32.145	AFL	4176						
PROC. REF: AMM 32-30-01PROC. REF: AMM 32-30-01								PKG:42,93

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320022 ^S	CHECK BRAKE MASTER CYLINDERS							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.465	AFL							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:10,91
320023 ^S	CHECK BRAKE HOSES TO MASTER CYLINDERS							Service ATA:32
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 32.455	AFL	4882						
								PKG:22,92
320024 ^S	REMOVE/INSPECT AXLE/MAXARET/MODULATOR/PLUNGER TUBE							Service ATA:32
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 32.375	AFL	4882						
PROC. REF: AMM 32-40-101PROC. REF: AMM 32-40-101								PKG:30,92
320027 ^S	VISUALLY INSPECT NOSE-WHEEL STEERING ON/OFF VALVE							Service ATA:32
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 32.350	AFL	5804						
								PKG:96
320028	INSPECT/NDT MAIN LANDING GEAR FAIRING STRUT							Service ATA:32
	MOS/MSC	28-Nov-14	O/C					
	HRS	8775.4						
WC#: 32.035	AFL	5483						
PROC. REF: NTM 32-10-05PROC. REF: NTM 32-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320029	CHECK NOSE LANDING GEAR DRAG STAY							Service ATA:32
	MOS/MSC	10-Jun-19	A/R					
	HRS	9087.8						
WC#: 32.070	AFL	5797						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
320033 ^S	DETAIL INSPECT MAIN GEAR RETRACTION ACTUATOR							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.095	AFL							
								PKG:18,91
320034 ^S	INSPECT MAIN LANDING GEAR PLUNGER TUBE/AXLE JOINT							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.510	AFL							
								PKG:18,91
320035 ^S	INSPECT MAIN LANDING GEAR MAIN LEG ASSEMBLY RETRACTION LEVER							Service ATA:32
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 32.520	AFL	4882						
								PKG:30,92
320036 ^S	INSPECT MAIN LANDING GEAR SIDESTAY ASSEMBLY LOCK MECHANISM LINK							Service ATA:32
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 32.530	AFL	4882						
								PKG:30,92
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320037 ^S	CHECK NOSE LEG ASSEMBLY TORQUE LINKS							Service ATA:32
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 32.540	AFL							
PROC. REF: AMM 32-20-12PROC. REF: AMM 32-20-12							PKG:18,91	
320038	LUBRICATE MAIN LANDING GEAR SIDESTAY SHIMS							Service ATA:32
	MOS/MSC	30-Aug-22	A/R					
	HRS	9102						
WC#: 32.570	AFL	5804						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
320039 ^S	INSPECTION OF LEFT SEQUENCING VALVES AND THEIR OPERATING MECHANISMS							Service ATA:32
	MOS	14-Jun-00						
	HRS	0	800 (+40/-10)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							PKG:18,91	
320039 ^S	INSPECTION OF RIGHT SEQUENCING VALVES AND THEIR OPERATING MECHANISMS							Service ATA:32
	MOS	14-Jun-00						
	HRS	0	800 (+40/-10)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							PKG:18,91	
321001	LEFT MAIN LEG							Component ATA:32
PN:140-810044-17	MOS	18-Mar-24	144	TSO 0	18-Mar-36		3747 d	OVERHAUL
SN:SAM/DHB/8P/307	HRS	9102		TSO 0				
WC#: 32.020	AFL	5804	5000	TSO 0	10804		5000	
Special Properties: TRACKED ITEM								
PROC. REF: AMM 32-10-12PROC. REF: AMM 32-10-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321002	RIGHT MAIN LEG							Component ATA:32
PN:140-810044-18	MOS	18-Mar-24	144	TSO 0	18-Mar-36		3747 d	OVERHAUL
SN:SAM/DHB/8S/071	HRS	9102		TSO 0				
WC#: 32.020	AFL	5804	5000	TSO 0	10804		5000	
Special Properties: TRACKED ITEM								
PROC. REF: AMM 32-10-12PROC. REF: AMM 32-10-12								
321013	LEFT SIDESTAY							Component ATA:32
PN:140-810043-11	MOS	18-Mar-24	144	TSO 0	18-Mar-36		3747 d	OVERHAUL
SN:SAM/DHB/8SSP/045	HRS	9102		TSO 0				
WC#: 32.025	AFL	5804	5000	TSO 0	10804		5000	
Special Properties: TRACKED ITEM								
PROC. REF: AMM 32-10-25PROC. REF: AMM 32-10-25								
321014	RIGHT SIDESTAY							Component ATA:32
PN:140-810043-12	MOS	18-Mar-24	144	TSO 0	18-Mar-36		3747 d	OVERHAUL
SN:SAM/DHB/8SSS/208	HRS	9102		TSO 0				
WC#: 32.030	AFL	5804	5000	TSO 0	10804		5000	
Special Properties: TRACKED ITEM								
PROC. REF: AMM 32-10-25PROC. REF: AMM 32-10-25								
321015	LEFT MAIN LANDING GEAR SIDESTAY UPPER ARM							Component ATA:32
PN:140-810125-1	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2103	HRS	7773.3						
WC#: 32.025	AFL	4882	10000	TSN 4916	9966	9966	4162	
PROC. REF: AMM 32-10-25PROC. REF: AMM 32-10-25								
321016	RIGHT MAIN LANDING GEAR SIDESTAY UPPER ARM							Component ATA:32
PN:140-810125-2	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2421	HRS	7773.3						
WC#: 32.030	AFL	4882	10000	TSN 4916	9966	9966	4162	
PROC. REF: AMM 32-10-25PROC. REF: AMM 32-10-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321017	LEFT MAIN LANDING GEAR SIDESTAY LOWER ARM							Component ATA:32
PN:140-810064-1	MOS	11-Nov-07						LIFE LIMIT
SN:SAM1811	HRS	7773.3						
WC#: 32.025	AFL	4882	12000	TSN 4916	11966	11966	6162	
PROC. REF: AMM 32-10-25PROC. REF: AMM 32-10-25								
321018	RIGHT MAIN LANDING GEAR SIDESTAY LOWER ARM							Component ATA:32
PN:140-810064-2	MOS	11-Nov-07						LIFE LIMIT
SN:SAM1619	HRS	7773.3						
WC#: 32.030	AFL	4882	12000	TSN 4916	11966	11966	6162	
PROC. REF: AMM 32-10-25PROC. REF: AMM 32-10-25								
321050	LEFT MAIN LANDING GEAR UPPER CASING							Component ATA:32
PN:25-8UM-169-5	MOS	28-Nov-14		TSN 0				LIFE LIMIT
SN:SAM4004	HRS	8775.4		TSN 0				
WC#: 32.390	AFL	5483	24000	TSN 0	29483		23679	
321051	RIGHT MAIN LANDING GEAR UPPER CASING							Component ATA:32
PN:25-8UM-169-6	MOS	28-Nov-14		TSN 0				LIFE LIMIT
SN:SAM1305	HRS	8775.4		TSN 0				
WC#: 32.390	AFL	5483	24000	TSN 0	29483		23679	
321061	LEFT MAIN LANDING GEAR JACK PIVOT							Component ATA:32
PN:25-8UM-169-6	MOS/MSC	11-Nov-07	O/C					
SN:25UM1335-1A	HRS	7773.3		TSN 7933				
WC#: 32.040	AFL	4882		TSN 4916				
321062	RIGHT MAIN LANDING GEAR JACK PIVOT							Component ATA:32
PN:25-8UM-169-6	MOS/MSC	11-Nov-07	O/C	TSN 0				
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 32.040	AFL	4882		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321065	LEFT MAIN LANDING GEAR UPPER TORQUE LINK PIN							Component ATA:32
PN:25-9UM9-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2302	HRS	7773.3						
WC#: 32.400	AFL	4882	20000	TSN 2302	22580		16776	
321066	RIGHT MAIN LANDING GEAR UPPER TORQUE LINK PIN							Component ATA:32
PN:25-9UM9-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2208	HRS	7773.3						
WC#: 32.400	AFL	4882	20000	TSN 2401	22481		16677	
321067	LEFT MAIN LANDING GEAR LOWER TORQUE LINK PIN							Component ATA:32
PN:25-9UM11-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2401	HRS	7773.3						
WC#: 32.495	AFL	4882	20000	TSN 4916	19966		14162	
321068	RIGHT MAIN LANDING GEAR LOWER TORQUE LINK PIN							Component ATA:32
PN:25-9UM11-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2311	HRS	7773.3						
WC#: 32.495	AFL	4882	20000	TSN 4916	19966		14162	
321071	LEFT MAIN LANDING GEAR JACK DISTANCE PIN							Component ATA:32
PN:25-UM423	MOS	11-Nov-07						LIFE LIMIT
SN:UNKNOWN	HRS	7773.3						
WC#: 32.045	AFL	4882	24000	TSN 4916	23966		18162	
321072	RIGHT MAIN LANDING GEAR JACK DISTANCE PIN							Component ATA:32
PN:25-UM423	MOS	11-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 32.045	AFL	4882	24000	TSN 0	28882		23078	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321075	LEFT MAIN LANDING GEAR PLUNGER TUBE							Component ATA:32
PN:NP-8UM-7	MOS	18-Mar-24		TSN 0				LIFE LIMIT
SN:AV8-10084	HRS	9102		TSN 0				
WC#: 32.410	AFL	5804	17000	TSN 0	22804		17000	
321076	RIGHT MAIN LANDING GEAR PLUNGER TUBE							Component ATA:32
PN:140-810016-1	MOS	11-Nov-07						LIFE LIMIT
SN:SAM1406	HRS	7773.3						
WC#: 32.410	AFL	4882	17000	TSN 4876	17006		11202	
321081	LEFT MAIN LANDING GEAR UPPER TORQUE LINK							Component ATA:32
PN:25-9UM9-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM3202	HRS	7773.3						
WC#: 32.550	AFL	4882	20000	TSN 2302	22580		16776	
321082	RIGHT MAIN LANDING GEAR UPPER TORQUE LINK							Component ATA:32
PN:25-9UM9-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2208	HRS	7773.3						
WC#: 32.550	AFL	4882	20000	TSN 2401	22481		16677	
321083	LEFT MAIN LANDING GEAR LOWER TORQUE LINK							Component ATA:32
PN:25-9UM11-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2401	HRS	7773.3						
WC#: 32.555	AFL	4882	20000	TSN 4916	19966		14162	
321084	RIGHT MAIN LANDING GEAR LOWER TORQUE LINK							Component ATA:32
PN:25-9UM11-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2311	HRS	7773.3						
WC#: 32.555	AFL	4882	20000	TSN 4916	19966		14162	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321087	LEFT MAIN LANDING GEAR AXLE ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.571	AFL	0		TSN 0				
321088	RIGHT MAIN LANDING GEAR AXLE ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.572	AFL	0		TSN 0				
322001	NOSE LEG ASSEMBLY							Component ATA:32
PN:25-9UN1-407A	MOS	18-Mar-24	144	TSO 0	18-Mar-36		3747 d	OVERHAUL
SN:SAM/DHB/9N/223	HRS	9102		TSO 0				
WC#: 32.050	AFL	5804	5000	TSO 0	10804		5000	
Special Properties: TRACKED ITEM PROC. REF: AMM 32-20-12PROC. REF: AMM 32-20-12								
322003	NOSE LANDING GEAR PIVOT PIN							Component ATA:32
PN:25UN645A	MOS	11-Nov-07						LIFE LIMIT
SN:JO46276-000	HRS	7773.3						
WC#: 32.055	AFL	4882	16000	TSN 4916	15966		10162	
322007	NOSE LANDING GEAR DRAG STAY							Component ATA:32
PN:25-8UN3-143A	MOS	18-Mar-24	144	TSO 0	18-Mar-36		3747 d	OVERHAUL
SN:SAM/DHB/8DS/444	HRS	9102		TSO 0				
WC#: 32.070	AFL	5804	5000	TSO 0	10804		5000	
Special Properties: TRACKED ITEM PROC. REF: AMM 32-20-21PROC. REF: AMM 32-20-21								
322009	NOSE LANDING GEAR JACK LOWER PIVOT PIN							Component ATA:32
PN:25UN597	MOS	11-Nov-07						LIFE LIMIT
SN:UNKNOWN	HRS	7773.3						
WC#: 32.075	AFL	4882	22000	TSN 4916	21966		16162	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322011	NOSE LANDING GEAR DRAG STAY BRIDGE CASTING							Component ATA:32
PN:25-8UN487-1A	MOS	11-Nov-07						LIFE LIMIT
SN:SAM4705	HRS	7773.3						
WC#: 32.075	AFL	4882	33000	TSN 4916	32966		27162	
322015	NOSE LANDING GEAR UPPER TORQUE LINK							Component ATA:32
PN:25-8UN267-1A	MOS	11-Nov-07						LIFE LIMIT
SN:SAM1325	HRS	7773.3						
WC#: 32.080	AFL	4882	32000	TSN 4916	31966		26162	
322016	NOSE LANDING GEAR LOWER TORQUE LINK							Component ATA:32
PN:25-8UN269-1A	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2237	HRS	7773.3						
WC#: 32.080	AFL	4882	32000	TSN 4916	31966		26162	
322017	NOSE LANDING GEAR DRAG STRUT PICK-UP							Component ATA:32
PN:25-8UN265-1A	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2704	HRS	7773.3						
WC#: 32.560	AFL	4882	13900	TSN 4916	13866		8062	
322025	NOSE GEAR MAIN PICK-UP TRUNNION ATTACHMENT BOLTS							Component ATA:32
PN:A102/28J	MOS	11-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 32.380	AFL	4882	10000	TSN 0	14882		9078	
322031	NOSE GEAR RADIUS ROD PICK-UP ATTACHMENT BOLTS							Component ATA:32
PN:A102/21J	MOS	11-Nov-07		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	7773.3		TSN 0				
WC#: 32.085	AFL	4882	10000	TSN 0	14882		9078	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322045	NOSE LANDING GEAR PLUNGER TUBE							Component ATA:32
PN:25UN649	MOS	11-Nov-07						LIFE LIMIT
SN:HA4372	HRS	7773.3						
WC#: 32.075	AFL	4882	20000	TSN 7579	17303		11499	
323001	NOSE LANDING GEAR RETRACTION JACK							Component ATA:32
PN:AIR45404-1	MOS	11-Nov-07						OVERHAUL
SN:LK0433	HRS	7773.3						
WC#: 32.090	AFL	4882	5000	TSO 0	9882		4078	
PROC. REF: AMM 32-30-28PROC. REF: AMM 32-30-28								
323007	LEFT MAIN LANDING GEAR RETRACTION JACK							Component ATA:32
PN:AIR48502-4	MOS	23-Aug-06		TSO 0				OVERHAUL
SN:LK0152	HRS	6683.9		TSO 0				
WC#: 32.100	AFL	4176	5000	TSO 0	9176		3372	
PROC. REF: AMM 32-30-27PROC. REF: AMM 32-30-27								
323008	RIGHT MAIN LANDING GEAR RETRACTION JACK							Component ATA:32
PN:AIR48503-6	MOS	23-Aug-06		TSO 0				OVERHAUL
SN:LK8903344	HRS	6683.9		TSO 0				
WC#: 32.100	AFL	4176	5000	TSO 0	9176		3372	
PROC. REF: AMM 32-30-27PROC. REF: AMM 32-30-27								
323019	LEFT MAIN LANDING GEAR DOOR JACK							Component ATA:32
PN:AIR48485-3	MOS	07-Nov-07		TSO 0				OVERHAUL
SN:APB980636	HRS	7773.3		TSO 0				
WC#: 32.105	AFL	4882	5000	TSO 0	9882		4078	
323020	RIGHT MAIN LANDING GEAR DOOR JACK							Component ATA:32
PN:AIR48484-3	MOS	07-Nov-07		TSO 0				OVERHAUL
SN:APB991090	HRS	7773.3		TSO 0				
WC#: 32.105	AFL	4882	5000	TSO 0	9882		4078	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323031	LEFT SEQUENCE VALVE							Component ATA:32
PN:AIR48540-1	MOS/MSC	16-Mar-18	O/C	TSO 0				
SN:APB000616	HRS	9008.8		TSO 0				
WC#: 32.110	AFL	5727		TSO 0				
PROC. REF: AMM 32-30-41PROC. REF: AMM 32-30-41								
323032	RIGHT SEQUENCE VALVE							Component ATA:32
PN:AIR48540-1	MOS/MSC	16-Mar-18	O/C	TSO 0				
SN:LK0224	HRS	9008.8		TSO 0				
WC#: 32.110	AFL	5727		TSO 0				
PROC. REF: AMM 32-30-41PROC. REF: AMM 32-30-41								
323043	LEFT REVERSING VALVE							Component ATA:32
PN:AIR48542-1	MOS/MSC	16-Mar-18	O/C	TSO 0				
SN:APB020774	HRS	9008.8		TSO 0				
WC#: 32.115	AFL	5727		TSO 0				
PROC. REF: AMM 32-30-31PROC. REF: AMM 32-30-31								
323044	RIGHT REVERSING VALVE							Component ATA:32
PN:AIR48543-1	MOS/MSC	16-Mar-18	O/C	TSO 0				
SN:APB992546	HRS	9008.8		TSO 0				
WC#: 32.115	AFL	5727		TSO 0				
PROC. REF: AMM 32-30-31PROC. REF: AMM 32-30-31								
323079	LEFT MAIN LANDING GEAR EXTEND NONRETURN VALVE							Component ATA:32
PN:AIR48026-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323080	RIGHT MAIN LANDING GEAR EXTEND NONRETURN VALVE							Component ATA:32
PN:AIR48026-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323090	FRAME 15A NON-RETURN VALVE							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.505	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323091	MAIN LANDING GEAR CENTER NONRETURN VALVE							Component ATA:32
PN:AIR48026-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323097	FRAME 14 NON-RETURN VALVE							Component ATA:32
PN:AIR48420-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323098	FRAME 14A NONRETURN VALVE							Component ATA:32
PN:AIR48420-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323099	FRAME 15A NONRETURN VALVE							Component ATA:32
PN:AIR48420-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323103	LANDING GEAR SELECTOR/DUMP VALVE							Component ATA:32
PN:AIR45406-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.135	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323115	LEFT MAIN LANDING GEAR RETRACT JACK RESTRICTOR VALVE							Component ATA:32
PN:AIR45444-0-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323116	RIGHT MAIN LANDING GEAR RETRACT JACK RESTRICTOR VALVE							Component ATA:32
PN:AIR45444-0-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323139	LEFT MAIN LANDING GEAR JACK PIVOT BOLT							Component ATA:32
PN:25UM153A	MOS	11-Nov-07						LIFE LIMIT
SN:UNKNOWN	HRS	7773.3						
WC#: 32.150	AFL	4882	30000	TSN 4916	29966		24162	
323140	RIGHT MAIN LANDING GEAR JACK PIVOT BOLT							Component ATA:32
PN:25UM153A	MOS	11-Nov-07						LIFE LIMIT
SN:UNKNOWN	HRS	7773.3						
WC#: 32.150	AFL	4882	30000	TSN 4916	29966		24162	
323151	LEFT MAIN LANDING GEAR JACK CYLINDER HEAD							Component ATA:32
PN:AIR141082	MOS	01-Apr-03		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	3008.3		TSN 0				
WC#: 32.155	AFL	1792	20000	TSN 0	21792		15988	
323152	RIGHT MAIN LANDING GEAR JACK CYLINDER HEAD							Component ATA:32
PN:AIR141082	MOS	14-Jun-00		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.155	AFL	0	20000	TSN 0	20000		14196	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323163	LEFT MAIN LANDING GEAR JACK EYE END							Component ATA:32
PN:AIR158922	MOS	14-Jun-00		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.160	AFL	0	10000	TSN 0	10000		4196	
323164	RIGHT MAIN LANDING GEAR JACK EYE END							Component ATA:32
PN:AIR158922	MOS	14-Jun-00		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.160	AFL	0	10000	TSN 0	10000		4196	
323175	LEFT MAIN LANDING GEAR RETRACTION ARM							Component ATA:32
PN:25-8UM63-3	MOS	11-Nov-07						LIFE LIMIT
SN:SAM1702	HRS	7773.3						
WC#: 32.165	AFL	4882	12000	TSN 4930	11952		6148	
323176	RIGHT MAIN LANDING GEAR RETRACTION ARM							Component ATA:32
PN:25-8UM63-4	MOS	11-Nov-07						LIFE LIMIT
SN:DHL529-1	HRS	7773.3						
WC#: 32.165	AFL	4882	12000	TSN 4876	12006		6202	
323181	LEFT MAIN LANDING GEAR RETRACTION ARM PIN							Component ATA:32
PN:25UM787	MOS	11-Nov-07						LIFE LIMIT
SN:SAM224	HRS	7773.3						
WC#: 32.170	AFL	4882	32000	TSN 4916	31966		26162	
323182	RIGHT MAIN LANDING GEAR RETRACTION ARM PIN							Component ATA:32
PN:25UM787	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2203	HRS	7773.3						
WC#: 32.170	AFL	4882	32000	TSN 4916	31966		26162	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323187	LANDING GEAR LEVER LOCK SOLENOID							Component ATA:32
PN:D-5327	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.175	AFL	0		TSN 0				
PROC. REF: AMM 32-30-21PROC. REF: AMM 32-30-21								
324001	NOSE LANDING GEAR AXLE BARREL							Component ATA:32
PN:25-8UN257-3	MOS	11-Nov-07		TSN 0				LIFE LIMIT
SN:EPI-0098	HRS	7773.3		TSN 0				
WC#: 32.195	AFL	4882	30000	TSN 0	34882		29078	
PROC. REF: AMM 32-40-31PROC. REF: AMM 32-40-31								
324002	NOSE LANDING GEAR AXLE ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.573	AFL	0		TSN 0				
324003	LEFT NOSE LANDING GEAR DOOR PIVOT BRACKET ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.574	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324004	RIGHT NOSE LANDING GEAR DOOR PIVOT BRACKET ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.575	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324006	NOSE LANDING GEAR OUTER CASING							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.576	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324007	LEFT NOSE WHEEL							Component ATA:32
PN:AH52339	MOS/MSC	14-Dec-17	O/C					
SN:RF065	HRS	8987.8						
WC#: 32.200	AFL	5706						
PROC. REF: AMM 32-40-21PROC. REF: AMM 32-40-21								
324008	RIGHT NOSE WHEEL							Component ATA:32
PN:AH52339	MOS/MSC	14-Dec-17	O/C					
SN:HT110	HRS	8987.8						
WC#: 32.205	AFL	5706						
PROC. REF: AMM 32-40-21PROC. REF: AMM 32-40-21								
324009	NOSE LANDING GEAR TOP LEVER ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.577	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324010	NOSE LANDING GEAR BOTTOM LEVER ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.578	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324019	LEFT NOSE TIRE							Component ATA:32
PN:DR6385T	MOS/MSC	14-Dec-17	T/C	TSN 0				
SN:14126052	HRS	8987.8		TSN 0				
WC#: 32.200	AFL	5706		TSN 0				
PROC. REF: AMM 32-40-41PROC. REF: AMM 32-40-41								
324020	RIGHT NOSE TIRE							Component ATA:32
PN:DR6385T	MOS/MSC	14-Dec-17	T/C	TSN 0				
SN:14124113	HRS	8987.8		TSN 0				
WC#: 32.205	AFL	5706		TSN 0				
PROC. REF: AMM 32-40-41PROC. REF: AMM 32-40-41								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324031	LEFT OUTBOARD MAIN WHEEL							Component ATA:32
PN: AHA1814	MOS/MSC	14-Dec-17	O/C					
SN: WV013	HRS	8987.8						
WC#: 32.210	AFL	5706						
PROC. REF: AMM 32-40-12PROC. REF: AMM 32-40-12								
324032	RIGHT OUTBOARD MAIN WHEEL							Component ATA:32
PN: AHA1814	MOS/MSC	14-Dec-17	O/C					
SN: LC282	HRS	8987.8						
WC#: 32.215	AFL	5706						
PROC. REF: AMM 32-40-12PROC. REF: AMM 32-40-12								
324033	LEFT INBOARD MAIN WHEEL							Component ATA:32
PN: AHA1814	MOS/MSC	14-Dec-17	O/C					
SN: RW129	HRS	8987.8						
WC#: 32.220	AFL	5706						
PROC. REF: AMM 32-40-12PROC. REF: AMM 32-40-12								
324034	RIGHT INBOARD MAIN WHEEL							Component ATA:32
PN: AHA1814	MOS/MSC	14-Dec-17	O/C					
SN: SL106	HRS	8987.8						
WC#: 32.225	AFL	5706						
PROC. REF: AMM 32-40-12PROC. REF: AMM 32-40-12								
324055	LEFT OUTBOARD MAIN TIRE							Component ATA:32
PN: DR14628T	MOS/MSC	14-Dec-17	T/C	TSN 0				
SN: 16295105	HRS	8987.8		TSN 0				
WC#: 32.210	AFL	5706		TSN 0				
PROC. REF: AMM 32-40-41PROC. REF: AMM 32-40-41								
324056	RIGHT OUTBOARD MAIN TIRE							Component ATA:32
PN: DR14628T	MOS/MSC	14-Dec-17	T/C	TSN 0				
SN: 16295104	HRS	8987.8		TSN 0				
WC#: 32.215	AFL	5706		TSN 0				
PROC. REF: AMM 32-40-41PROC. REF: AMM 32-40-41								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324057		LEFT INBOARD MAIN TIRE					Component	ATA:32
PN:DR14628T	MOS/MSC	14-Dec-17	T/C	TSN 0				
SN:16299098	HRS	8987.8		TSN 0				
WC#: 32.220	AFL	5706		TSN 0				
PROC. REF: AMM 32-40-41PROC. REF: AMM 32-40-41								
324058		RIGHT INBOARD MAIN TIRE					Component	ATA:32
PN:DR14628T	MOS/MSC	14-Dec-17	T/C	TSN 0				
SN:162297306	HRS	8987.8		TSN 0				
WC#: 32.225	AFL	5706		TSN 0				
PROC. REF: AMM 32-40-41PROC. REF: AMM 32-40-41								
324065		RIGHT WHEEL WELL FILTER					Component	ATA:32
PN:AIR48538	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.230	AFL	0		TSN 0				
PROC. REF: AMM 32-30-22PROC. REF: AMM 32-30-22								
324066		LEFT FRAME 14A FILTER					Component	ATA:32
PN:AIR48538-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.235	AFL	0		TSN 0				
PROC. REF: AMM 32-30-22PROC. REF: AMM 32-30-22								
324067		RIGHT FRAME 14A FILTER					Component	ATA:32
PN:AIR48538-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.235	AFL	0		TSN 0				
PROC. REF: AMM 32-30-22PROC. REF: AMM 32-30-22								
324068		FRAME 15 FILTER					Component	ATA:32
PN:AIR48538-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.235	AFL	0		TSN 0				
PROC. REF: AMM 32-30-22PROC. REF: AMM 32-30-22								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324069	NOSE WHEEL STEERING FILTER							Component ATA:32
PN: AIR45412-0	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 32.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324077	PORT SHUTTLE VALVES							Component ATA:32
PN: PN	MOS/MSC	14-Jun-00	O/C					
SN: UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324078	STARBOARD SHUTTLE VALVES							Component ATA:32
PN: PN	MOS/MSC	14-Jun-00	O/C					
SN: UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324079	PORT SHUTTLE VALVES							Component ATA:32
PN: PN	MOS/MSC	14-Jun-00	O/C					
SN: UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324080	STARBOARD SHUTTLE VALVES							Component ATA:32
PN: PN	MOS/MSC	14-Jun-00	O/C					
SN: UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324115	BRAKE CONTROL VALVE							Component ATA:32
PN: AC67732	MOS/MSC	26-Nov-06	O/C	TSO 0				
SN: WT029	HRS	6928.4		TSO 0				
WC#: 32.245	AFL	4323		TSO 0				
PROC. REF: AMM 32-40-71PROC. REF: AMM 32-40-71								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324121	BRAKE CONTROL VALVE LEFT OUTER KNIFE EDGE							Component ATA:32
PN:ACO34629	MOS	26-Nov-06		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	6928.4		TSN 0				
WC#: 32.245	AFL	4323	4500	TSN 0	8823		3019	
PROC. REF: AMM 32-40-71PROC. REF: AMM 32-40-71								
324122	BRAKE CONTROL VALVE RIGHT OUTER KNIFE EDGE							Component ATA:32
PN:ACO34630	MOS	26-Nov-06		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	6928.4		TSN 0				
WC#: 32.245	AFL	4323	4500	TSN 0	8823		3019	
PROC. REF: AMM 32-40-71PROC. REF: AMM 32-40-71								
324123	BRAKE CONTROL VALVE INNER KNIFE EDGE							Component ATA:32
PN:AC0-36133	MOS	26-Nov-06		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	6928.4		TSN 0				
WC#: 32.245	AFL	4323	4500	TSN 0	8823		3019	
PROC. REF: AMM 32-40-71PROC. REF: AMM 32-40-71								
324145	MAIN REDUCING VALVE							Component ATA:32
PN:AC61518	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324151	EMERGENCY REDUCING VALVE							Component ATA:32
PN:AC69784	MOS/MSC	26-Nov-06	O/C	TSO 0				
SN:UNKNOWN	HRS	6928.4		TSO 0				
WC#: 32.255	AFL	4323		TSO 0				
PROC. REF: AMM 32-40-51PROC. REF: AMM 32-40-51								
324157	EMERGENCY REDUCING VALVE LEFT KNIFE EDGE							Component ATA:32
PN:ACO34629	MOS	26-Nov-06		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	6928.4		TSN 0				
WC#: 32.255	AFL	4323	4500	TSN 0	8823		3019	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324158	EMERGENCY REDUCING VALVE RIGHT KNIFE EDGE							Component ATA:32
PN:ACO34630	MOS	26-Nov-06		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	6928.4		TSN 0				
WC#: 32.255	AFL	4323	4500	TSN 0	8823		3019	
324169	EMERGENCY BRAKE PRESSURE NONRETURN VALVE							Component ATA:32
PN:AIR45420-0-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324175	LEFT OUTBOARD BRAKE UNIT							Component ATA:32
PN:AHA1897	MOS/MSC	07-Jun-19	O/C	TSO 0				
SN:5121CU	HRS	9086.9		TSO 0				
WC#: 32.265	AFL	5793		TSO 0				
PROC. REF: AMM 32-40-114PROC. REF: AMM 32-40-114								
324176	RIGHT OUTBOARD BRAKE UNIT							Component ATA:32
PN:AHA1897	MOS/MSC	07-Jun-19	O/C	TSO 0				
SN:XE082	HRS	9086.9		TSO 0				
WC#: 32.260	AFL	5793		TSO 0				
PROC. REF: AMM 32-40-114PROC. REF: AMM 32-40-114								
324177	LEFT INBOARD BRAKE UNIT							Component ATA:32
PN:AHA1897	MOS/MSC	07-Jun-19	O/C	TSO 0				
SN:5013DK	HRS	9086.9		TSO 0				
WC#: 32.265	AFL	5793		TSO 0				
PROC. REF: AMM 32-40-114PROC. REF: AMM 32-40-114								
324178	RIGHT INBOARD BRAKE UNIT							Component ATA:32
PN:AHA1897	MOS/MSC	07-Jun-19	O/C	TSO 0				
SN:XE083	HRS	9086.9		TSO 0				
WC#: 32.260	AFL	5793		TSO 0				
PROC. REF: AMM 32-40-114PROC. REF: AMM 32-40-114								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324223	LEFT OUTBOARD MAXARET							Component ATA:32
PN:AC65218	MOS	13-Mar-08		TSO 0				OVERHAUL
SN:010AN	HRS	8112.9		TSO 0				
WC#: 32.270	AFL	5075	3000	TSO 0	8075		2271	
PROC. REF: AMM 32-40-101PROC. REF: AMM 32-40-101								
324224	RIGHT OUTBOARD MAXARET							Component ATA:32
PN:AC65216	MOS	25-Jan-17		TSO 3				OVERHAUL
SN:015AR	HRS	8891.2		TSO 0				
WC#: 32.275	AFL	5619	3000	TSO 0	8619		2815	
PROC. REF: AMM 32-40-101PROC. REF: AMM 32-40-101								
324225	LEFT INBOARD MAXARET							Component ATA:32
PN:AC65216	MOS	26-Oct-04						OVERHAUL
SN:ES205	HRS	4811.8		TSO 0				
WC#: 32.270	AFL	2974	3000	TSO 0	5974		170	
PROC. REF: AMM 32-40-101PROC. REF: AMM 32-40-101								
324226	RIGHT INBOARD MAXARET							Component ATA:32
PN:AC65218	MOS	18-Feb-07		TSO 0				OVERHAUL
SN:VP017	HRS	7116.9		TSO 0				
WC#: 32.275	AFL	4432	3000	TSO 0	7432		1628	
PROC. REF: AMM 32-40-101PROC. REF: AMM 32-40-101								
324260	LEFT MAIN LANDING GEAR DOOR							Component ATA:32
PN:25-8UND111-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.280	AFL	0		TSN 0				
PROC. REF: AMM 32-10-41PROC. REF: AMM 32-10-41								
324261	RIGHT MAIN LANDING GEAR DOOR							Component ATA:32
PN:25-8UND111-2A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.280	AFL	0		TSN 0				
PROC. REF: AMM 32-10-41PROC. REF: AMM 32-10-41								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324262	LEFT NOSE GEAR DOOR							Component ATA:32
PN:25-8UD1-103A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.285	AFL	0		TSN 0				
PROC. REF: AMM 32-20-42PROC. REF: AMM 32-20-42								
324263	RIGHT NOSE GEAR DOOR							Component ATA:32
PN:25-8UD1-104A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.285	AFL	0		TSN 0				
PROC. REF: AMM 32-20-42PROC. REF: AMM 32-20-42								
324264	NOSE GEAR DOOR (LEG FAIRING) ASSEMBLY							Component ATA:32
PN:25-8UD63-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.290	AFL	0		TSN 0				
PROC. REF: AMM 32-20-42PROC. REF: AMM 32-20-42								
324265	LEFT MAIN LANDING GEAR FAIRING							Component ATA:32
PN:25-8UD43-115A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: AMM 32-10-32PROC. REF: AMM 32-10-32								
324266	RIGHT MAIN LANDING GEAR FAIRING							Component ATA:32
PN:25-8UD43-116A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: AMM 32-10-32PROC. REF: AMM 32-10-32								
324267	VENTRAL FAIRING ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324271	LEFT BRAKE MODULATOR							Component ATA:32
PN:ACM22740	MOS/MSC	04-Jun-08	O/C					
SN:0378G	HRS	8206						
WC#: 32.300	AFL	5128						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324272	RIGHT BRAKE MODULATOR							Component ATA:32
PN:ACM22742	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324301	PILOT LEFT BRAKE MASTER CYLINDER							Component ATA:32
PN:ACM26274	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324302	PILOT RIGHT BRAKE MASTER CYLINDER							Component ATA:32
PN:ACM26274	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324303	COPILOT LEFT BRAKE MASTER CYLINDER							Component ATA:32
PN:ACM26274	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.315	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324304	COPILOT RIGHT BRAKE MASTER CYLINDER							Component ATA:32
PN:ACM26274	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.315	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324325	LEFT EMERGENCY BRAKE PRESSURE WARNING SWITCH							Component ATA:32
PN:TP42000	MOS	20-Dec-04		TSN 0				OVERHAUL
SN:2953	HRS	4985.3	5000	TSN 0	9985.3		883.3	
WC#: 32.320	AFL	3084		TSN 0				
324326	RIGHT EMERGENCY BRAKE PRESSURE WARNING SWITCH							Component ATA:32
PN:TP42000	MOS	20-Dec-04		TSN 0				OVERHAUL
SN:2947	HRS	4985.3	5000	TSN 0	9985.3		883.3	
WC#: 32.320	AFL	3084		TSN 0				
324337	FORWARD HIGH PRESSURE TRANSDUCER							Component ATA:32
PN:FDA695-4-21	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.325	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324338	AFT HIGH PRESSURE TRANSDUCER							Component ATA:32
PN:FDA695-4-21	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.325	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
325001	STEERING JACK							Component ATA:32
PN:AIR45396-6	MOS/MSC	18-Mar-08	O/C	TSO 0				
SN:FPB031802	HRS	8115.7		TSO 0				
WC#: 32.330	AFL	5077		TSO 0				
PROC. REF: AMM 32-50-11PROC. REF: AMM 32-50-11								
325003	NOSE LANDING GEAR CONNECTING ROD							Component ATA:32
PN:NP-UN113-11	MOS	18-Mar-24		TSN 0				LIFE LIMIT
SN:AV8-10017	HRS	9102		TSN 0				
WC#: 32.335	AFL	5804	20000	TSN 0	25804		20000	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
325007	STEERING JACK EYE END							Component ATA:32
PN:AIR110646	MOS	18-Mar-08						LIFE LIMIT
SN:UNKNOWN	HRS	8115.7						
WC#: 32.340	AFL	5077	14400	TSN 4330	15147		9343	
325008	PORT WING TO FUSELAGE FAIRING							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
325009	WING TO FUSELAGE FAIRING							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
325010	UNDERCARRIAGE FAIRING							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
325011	NOSE LANDING GEAR TORQUE LINK PICK UP SLEEVE							Component ATA:32
PN:25-8UN455-9	MOS	11-Nov-07						LIFE LIMIT
SN:SAM3708	HRS	7773.3						
WC#: 32.335	AFL	4882	20000	TSN 2419	22463		16659	
325012	FAIRING SUB ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
325013	COVER							Component ATA:32
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.303	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
325015	NOSE LANDING GEAR STEERING PIN							Component ATA:32
PN:NP-UN605-1	MOS	18-Mar-24		TSN 0				LIFE LIMIT
SN:AV8-10002	HRS	9102		TSN 0				
WC#: 32.345	AFL	5804	25000	TSN 0	30804		25000	
325021	NOSE LANDING GEAR MAIN CASING BOLT							Component ATA:32
PN:25UN603	MOS	11-Nov-07						LIFE LIMIT
SN:JO46701-000	HRS	7773.3						
WC#: 32.345	AFL	4882	33000	TSN 4916	32966		27162	
325025	NOSE WHEEL STEERING ON/OFF VALVE							Component ATA:32
PN:AIR45396-6	MOS/MSC	10-Dec-05	O/C	TSO 0				
SN:LK9550148	HRS	5906.3		TSO 0				
WC#: 32.350	AFL	3682		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
325031	NOSE WHEEL ANTI-SHIMMING VALVE							Component ATA:32
PN:AIR48284-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.355	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
325041	NOSE LANDING GEAR UPPER STEERING MAIN MEMBER							Component ATA:32
PN:25-8UN431-1A	MOS	11-Nov-07						LIFE LIMIT
SN:SAM1904	HRS	7773.3						
WC#: 32.360	AFL	4882	35000	TSN 4916	34966		29162	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
325042	NOSE LANDING GEAR LOWER STEERING MAIN MEMBER							Component ATA:32
PN:25-8UN431-2A	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2004	HRS	7773.3						
WC#: 32.360	AFL	4882	35000	TSN 4916	34966		29162	
325051	NOSE LANDING GEAR STEERING JACK PICK-UP							Component ATA:32
PN:25-8UN263-1A	MOS	11-Nov-07						LIFE LIMIT
SN:SAM2034	HRS	7773.3						
WC#: 32.365	AFL	4882	18000	TSN 4916	17966		12162	
325058	NOSE LANDING GEAR STEERING SLEEVE							Component ATA:32
PN:NPR-8UN459-1	MOS	18-Mar-24		TSN 0				LIFE LIMIT
SN:AV8-10002	HRS	9102		TSN 0				
WC#: 32.365	AFL	5804	20000	TSN 0	25804		20000	
ATA 33 - LIGHTS								
330003 ^S	CLEAN/TEST/REPLACE ANTI-COLLISION LIGHT SYSTEM							Service ATA:33
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 33.080	AFL							
								PKG:7,91
330007	MAIN CG ILLUMINATED LABEL							Component ATA:33
PN:JW125-1L-317	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330008	FORWARD CG ILLUMINATED LABEL							Component ATA:33
PN:JW125-1L-210	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334001	TOP ANTI COLLISION BEACON							Component ATA:33
PN:01-0790044-55	MOS/MSC	28-Mar-06	O/C	TSN 0				
SN:04357	HRS	6269.5		TSN 0				
WC#: 33.020	AFL	3899		TSN 0				
PROC. REF: AMM 33-40-42PROC. REF: AMM 33-40-42								
334002	BOTTOM ANTI COLLISION BEACON							Component ATA:33
PN:01-0790044-54	MOS/MSC	10-Jun-06	O/C	TSN 0				
SN:04530	HRS	6452.1		TSN 0				
WC#: 33.020	AFL	4009		TSN 0				
PROC. REF: AMM 33-40-42PROC. REF: AMM 33-40-42								
334013	LEFT WING STROBE LIGHT							Component ATA:33
PN:31-2059-11	MOS	07-Aug-08		TSN 0				REPLACE
SN:UNKNOWN	HRS	8264.9	1500	TSN 0	9764.9		662.9	
WC#: 33.025	AFL			TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
334014	RIGHT WING STROBE LIGHT							Component ATA:33
PN:31-2059-11	MOS	07-Aug-08		TSN 0				REPLACE
SN:UNKNOWN	HRS	8264.9	1500	TSN 0	9764.9		662.9	
WC#: 33.025	AFL			TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
334016	TEST LEFT WING STROBE LIGHT INTENSITY							Service ATA:33
PN:31-2059-11	MOS/MSC	07-Aug-08	O/C					
SN:UNKNOWN	HRS	8264.9						
WC#: 33.025	AFL							
334017	TEST RIGHT WING STROBE LIGHT INTENSITY							Service ATA:33
PN:31-2059-11	MOS/MSC	07-Aug-08	O/C					
SN:UNKNOWN	HRS	8264.9						
WC#: 33.025	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334021	NO. 1 POWER CONVERTER							Component ATA:33
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334022	NO. 2 POWER CONVERTER							Component ATA:33
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334032	LEFT STROBE LIGHT POWER SUPPLY							Component ATA:33
PN:60-1755-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334033	RIGHT STROBE LIGHT POWER SUPPLY							Component ATA:33
PN:60-1755-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334044	TAIL STROBE LIGHT							Component ATA:33
PN:30-0531-1	MOS	07-Aug-08		TSN 0				REPLACE
SN:8488	HRS	8264.9	1500	TSN 0	9764.9		662.9	
WC#: 33.040	AFL			TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
334045	TAIL STROBE LIGHT POWER SUPPLY							Component ATA:33
PN:60-1775-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334047	TEST TAIL STROBE LIGHT INTENSITY							Service ATA:33
PN:30-0531-1	MOS/MSC	07-Aug-08	O/C					
SN:8488	HRS	8264.9						
WC#: 33.040	AFL							
334061	STROBE LIGHTS POWER SUPPLY							Component ATA:33
PN:701571	MOS/MSC	10-Feb-06	O/C	TSO 0				
SN:AB5050	HRS	6109.5		TSO 0				
WC#: 33.045	AFL	3807		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
335001	EMERGENCY LIGHTING INERTIA SWITCH							Component ATA:33
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: MMA 33-50-05PROC. REF: MMA 33-50-05								
335009	FORWARD EMERGENCY LIGHTING POWER SUPPLY							Component ATA:33
PN:60-1321-1	MOS/MSC	07-Jun-19	O/C					
SN:21923	HRS	9086.9						
WC#: 33.090	AFL	5793						
PROC. REF: MMA 33-50-05PROC. REF: MMA 33-50-05								
335011	AFT EMERGENCY LIGHTING POWER SUPPLY							Component ATA:33
PN:60-1321-1	MOS/MSC	07-Jun-19	O/C					
SN:21584	HRS	9086.9						
WC#: 33.095	AFL	5793						
PROC. REF: MMA 33-50-05PROC. REF: MMA 33-50-05								
335025	NO. 1 (AA PNL) DIMMER							Component ATA:33
PN:LT-52A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335027	NO. 2 (AA PNL) DIMMER							Component ATA:33
PN:LT-52A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
335029	NO. 1 (AB PNL) DIMMER							Component ATA:33
PN:LT-52A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
335031	NO. 2 (AB PNL) DIMMER							Component ATA:33
PN:LT-52A	MOS/MSC	17-Feb-01	O/C					
SN:6648	HRS	732.9						
WC#: 33.060	AFL	422						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
335200	PULSELIGHT CONTROL UNIT							Component ATA:33
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.085	AFL	0		TSN 0				
PROC. REF: MMA 33-40-10, MMA 33-40-15PROC. REF: MMA 33-40-10, MMA 33-40-15								
336027	NO. 5 POWER CONVERTER							Component ATA:33
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
336028	NO. 6 POWER CONVERTER							Component ATA:33
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
336029	NO. 7 POWER CONVERTER							Component ATA:33
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
336030	NO. 8 POWER CONVERTER							Component ATA:33
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
336040	ESCAPE HATCH BETALIGHT "EXIT" SIGN							Component ATA:33
PN:PN	MOS/MSC		N/R					
SN:UNKNOWN	HRS							
	AFL							
Special Properties: TRACKED ITEM								
PROC. REF: AMM 33-50-05PROC. REF: AMM 33-50-05								
ATA 34 - NAVIGATION								
340002	DRAIN PITOT/STATIC DRAIN TRAPS							Service ATA:34
	MOS	18-Mar-24	24 (+2m)	18-Mar-26	18-May-26	94 d (+61)		
	HRS	9102						
WC#: 34.025	AFL	5804						
PROC. REF: AMM 34-11-19PROC. REF: AMM 34-11-19								
340003 ^S	INSPECT AUTOPILOT AILERON SERVO UNIT AND MOUNT							Service ATA:34
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 34.405	AFL	4882						
PKG:22,92								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340004 ^S	INSPECT AUTOPILOT SERVO UNITS, RUDDER AND ELEVATOR							Service ATA:34
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 34.410	AFL	4882						PKG:25,92
340005 ^S	INSPECT AUTOPILOT ELEVATOR TRIM SERVO UNIT AND MOUNT							Service ATA:34
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 34.415	AFL	4882						PKG:25,92
340006	PRESSURE/SUCTION TEST PITOT/STATIC AND STALL WARNING SYSTEMS							Service ATA:34
	MOS	26-Mar-24	24 (+2m)		26-Mar-26	26-May-26	102 d (+61)	
	HRS	9102						
WC#: 34.015	AFL	5804						
PROC. REF: AMM 34-11-19PROC. REF: AMM 34-11-19								
340007	CHECK PITOT SYSTEM ISOLATION VALVES							Service ATA:34
	MOS	26-Mar-24	24 (+2m)		26-Mar-26	26-May-26	102 d (+61)	
	HRS	9102						
WC#: 34.290	AFL	5804						
340008 ^S	TEST MACH TRIM SYSTEM							Service ATA:34
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 34.270	AFL	4176						PKG:31,93
PROC. REF: AMM 34-24-00PROC. REF: AMM 34-24-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340010 ^S	TEST AUTOTRIM COMMAND ISOLATION RELAY AND AUTOTRIM SWITCHING RELAY							Service ATA:34
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 34.425	AFL	4176						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:31,93
340011 ^S	CHECK MACH TRIM FAIL ANNUNCIATION RELAYS							Service ATA:34
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 34.420	AFL	4176						
								PKG:31,93
340012	SWING CHECK NO. 1 COMPASS							Service ATA:34
	MOS	18-Mar-24	36 (+2m)		18-Mar-27	18-May-27	459 d (+61)	
	HRS	9102						
WC#: 34.095	AFL	5804						
PROC. REF: AMM 34-09-111, AMM 34-20-15, AMM 34-23-61PROC. REF: AMM 34-09-111, AMM 34-20-15, AMM 34-23-61								
340012	SWING CHECK NO. 2 COMPASS							Service ATA:34
	MOS	18-Mar-24	36 (+2m)		18-Mar-27	18-May-27	459 d (+61)	
	HRS	9102						
WC#: 34.095	AFL	5804						
PROC. REF: AMM 34-09-111, AMM 34-20-15, AMM 34-23-61PROC. REF: AMM 34-09-111, AMM 34-20-15, AMM 34-23-61								
340012	SWING CHECK STANDBY COMPASS							Service ATA:34
	MOS	18-Mar-24	36 (+2m)		18-Mar-27	18-May-27	459 d (+61)	
	HRS	9102						
WC#: 34.095	AFL	5804						
PROC. REF: AMM 34-09-111, AMM 34-20-15, AMM 34-23-61PROC. REF: AMM 34-09-111, AMM 34-20-15, AMM 34-23-61								
340013	COMPLY WITH RVSM REQUIREMENTS FOR THE STATIC PLATES AND AIRFRAME							Service ATA:34
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 34.020	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341001	LEFT PITOT PRESSURE HEAD							Component ATA:34
PN:853JF1	MOS/MSC	17-Jul-01	O/C	TSN 0				
SN:10215	HRS	1192.5		TSN 0				
WC#: 34.010	AFL	699		TSN 0				
PROC. REF: AMM 34-11-24PROC. REF: AMM 34-11-24								
341002	RIGHT PITOT PRESSURE HEAD							Component ATA:34
PN:853JF1	MOS/MSC	21-Mar-02	O/C	TSN 0				
SN:10894	HRS	1941.5		TSN 0				
WC#: 34.010	AFL	1119		TSN 0				
PROC. REF: AMM 34-11-24PROC. REF: AMM 34-11-24								
341073	LEFT ALTIMETER							Component ATA:34
PN:4016341-905	MOS/MSC	20-Mar-06	O/C	TSR 0				
SN:98088967	HRS	6246.2		TSR 0				
WC#: 34.030	AFL	3882		TSR 0				
PROC. REF: AMM 34-10-05PROC. REF: AMM 34-10-05								
341074	RIGHT ALTIMETER							Component ATA:34
PN:4016341-905	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.035	AFL	0		TSN 0				
PROC. REF: AMM 34-10-05PROC. REF: AMM 34-10-05								
341085	TEST LEFT ALTIMETER (FAR 91.411)							Service ATA:34
PN:4016341-905	MOS	26-Mar-24	24		26-Mar-26		102 d	MANDATORY
SN:98088967	HRS	9102						
WC#: 34.030	AFL	5804						
Test Date: : 26-Mar-24								
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341086	TEST RIGHT ALTIMETER (FAR 91.411)							Service ATA:34
PN:4016341-905	MOS	26-Mar-24	24		26-Mar-26		102 d	MANDATORY
SN:UNKNOWN	HRS	9102						
WC#: 34.035	AFL	5804						
Test Date: : 26-Mar-24								
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91								
341097	STANDBY ALTIMETER							Component ATA:34
PN:1611AM3	MOS/MSC	07-Jun-19	O/C					
SN:AG115	HRS	9086.9						
WC#: 34.040	AFL	5793						
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341103	TEST STANDBY ALTIMETER (FAR 91.411)							Service ATA:34
PN:1611AM3	MOS	26-Mar-24	24		26-Mar-26		102 d	MANDATORY
SN:AG115	HRS	9102						
WC#: 34.040	AFL	5804						
Test Date: : 26-Mar-24								
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91								
341109	LEFT AIRSPEED INDICATOR							Component ATA:34
PN:WL271ASI	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.050	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341110	RIGHT AIRSPEED INDICATOR							Component ATA:34
PN:WL271ASI	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.055	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341111	NO. 1 AIRSPEED REFERENCE PANEL							Component ATA:34
PN:622-9227-002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.315	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341112	NO. 2 AIRSPEED REFERENCE PANEL							Component ATA:34
PN:622-9227-002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.315	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341115	STANDBY AIRSPEED INDICATOR							Component ATA:34
PN:WL271ASI	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.045	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341163	LEFT SAT/TAS INDICATOR							Component ATA:34
PN:622-2294-013	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.320	AFL	0		TSN 0				
PROC. REF: AMM 34-10-05PROC. REF: AMM 34-10-05								
341164	RIGHT SAT/TAS INDICATOR							Component ATA:34
PN:622-2294-013	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.320	AFL	0		TSN 0				
PROC. REF: AMM 34-10-05PROC. REF: AMM 34-10-05								
341195	VOICE ADVISORY							Component ATA:34
PN:7001433-902(VA-100)	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.060	AFL	0		TSN 0				
PROC. REF: MMA 31-50-00, AMM NO REFPROC. REF: MMA 31-50-00, AMM NO REF								
341228	NO. 1 AIR DATA COMPUTER							Component ATA:34
PN:7000700-668	MOS/MSC	07-Jun-19	O/C	TSR 157				
SN:87022014	HRS	9086.9		TSR 2635.8				
WC#: 34.065	AFL	5793		TSR 1785				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-10-05, AMM 34-10-17PROC. REF: AMM 34-10-05, AMM 34-10-17								
341229	NO. 2 AIR DATA COMPUTER							Component ATA:34
PN:7000700-668	MOS/MSC	07-Jun-19	O/C					
SN:01038989	HRS	9086.9						
WC#: 34.066	AFL	5793						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341230	NO. 1 AIR DATA MODULE							Component ATA:34
PN:622-9282-005	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.325	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341231	NO. 2 AIR DATA MODULE							Component ATA:34
PN:622-9282-005	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.325	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341234	SIGNAL INTERFERENCE ADAPTER							Component ATA:34
PN:622-9732-002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.330	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341235	(ESIS) MAGNETOMETER							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.485	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341237	AIR DATA ESIS UNIT							Component ATA:34
PN:27101-01-01	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.435	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
341238	TEST AIR DATA ESIS UNIT (FAA 91.411)							Service ATA:34
PN:27101-01-01	MOS	26-Mar-24	24		26-Mar-26		102 d	MANDATORY
SN:UNKNOWN	HRS	9102						
WC#: 34.435	AFL	5804						
Test Date: : 26-Mar-24								
PROC. REF: AMM 31-20-60, FAR FAR PART 91PROC. REF: AMM 31-20-60, FAR FAR PART 91								
341240	TEST NO.1 AIR DATA COMPUTER (FAA 91.411)							Service ATA:34
PN:7000700-668	MOS	26-Mar-24	24		26-Mar-26		102 d	MANDATORY
SN:87022014	HRS	9102						
WC#: 34.065	AFL	5804						
Test Date: : 26-Mar-24								
PROC. REF: AMM 34-10-05, FAR FAR PART 91PROC. REF: AMM 34-10-05, FAR FAR PART 91								
341241	TEST NO.2 AIR DATA COMPUTER (FAA 91.411)							Service ATA:34
PN:7000700-668	MOS	26-Mar-24	24		26-Mar-26		102 d	MANDATORY
SN:01038989	HRS	9102						
WC#: 34.066	AFL	5804						
Test Date: : 26-Mar-24								
PROC. REF: AMM 34-10-05, FAR FAR PART 91PROC. REF: AMM 34-10-05, FAR FAR PART 91								
341276	RADIO ALTIMETER UNIT							Component ATA:34
PN:7001840-912	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 34-40-05PROC. REF: AMM 34-40-05								
341279	LEFT RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.075	AFL	0		TSN 0				
PROC. REF: AMM 34-40-05PROC. REF: AMM 34-40-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341281	RIGHT RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: AMM 34-40-05PROC. REF: AMM 34-40-05								
342013	EMERGENCY GYRO HORIZON INDICATOR							Component ATA:34
PN:501-1656-02	MOS/MSC	02-Jun-07	O/C	TSO 0				
SN:1125	HRS	7398.3		TSO 3231.9				
WC#: 34.090	AFL	4614		TSO 2059				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342014	SECONDARY FLIGHT DISPLAY							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342061	NO. 1 HORIZONTAL SITUATIONAL INDICATION (HSI)							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342062	NO. 2 HORIZONTAL SITUATIONAL INDICATION (HSI)							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342097	STANDBY COMPASS (E2B) INDICATOR							Component ATA:34
PN:KCA0104W	MOS/MSC	05-Jan-16	O/C					
SN:U8429	HRS	8805.5						
WC#: 34.106	AFL	5523						
PROC. REF: AMM 34-09-111PROC. REF: AMM 34-09-111								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342141	NO. 1 VLF/OMEGA SENSOR							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.105	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342142	NO. 2 VLF/OMEGA SENSOR							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.105	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342143	H FIELD (TOP) ANTENNA							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342144	H FIELD (BOTTOM) ANTENNA							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342145	NO. 1 DATA LOADER							Component ATA:34
PN:7016600-901	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.115	AFL	0		TSN 0				
PROC. REF: AMM 34-60-05, AMM 34-60-15, AMM 34-60-25PROC. REF: AMM 34-60-05, AMM 34-60-15, AMM 34-60-25								
342220	NO. 1 FLIGHT MANAGEMENT COMPUTER							Component ATA:34
PN:7018879-03014	MOS/MSC	11-Aug-05	O/C	TSR 0				
SN:99112561	HRS	5546.1		TSR 0				
WC#: 34.350	AFL	3440		TSR 0				
PROC. REF: AMM 34-60-05, AMM 34-60-15, AMM 34-60-25PROC. REF: AMM 34-60-05, AMM 34-60-15, AMM 34-60-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342221	NO. 2 FLIGHT MANAGEMENT COMPUTER							Component ATA:34
PN:7018879-03014	MOS/MSC	07-Jun-19	O/C	TSR 9				
SN:03023843	HRS	9086.9		TSR 0				
WC#: 34.350	AFL	5793		TSR 0				
PROC. REF: AMM 34-60-05, AMM 34-60-15, AMM 34-60-25PROC. REF: AMM 34-60-05, AMM 34-60-15, AMM 34-60-25								
342240	REMOTE TUNING UNIT							Component ATA:34
PN:1056-01-12	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.340	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342253	NO. 1 COMPASS FLUX VALVE							Component ATA:34
PN:7010133	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM 34-20-15PROC. REF: AMM 34-20-15								
342254	NO. 2 COMPASS FLUX VALVE							Component ATA:34
PN:7010133	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM 34-20-15PROC. REF: AMM 34-20-15								
342265	NO. 1 AHRS COMPUTER							Component ATA:34
PN:7003360-943	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.125	AFL	0		TSN 0				
PROC. REF: AMM 34-23-61PROC. REF: AMM 34-23-61								
342266	NO. 2 AHRS COMPUTER							Component ATA:34
PN:7003360-943	MOS/MSC	19-Aug-15	O/C					
SN:86100545	HRS	8775.4						
WC#: 34.125	AFL	5483						
PROC. REF: AMM 34-23-61PROC. REF: AMM 34-23-61								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342289	NO. 1 AHRS CONTROLLER							Component ATA:34
PN:7004545-901	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.140	AFL	0		TSN 0				
PROC. REF: AMM 34-20-15PROC. REF: AMM 34-20-15								
342290	NO. 2 AHRS CONTROLLER							Component ATA:34
PN:7004545-901	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.140	AFL	0		TSN 0				
PROC. REF: AMM 34-20-15PROC. REF: AMM 34-20-15								
342501	NO. 1 MULTIFUNCTION DISPLAY							Component ATA:34
PN:7003110-901	MOS/MSC	09-Jan-02	O/C	TSO 0				
SN:94088365	HRS	1713.8		TSO 0				
WC#: 34.130	AFL	1000		TSO 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342502	NO. 2 MULTIFUNCTION DISPLAY							Component ATA:34
PN:7003110-901	MOS/MSC	29-Dec-05	O/C	TSR 0				
SN:86041139	HRS	5951.1		TSR 0				
WC#: 34.135	AFL	3709		TSR 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342503	NO. 1 ELECTRONIC FLIGHT INSTRUMENT SYSTEM ATTITUDE DIRECTION INDICATOR(ADI)							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342504	NO. 2 ELECTRONIC FLIGHT INSTRUMENT SYSTEM ATTITUDE DIRECTION INDICATOR(ADI)							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342513	NO. 1 PRIMARY FLIGHT DISPLAY							Component ATA:34
PN:7003110-901	MOS/MSC	11-Oct-05	O/C	TSR 0				
SN:98081299	HRS	5737		TSR 0				
WC#: 34.130	AFL	3573		TSR 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342514	NO. 2 PRIMARY FLIGHT DISPLAY							Component ATA:34
PN:7003110-901	MOS/MSC	29-Dec-05	O/C	TSR 0				
SN:91126107	HRS	5951.1		TSR 0				
WC#: 34.135	AFL	3709		TSR 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342515	EFIS MULTIFUNCTION ELECTRONIC DISPLAY							Component ATA:34
PN:7003110-901	MOS/MSC	31-Aug-05	O/C	TSR 0				
SN:880042675	HRS	5591.3		TSR 0				
WC#: 34.140	AFL	3475		TSR 0				
PROC. REF: MMA 34-70-13PROC. REF: MMA 34-70-13								
342516	NO. 1 REMOTE INSTRUMENT CONTROL							Component ATA:34
PN:7011345-901	MOS/MSC	18-Oct-04	O/C	TSR 0				
SN:96011028	HRS	4781.9		TSR 0				
WC#: 34.145	AFL	2948		TSR 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342517	NO. 2 REMOTE INSTRUMENT CONTROL							Component ATA:34
PN:7011345-911	MOS/MSC	12-Dec-06	O/C	TSR 0				
SN:01021477	HRS	6956.8		TSR 0				
WC#: 34.145	AFL	4340		TSR 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342523	MULTIFUNCTION PROCESS UNIT							Component ATA:34
PN:622-9286-004	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.335	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342525	NO. 1 EFIS DISPLAY PROCESSOR							Component ATA:34
PN:622-9285-004	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.335	AFL	0		TSN 0				
PROC. REF: MMA 34-70-13, AMM NO REFPROC. REF: MMA 34-70-13, AMM NO REF								
342526	NO. 2 EFIS DISPLAY PROCESSOR							Component ATA:34
PN:622-9285-004	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.335	AFL	0		TSN 0				
PROC. REF: MMA 34-70-13, AMM NO REFPROC. REF: MMA 34-70-13, AMM NO REF								
342527	NO. 1 EFIS SYMBOL GENERATOR							Component ATA:34
PN:7011674-119	MOS/MSC	04-Apr-07	O/C	TSO 0				
SN:01061832	HRS	7268.1		TSO 0				
WC#: 34.150	AFL	4524		TSO 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342528	NO. 2 EFIS SYMBOL GENERATOR							Component ATA:34
PN:7011674-119	MOS/MSC	07-Jun-19	O/C	TSR 12				
SN:91050681	HRS	9086.9		TSR 0				
WC#: 34.150	AFL	5793		TSR 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342530	MULTIFUNCTION SYMBOL GENERATOR							Component ATA:34
PN:7011675-119	MOS/MSC	07-Jun-19	O/C	TSR 24				
SN:99120915	HRS	9086.9		TSR 0				
WC#: 34.150	AFL	5793		TSR 0				
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342537	NO. 1 DISPLAY CONTROL PANEL							Component ATA:34
PN:7005819-707	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.155	AFL	0		TSN 0				
PROC. REF: MMA 34-70-13, AMM 34-70-05PROC. REF: MMA 34-70-13, AMM 34-70-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342538	NO. 2 DISPLAY CONTROL PANEL							Component ATA:34
PN:7005819-707	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.155	AFL	0		TSN 0				
PROC. REF: MMA 34-70-13, AMM 34-70-05PROC. REF: MMA 34-70-13, AMM 34-70-05								
342539	MULTI FUNCTION EFIS CONTROL							Component ATA:34
PN:7007062-921	MOS/MSC	01-Nov-06	O/C					
SN:93011191	HRS	6875.5						
WC#: 34.160	AFL	4293						
PROC. REF: AMM 34-70-05PROC. REF: AMM 34-70-05								
342540	FLIGHT GUIDANCE PANEL							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.440	AFL	0		TSN 0				
342541	NO. 1 CONSOLE CONTROL DISPLAY UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.445	AFL	0		TSN 0				
PROC. REF: MMA 23-80-10, AMM NO REFPROC. REF: MMA 23-80-10, AMM NO REF								
342542	NO. 2 CONSOLE CONTROL DISPLAY UNIT							Component ATA:34
PN:2888-01-1	MOS/MSC	26-Nov-07	O/C	TSO 0				
SN:746	HRS	7805.2		TSO 0				
WC#: 34.450	AFL	4904		TSO 0				
PROC. REF: MMA 23-80-10, AMM NO REFPROC. REF: MMA 23-80-10, AMM NO REF								
342543	PILOT OPTIONAL CONTROL MODULE							Component ATA:34
PN:2888-01-1	MOS/MSC	25-Jun-07	O/C	TSO 0				
SN:1074	HRS	7449.1		TSO 0				
WC#: 34.495	AFL	4655		TSO 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342544	COPILOT OPTIONAL CONTROL MODULE							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.495	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342545	NO. 1 FLUX DETECTOR							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342547	NO. 2 FLUX DETECTOR							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342550	IAPS ENVIROMENTAL CONTROLLER							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.505	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342561	TCAS COMPUTER							Component ATA:34
PN:7517900-55012	MOS/MSC	19-Aug-15	O/C					
SN:98050115	HRS	8775.4						
WC#: 34.175	AFL	5483						
PROC. REF: MMA 34-45-06, MMA 34-45-07, AMM 34-45-05PROC. REF: MMA 34-45-06, MMA 34-45-07, AMM 34-45-05								
342562	TCAS (TOP) ANTENNA							Component ATA:34
PN:7514081-910	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.180	AFL	0		TSN 0				
PROC. REF: MMA 34-45-00, MMA 34-45-06, MMA 34-45-07, AMM 34-45-05PROC. REF: MMA 34-45-00, MMA 34-45-06, MMA 34-45-07, AMM 34-45-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342563	TCAS (BOTTOM) ANTENNA							Component ATA:34
PN:S65-5366-11L	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.180	AFL	0		TSN 0				
PROC. REF: MMA 34-45-00, MMA 34-45-06, MMA 34-45-07, AMM 34-45-05PROC. REF: MMA 34-45-00, MMA 34-45-06, MMA 34-45-07, AMM 34-45-05								
342601	NO. 1 INTEGRATED NAVIGATION (RNZ-850/-851) UNIT							Component ATA:34
PN:7510100-731	MOS/MSC	09-Aug-05	O/C					
SN:99093916	HRS	5546.1						
WC#: 34.185	AFL	3440						
PROC. REF: AMM 34-30-05PROC. REF: AMM 34-30-05								
342602	NO. 2 INTEGRATED NAVIGATION (RNZ-850/-851) UNIT							Component ATA:34
PN:7510100-731	MOS/MSC	03-Jan-08	O/C					
SN:0612A954	HRS	7929.1						
WC#: 34.185	AFL	4969						
PROC. REF: AMM 34-30-05PROC. REF: AMM 34-30-05								
342624	NO. 1 ADF ANTENNA							Component ATA:34
PN:7510300-901	MOS/MSC	29-May-03	O/C					
SN:9410457	HRS	3201.7						
WC#: 34.190	AFL	1917						
PROC. REF: AMM 34-51-05PROC. REF: AMM 34-51-05								
342625	NO. 2 ADF ANTENNA							Component ATA:34
PN:7510300-901	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 34.190	AFL	0						
PROC. REF: AMM 34-51-05PROC. REF: AMM 34-51-05								
342640	EGPWS COMPUTER							Component ATA:34
PN:PN-UNKNOWN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.455	AFL	0		TSN 0				
PROC. REF: MMA 34-44-06, AMM NO REFPROC. REF: MMA 34-44-06, AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342701	NO. 1 DATA CONCENTRATOR UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.515	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342703	NO. 2 DATA CONCENTRATOR UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.515	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342705	NO. 3 DATA CONCENTRATOR UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342707	NO. 4 DATA CONCENTRATOR UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342709	DA PANEL ASSEMBLY							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.525	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342801	NO. 1 INPUT / OUTPUT CONCENTRATOR MODULE							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.530	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342802	NO. 2 INPUT / OUTPUT CONCENTRATOR MODULE							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.530	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342805	NO. 1 IAPS POWER SUPPLY							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.535	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342806	NO. 2 IAPS POWER SUPPLY							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.535	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342809	AURAL WARNING GENERATOR							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.540	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342810	NO. 1 CURSOR CONTROL PANEL							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.545	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342811	NO. 2 CURSOR CONTROL PANEL							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.545	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342812	NO. 1 FILE SERVER UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.550	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342813	NO. 2 FILE SERVER UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.550	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
342815	FSU (MMT-5000) MOUNT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.600	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
343001	GLIDE SLOPE AERIAL							Component ATA:34
PN:17-21F6	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 34.195	AFL	0						
PROC. REF: AMM 34-32-725PROC. REF: AMM 34-32-725								
343013	MARKER AERIAL							Component ATA:34
PN:17-5C	MOS/MSC	14-Jun-00	O/C					
SN:UNKNOWN	HRS	0						
WC#: 34.200	AFL	0						
PROC. REF: AMM 34-33-612PROC. REF: AMM 34-33-612								
344001	NO. 1 WEATHER RADAR CONTROL PANEL							Component ATA:34
PN:7008471-405	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.205	AFL	0		TSN 0				
PROC. REF: MMA 34-41-29, AMM 34-41-05, AMM 34-41-15PROC. REF: MMA 34-41-29, AMM 34-41-05, AMM 34-41-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344002	NO. 2 WEATHER RADAR CONTROL PANEL							Component ATA:34
PN:7008471-407	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.205	AFL	0		TSN 0				
PROC. REF: MMA 34-41-29, AMM 34-41-05, AMM 34-41-15PROC. REF: MMA 34-41-29, AMM 34-41-05, AMM 34-41-15								
344005	WEATHER RADAR TRANSCEIVER							Component ATA:34
PN:7021450-801	MOS/MSC	30-Jan-07	O/C	TSO 0				
SN:04125305	HRS	7082.1		TSO 0				
WC#: 34.210	AFL	4413		TSO 0				
PROC. REF: AMM 34-41-05, AMM 34-41-15PROC. REF: AMM 34-41-05, AMM 34-41-15								
344016	RADAR CHECKLIST MODULE							Component ATA:34
PN:7008266-904	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.215	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
344036	ISOLATION VALVE							Component ATA:34
PN:25MC2175	MOS/MSC	24-Feb-08	O/C	TSN 0				
SN:32070684	HRS	8076		TSN 0				
WC#: 34.220	AFL	5049		TSN 0				
PROC. REF: AMM 34-11-52PROC. REF: AMM 34-11-52								
345001	NO. 1 VHF NAVIGATION RECEIVER							Component ATA:34
PN:622-7194-201	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345002	NO. 2 VHF NAVIGATION RECEIVER							Component ATA:34
PN:622-7194-201	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345003	DATA BASE UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.503	AFL	0		TSN 0				
PROC. REF: MMA 34-70-22, AMM NO REFPROC. REF: MMA 34-70-22, AMM NO REF								
345008	SENSOR UNIT DISPLAY							Component ATA:34
PN:622-9735-002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.295	AFL	0		TSN 0				
PROC. REF: MMA 34-70-22, AMM NO REFPROC. REF: MMA 34-70-22, AMM NO REF								
345009	SENSOR DRIVER DISPLAY							Component ATA:34
PN:622-9347-002	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.295	AFL	0		TSN 0				
PROC. REF: MMA 34-70-22, AMM NO REFPROC. REF: MMA 34-70-22, AMM NO REF								
345015	ILS CONVERTER							Component ATA:34
PN:500-5000	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345019	NO. 1 ADF RECEIVER							Component ATA:34
PN:622-7382-001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: MMA 34-52-01, AMM NO REFPROC. REF: MMA 34-52-01, AMM NO REF								
345020	NO. 2 ADF RECEIVER							Component ATA:34
PN:622-7382-001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: MMA 34-52-01, AMM NO REFPROC. REF: MMA 34-52-01, AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345037	LEFT VOR/LOC AERIAL							Component ATA:34
PN:S65-247-12	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM 34-32-675PROC. REF: AMM 34-32-675								
345038	RIGHT VOR/LOC AERIAL							Component ATA:34
PN:S65-247-12	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM 34-32-675PROC. REF: AMM 34-32-675								
345049	NO. 1 ADF LOOP ANTENNA							Component ATA:34
PN:622-3710-001	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.235	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345097	PHASING COUPLER							Component ATA:34
PN:SSPD-113-10	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345098	COUPLER ANTENNA							Component ATA:34
PN:SSPD-113-13	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.245	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345109	NO. 1 DME AERIAL							Component ATA:34
PN:10A1	MOS/MSC	24-Feb-08	O/C	TSN 0				
SN:8573	HRS	8076		TSN 0				
WC#: 34.250	AFL	5049		TSN 0				
PROC. REF: AMM 34-42-652PROC. REF: AMM 34-42-652								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345110	NO. 2 DME AERIAL							Component ATA:34
PN:10A-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM 34-42-652PROC. REF: AMM 34-42-652								
345133	NO. 1 ATC TRANSPONDER AERIAL							Component ATA:34
PN:10A-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.255	AFL	0		TSN 0				
PROC. REF: AMM 34-43-742PROC. REF: AMM 34-43-742								
345134	NO. 2 ATC TRANSPONDER AERIAL							Component ATA:34
PN:10A-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.255	AFL	0		TSN 0				
PROC. REF: AMM 34-43-742PROC. REF: AMM 34-43-742								
345135	FORWARD TRANSPONDER ANTENNA							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.460	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345136	AFT TRANSPONDER ANTENNA							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.465	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345205	NO. 1 DME TRANSCEIVER							Component ATA:34
PN:622-7309-101	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.305	AFL	0		TSN 0				
PROC. REF: MMA 34-42-13PROC. REF: MMA 34-42-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345206	NO. 2 DME TRANSCEIVER							Component ATA:34
PN:622-7309-101	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.305	AFL	0		TSN 0				
PROC. REF: MMA 34-42-13PROC. REF: MMA 34-42-13								
345217	NO. 1 ATC TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	26-Mar-24	O/C					
SN:20S008487	HRS	9102						
WC#: 34.260	AFL	5804						
PROC. REF: MMA 34-43-64, AMM 34-52-05, AMM 34-52-15PROC. REF: MMA 34-43-64, AMM 34-52-05, AMM 34-52-15								
345218	NO. 2 ATC TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	26-Mar-24	O/C					
SN:20S009554	HRS	9102						
WC#: 34.260	AFL	5804						
PROC. REF: MMA 34-43-64, AMM 34-52-05, AMM 34-52-15PROC. REF: MMA 34-43-64, AMM 34-52-05, AMM 34-52-15								
345229	SYSTEM TEST NO.1 ATC TRANSPONDER (FAA 91.413)							Service ATA:34
PN:011-01997-00	MOS	26-Mar-24	24		26-Mar-26		102 d	MANDATORY
SN:20S008487	HRS	9102						
WC#: 34.260	AFL	5804						
Test Date: : 26-Mar-24								
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91								
345230	SYSTEM TEST NO.2 ATC TRANSPONDER (FAA 91.413)							Service ATA:34
PN:011-01997-00	MOS	26-Mar-24	24		26-Mar-26		102 d	MANDATORY
SN:20S009554	HRS	9102						
WC#: 34.260	AFL	5804						
Test Date: : 26-Mar-24								
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91								
345305	MACH TRIM COMPUTER							Component ATA:34
PN:822-0872-001MOD1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.270	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345309	AFIS DMU							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.470	AFL	0		TSN 0				
PROC. REF: MMA 34-61-05, MMA 34-61-10, MMA 34-61-15, MMA 34-61-20, AMM NO REFPROC. REF: MMA 34-61-05, MMA 34-61-10, MMA 34-61-15, MMA 34-61-20, AMM NO REF								
345310	AFIS CONFIGURATION MODULE							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.475	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345404	NO. 1 GPS SENSOR UNIT							Component ATA:34
PN:HG2021GD02	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.275	AFL	0		TSN 0				
PROC. REF: AMM 34-53-05PROC. REF: AMM 34-53-05								
345405	NO. 2 GPS SENSOR UNIT							Component ATA:34
PN:HG2021GD02	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.275	AFL	0		TSN 0				
PROC. REF: AMM 34-53-05PROC. REF: AMM 34-53-05								
345406	NO. 1 GPS ANTENNA							Component ATA:34
PN:S67-1575-20	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.280	AFL	0		TSN 0				
PROC. REF: MMA 34-48-30, MMA 34-48-32, MMA 34-50-00, AMM 34-53-05PROC. REF: MMA 34-48-30, MMA 34-48-32, MMA 34-50-00, AMM 34-53-05								
345407	NO. 2 GPS ANTENNA							Component ATA:34
PN:S67-1575-20	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.280	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: MMA 34-48-30, MMA 34-48-32, MMA 34-50-00, AMM 34-53-05PROC. REF: MMA 34-48-30, MMA 34-48-32, MMA 34-50-00, AMM 34-53-05								
345413	NO. 1 CONFIGURATION STRAPPING UNIT							Component ATA:34
PN:7014940-902	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.285	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345414	NO. 2 CONFIGURATION STRAPPING UNIT							Component ATA:34
PN:7014940-902	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.285	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
345513	NO. 1 (AHRS) EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.480	AFL	0		TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
345514	NO. 2 (AHRS) EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.480	AFL	0		TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
345515	NO. 1 (IFIS) EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.555	AFL	0		TSN 0				
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
345516	NO. 2 (IFIS) EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.602	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345517	NO. 3 (IFIS) EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.603	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
346810	OBSERVERS AMPLIFIER							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.601	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
348001	ACSS TAWS COMPUTER							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.604	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
348002	AP-950 CONFIGURATION MODULE							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.605	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
349101	PASSENGER SPEAKER AMPLIFIER							Component ATA:34
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.606	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
349998	ADJUSTMENT/TEST COLLINS AIR DATA SYSTEM (FOR RVSM CAPABLE AIRPLANES)							Service ATA:34
	MOS/MSC	14-Jun-00	O/C					
	HRS	0						
WC#: 34.T04	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-10-18PROC. REF: AMM 34-10-18								
349999	ADJUSTMENT/TEST HONEYWELL ADZ-810 AIR DATA SYSTEM (FOR RVSM CAPABLE AIRPLANES)							Service ATA:34
	MOS/MSC	14-Jun-00	O/C					
	HRS	0						
WC#: 34.T05	AFL	0						
PROC. REF: AMM 34-10-15PROC. REF: AMM 34-10-15								
ATA 35 - OXYGEN								
350001 ^S	CHECK OXYGEN SYSTEM MASTER SUPPLY VALVE							Service ATA:35
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 35.110	AFL							
								PKG:10,91
350002 ^S	FUNCTIONAL TEST AUTOMATIC SHUT-OFF VALVE							Service ATA:35
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 35.035	AFL	4176						
								PKG:32,93
PROC. REF: AMM 35-10-141PROC. REF: AMM 35-10-141								
350004 ^S	TEST/INSPECT PASSENGER OXYGEN SYSTEM							Service ATA:35
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 35.075	AFL	5804						
								PKG:44,94
PROC. REF: MMA 35-06-00, MMA 35-20-05, AMM 35-06-00PROC. REF: MMA 35-06-00, MMA 35-20-05, AMM 35-06-00								
350005 ^S	CHECK BAROMATIC CONTROL VALVE							Service ATA:35
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 35.100	AFL	5804						
								PKG:44,94

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350006 ^S	INSPECT CREW MASKS, SMOKE SET MASK (IF FITTED) AND HOSES							Service ATA:35
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 35.115	AFL	5804						
								PKG:46,94
350007 ^S	INSPECT PORTABLE BREATHING EQUIPMENT							Service ATA:35
	MOS	In progress	12 (+1m/-1m)					
	HRS	9102						
WC#: 35.120	AFL	5804						
								PKG:46,94
350008 ^S	INSPECT OXYGEN CYLINDERS							Service ATA:35
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 35.105	AFL	4882						
								PKG:25,92
351001	MASTER OXYGEN SUPPLY VALVE							Component ATA:35
PN:SDV-1012	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.030	AFL	0		TSN 0				
PROC. REF: AMM 35-10-62PROC. REF: AMM 35-10-62								
351013	OXYGEN PRESSURE GAUGE							Component ATA:35
PN:ST10015	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: AMM 35-10-32PROC. REF: AMM 35-10-32								
351014	ALTERNATIVE OXYGEN PRESSURE GAUGE							Component ATA:35
PN:ST10015	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-10-33PROC. REF: AMM 35-10-33								
351015	OXYGEN CHARGING FILTER ASSEMBLY							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.215	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351025	OXYGEN REDUCING VALVE							Component ATA:35
PN:WKA29720-2	MOS/MSC	25-Jan-17	O/C	TSO 8				
SN:2157	HRS	8891.2		TSO 0				
WC#: 35.045	AFL	5619		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351031	PILOT OXYGEN MASK							Component ATA:35
PN:MF10-03-02	MOS	In progress	72	TSO 0	03-Jul-24		OVD	OVERHAUL
SN:314041	HRS	9038.9		TSO 0				
WC#: 35.050	AFL	5753		TSO 0				
351032	COPILOT OXYGEN MASK							Component ATA:35
PN:MF10-03-02	MOS	In progress	72	TSO 0	03-Jul-24		OVD	OVERHAUL
SN:394	HRS	9038.9		TSO 0				
WC#: 35.050	AFL	5753		TSO 0				
351035	PASSENGER OXYGEN MASKS							Component ATA:35
PN:289-601-228	MOS/MSC	06-Nov-17	A/R	TSN 14				
SN:NSN	HRS	8960.5		TSN 0				
WC#: 35.140	AFL	5683		TSN 0				
Manufacture Date:: 01-Sep-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351043	LEFT OXYGEN OUTLET VALVE							Component ATA:35
PN:DPB.181	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351044	RIGHT OXYGEN OUTLET VALVE							Component ATA:35
PN:DPB.181	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351051	NO. 1 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.150	AFL	5804						
Manufacture Date:: 01-Jan-24								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
351052	NO. 2 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.150	AFL	5804						
Manufacture Date:: 01-Nov-23								
351053	NO. 3 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.155	AFL	5804						
Manufacture Date:: 01-Nov-23								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351054	NO. 4 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.155	AFL	5804						
Manufacture Date:: 01-Jan-24								
351055	NO. 5 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.160	AFL	5804						
Manufacture Date:: 01-Jan-24								
351056	NO. 6 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.160	AFL	5804						
Manufacture Date:: 01-Jan-24								
351057	NO. 7 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.170	AFL	5804						
Manufacture Date:: 01-Jan-24								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
351058	NO. 8 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.170	AFL	5804						
Manufacture Date:: 01-Jan-24								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351059	NO. 9 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.180	AFL	5804						
Manufacture Date:: 01-Jan-24								
351060	NO. 10 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.180	AFL	5804						
Manufacture Date:: 01-Jan-24								
351061	NO. 11 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.190	AFL	5804						
Manufacture Date:: 01-Jan-24								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
351062	NO. 12 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	18-Mar-24	A/R					
SN:N/A	HRS	9102						
WC#: 35.190	AFL	5804						
Manufacture Date:: 01-Jan-24								
351080	NO. 1 MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.195	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351081	NO. 2 MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.195	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351082	NO. 3 MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351083	NO. 4 MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351084	NO. 5 MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.205	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351085	NO. 6 MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.205	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351086	NO. 7 MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351093	OXYGEN PRESSURE SWITCH							Component ATA:35
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
351101	NO. 1 OXYGEN CYLINDER							Component ATA:35
PN:WKA37447	MOS/MSC	In progress	O/C					
SN:IA793396	HRS	9086.9						
WC#: 35.010	AFL	5793						
PROC. REF: AMM 35-10-14PROC. REF: AMM 35-10-14								
351102	NO. 2 OXYGEN CYLINDER							Component ATA:35
PN:WKA37447	MOS/MSC	In progress	O/C					
SN:IA564830	HRS	9086.9						
WC#: 35.015	AFL	5793						
PROC. REF: AMM 35-10-14PROC. REF: AMM 35-10-14								
351103	NO. 3 OXYGEN CYLINDER							Component ATA:35
PN:176531-35	MOS/MSC	07-Jun-19	O/C					
SN:761851	HRS	9086.9						
WC#: 35.020	AFL	5793						
PROC. REF: MMA 35-06-01, AMM 35-10-14PROC. REF: MMA 35-06-01, AMM 35-10-14								
351110	HYDROSTATIC TEST NO. 1 OXYGEN CYLINDER							Service ATA:35
PN:WKA37447	MOS	In progress	60		15-Apr-24		OVD	
SN:IA793396	HRS							
WC#: 35.010	AFL							
HydroCheck Date: : 15-Apr-19								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
351110	HYDROSTATIC TEST NO. 2 OXYGEN CYLINDER							Service ATA:35
PN:WKA37447	MOS	In progress	60		15-Apr-24		OVD	
SN:IA564830	HRS							
WC#: 35.015	AFL							
HydroCheck Date: : 15-Apr-19								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
351110	HYDROSTATIC TEST NO. 3 OXYGEN CYLINDER							Service ATA:35
PN:176531-35	MOS	In progress	60		15-Apr-24		OVD	
SN:761851	HRS							
WC#: 35.020	AFL							
HydroCheck Date: : 15-Apr-19								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
352001	ON/OFF OXYGEN VALVE							Component ATA:35
PN:SDV.1012	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.065	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
352007	BAROMATIC VALVE							Component ATA:35
PN:K39117-1	MOS/MSC	29-May-06	O/C	TSR 0				
SN:1094	HRS	6451.1		TSR 0				
WC#: 35.070	AFL	4008		TSR 0				
PROC. REF: AMM 35-20-42PROC. REF: AMM 35-20-42								
353031	(PBE) PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:802300-14	MOS	In progress	120		27-Sep-24 (M)		OVD	LIFE LIMIT
SN:E14090084	HRS	8775.4						
WC#: 35.085	AFL	5483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
354000	AUTOMATIC SHUT OFF VALVE							Component ATA:35
PN:WKA35964/1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.130	AFL	0		TSN 0				
PROC. REF: AMM 35-10-141PROC. REF: AMM 35-10-141								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
380001	^S	INSPECT TOILET AND GALLEY WATER SYSTEMS						Service ATA:38
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 38.010	AFL							
PROC. REF: AMM 12-38-00PROC. REF: AMM 12-38-00								PKG:12,91
381090		CLEAN GALLEY WATER SYSTEM						Service ATA:38
	DAYS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 38.020	AFL	0						
Special Properties: TRACKED ITEM PROC. REF: MMA 38-10-00PROC. REF: MMA 38-10-00								
381091		CLEAN LAVATORY WATER SYSTEM						Service ATA:38
	DAYS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 38.030	AFL	0						
Special Properties: TRACKED ITEM PROC. REF: MMA 38-20-00, MMA 38-20-05PROC. REF: MMA 38-20-00, MMA 38-20-05								
ATA 49 - AIRBORNE AUXILIARY POWER								
490001		INSPECT PATS APU GTCP36-150W						Service ATA:49
	MOS	In progress	12 (+1m)		18-Mar-25	18-Apr-25	OVD	
	HRS	9102	1000 (+10%)		10102	10202	1000 (+100)	
WC#: 49.205	AFL	5804						
490002		REMOVE/CLEAN/INSPECT APU IGNITER PLUG						Service ATA:49
	MOS	28-Nov-14						
	HRS	8775.4						
WC#: 49.210	AFL	5483						
	APH	6509	750		7259		396	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
490003	ACCOMPLISH APU (OPTION 1) OIL AND FILTER CHANGE AND MAGNETIC DRAIN PLUG INSPECTION							Service ATA:49
	MOS	In progress	12 (+1m)		18-Mar-25	18-Apr-25	OVD	
	HRS	9102	1000 (+10%)		10102	10202	1000 (+100)	
WC#: 49.220	AFL	5804						
490003	ACCOMPLISH APU (OPTION 2) S.O.A.P CHECK							Service ATA:49
	MOS/MSC	14-Jun-00	N/R					
	HRS							
WC#: 49.221	AFL							
490004	REMOVE AND REPLACE APU FUEL FILTER ELEMENT							Service ATA:49
	MOS	28-Nov-14						
	HRS	8775.4						
WC#: 49.230	AFL	5483						
	APH	6509	1000		7509		646	
490005	FLOW CHECK APU FUEL NOZZLE ASSEMBLIES							Service ATA:49
	MOS	09-Jun-04						
	HRS							
WC#: 49.240	AFL							
	APH	2594	4500		7094		231	
490006	ACCOMPLISH APU DETAILED HOT SECTION INSPECTION							Service ATA:49
	MOS	09-Jun-04						
	HRS							
WC#: 49.250	AFL							
	APH	2594	4500		7094		231	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
490007	VISUALLY CHECK APU COMPRESSOR ROTOR							Service ATA:49
	MOS	09-Jun-04						
	HRS							
WC#: 49.260	AFL							
	APH	2594	4500		7094		231	
491005	APU BLEED AIR CHECK VALVE							Component ATA:49
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
491010	APU - TURBINE ROTOR							Component ATA:49
PN:3615880-1	MOS	09-Jun-04		TSN 0				LIFE LIMIT
SN:040134503262	HRS	2594	10000	TSN 0	12594		5731	
WC#: 49.010	APUS							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
491020	APU - COMPRESSOR ROTOR							Component ATA:49
PN:3822101-1	MOS	09-Jun-04		TSN 0				LIFE LIMIT
SN:031365107756	HRS	2594	100000	TSN 0	102594		95731	
WC#: 49.015	APUS							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
491025	APU - INSPECT COMPRESSOR ROTOR							Service ATA:49
PN:3822101-1	MOS	09-Jun-04						
SN:031365107756	HRS	2594	4500		7094		231	
WC#: 49.020	APUS							
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00								
491030 ^S	APU - INSPECT HOT SECTION							Service ATA:49
	MOS	09-Jun-04						
	HRS	2594	4500					
WC#: 49.025	APUS							
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
491035	APU - FLOW CONTROL VALVE							Component ATA:49
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.135	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
491038	APU - FIRE LOOP DETECTOR							Component ATA:49
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.140	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
491042	APU - VOLTAGE REGULATOR							Component ATA:49
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.145	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493010	APU - FUEL CONTROL							Component ATA:49
PN:3882730-9	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:22559	HRS	0		TSN 0				
WC#: 49.030	APUS							
PROC. REF: MM 49-30-52PROC. REF: MM 49-30-52								
493020	APU - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service ATA:49
	MOS	28-Nov-14						
	HRS	6509	1000		7509		646	
WC#: 49.035	APUS							
PROC. REF: MM 49-30-52PROC. REF: MM 49-30-52								
493030	APU - ORIFICE FITTING							Component ATA:49
PN:3606721-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.040	APUS							
PROC. REF: MM 49-30-56PROC. REF: MM 49-30-56								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
493040	APU - FUEL SHUTOFF VALVE							Component ATA:49
PN:692545-17	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.045	APUS							
PROC. REF: MM 49-30-54PROC. REF: MM 49-30-54								
493050 ^S	APU - CHECK FUEL NOZZLE FLOW RATE							Service ATA:49
	MOS	09-Jun-04						
	HRS	2594	4500					
WC#: 49.050	APUS							
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00								
493060	APU - CONTROLLER							Component ATA:49
PN:2118330-2	MOS/MSC	25-Jan-08	O/C					
SN:107-B0175	HRS	5425						
WC#: 49.055	APUS							
PROC. REF: MM 49-60-46PROC. REF: MM 49-60-46								
493070	APU - LOAD CONTROL VALVE							Component ATA:49
PN:109812-9	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.060	APUS							
PROC. REF: MM 49-50-33PROC. REF: MM 49-50-33								
494010	APU - IGNITION UNIT							Component ATA:49
PN:3888000-2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.065	APUS							
PROC. REF: MM 49-40-32PROC. REF: MM 49-40-32								
494020	APU - IGNITER PLUG							Component ATA:49
PN:CH34313	MOS/MSC	11-Aug-07	O/C	TSN 0				
SN:UNKNOWN	HRS	5095		TSN 0				
WC#: 49.070	APUS							
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
494025	APU - IGNITER PLUG LEAD							Component ATA:49
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.150	APUS	0		TSN 0				
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33								
494030	APU - REMOVE AND INSPECT IGNITER PLUG							Service ATA:49
PN:CH34313	MOS	28-Nov-14						
SN:UNKNOWN	HRS	6509	750		7259		396	
WC#: 49.075	APUS							
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33								
497010	APU - MOTION PICK UP TRANSDUCER							Component ATA:49
PN:3876104-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.080	APUS							
PROC. REF: MM 49-60-43PROC. REF: MM 49-60-43								
497020	APU - IMMERSION THERMOCOUPLE							Component ATA:49
PN:3876003-3	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.085	APUS							
PROC. REF: MM 49-60-45PROC. REF: MM 49-60-45								
497030	APU - HOURMETER							Component ATA:49
PN:3888126-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.090	APUS							
PROC. REF: MM 49-70-41PROC. REF: MM 49-70-41								
499010	APU - ROTARY OIL PUMP							Component ATA:49
PN:3880225-2	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.095	APUS							
PROC. REF: MM 49-90-51PROC. REF: MM 49-90-51								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
499020	APU - INSPECT MAGNETIC DRAIN PLUG							Service ATA:49
	MOS	In progress	12		18-Mar-25		OVD	
	HRS	6863	750		7613		750	
WC#: 49.100	APUS							
PROC. REF: MM 49-90-46PROC. REF: MM 49-90-46								
499030	APU - CHANGE OIL							Service ATA:49
	MOS	In progress	12		18-Mar-25		OVD	
	HRS	6863	750		7613		750	
WC#: 49.105	APUS							
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00								
499040	APU - REMOVE AND REPLACE OIL FILTER ELEMENT							Service ATA:49
	MOS	In progress	12		18-Mar-25		OVD	
	HRS	6863	750		7613		750	
WC#: 49.110	APUS							
PROC. REF: MM 49-90-47PROC. REF: MM 49-90-47								
499050	APU - PRESSURE REGULATOR VALVE							Component ATA:49
PN:3880021-13	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.115	APUS							
PROC. REF: MM 49-90-52PROC. REF: MM 49-90-52								
499060	APU - HIGH OIL TEMPERATURE SWITCH							Component ATA:49
PN:3888030-1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.120	APUS							
PROC. REF: MM 49-60-46PROC. REF: MM 49-60-46								
499070	APU - LOW OIL PRESSURE SWITCH							Component ATA:49
PN:3876001-6	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.125	APUS							
PROC. REF: MM 49-60-43PROC. REF: MM 49-60-43								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
499110	APU - SOAP CHECK OIL							Service ATA:49
	MOS/MSC	23-Feb-08	O/C					
	HRS							
WC#: 49.130	APUS							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
49APU1	APU							Component ATA:49
PN:3800304-1	MOS/MSC	14-Jun-00	E/C	TSN 0				
SN:P-540	HRS	0		TSN 0				
WC#: 49.APU1	AFL	0		TSN 0				
PROC. REF: AMM 49-16-00PROC. REF: AMM 49-16-00								
ATA 51 - STD PRACTICES AND STRUCT-GENRL								
510001	INSPECT/NDT NOSE LANDING GEAR BAY SIDEWALLS							Service ATA:51
	MOS	18-Mar-24	144 (+3m)		18-Mar-36	18-Jun-36	3747 d (+92)	
	HRS	9102						
WC#: 51.100	AFL	5804	5000 (+10%)		10804	11304	5000 (+500)	
Special Properties: TRACKED ITEM								
PROC. REF: NTM 53-10-10PROC. REF: NTM 53-10-10								
510002	DETAIL INSPECT FRONT PRESSURE BULKHEAD							Service ATA:51
	MOS	07-Jun-19						
	HRS	9086.9						
WC#: 51.010	AFL	5793	1000 (+10%)		6793	6893	989 (+100)	
510003	INSPECT/NDT FLIGHT COMPARTMENT SKIN AND WINDOW STRUCTURE ABOVE WINDSHIELDS							Service ATA:51
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 51.020	AFL	5804						
PROC. REF: NTM 53-10-30, NTM 53-10-35PROC. REF: NTM 53-10-30, NTM 53-10-35								
510004	DETAIL INSPECT UPPER CANOPY RAIL AT INTERSECTION WITH THE CANOPY POSTS							Service ATA:51
	MOS	14-Jun-00						
	HRS	0						
WC#: 51.030	AFL	0	20000 (+500)		20000	20500	14196 (+500)	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 51 - STD PRACTICES AND STRUCT-GENRL								
510005	INSPECT/NDT CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, NOSE LANDING GEAR BAY TO FRAME 13 AND FRAMES 16 TO 19							Service ATA:51
	MOS	01-Feb-19	96 (+3m)		01-Feb-27	01-May-27	414 d (+89)	
	HRS							
WC#: 51.040	AFL							
PROC. REF: NTM 53-10-45PROC. REF: NTM 53-10-45								
510006	DETAIL INSPECT STRUCTURE BELOW ESCAPE HATCH, FRAMES 13 TO 14							Service ATA:51
	MOS	07-Jun-19	96 (+3m)		07-Jun-27	07-Sep-27	540 d (+92)	
	HRS	9086.9						
WC#: 51.050	AFL	5793						
510007	INSPECT/NDT CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, FRAMES 8 TO 17							Service ATA:51
	MOS	01-Feb-19	96 (+3m)		01-Feb-27	01-May-27	414 d (+89)	
	HRS							
WC#: 51.060	AFL							
PROC. REF: NTM 53-10-45PROC. REF: NTM 53-10-45								
510008	X-RAY CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, FRAMES 13 TO 16							Service ATA:51
	MOS	01-Feb-19	96 (+3m)		01-Feb-27	01-May-27	414 d (+89)	
	HRS							
WC#: 51.070	AFL							
PROC. REF: NTM 53-10-45PROC. REF: NTM 53-10-45								
510009	DETAIL INSPECT ENTRY DOOR SURROUND							Service ATA:51
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 51.080	AFL	5804						
510010	INSPECT/NDT CENTER FUSELAGE STRUCTURE, ABOVE THE FLOOR							Service ATA:51
	MOS	01-Feb-19	96 (+3m)		01-Feb-27	01-May-27	414 d (+89)	
	HRS							
WC#: 51.090	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 51 - STD PRACTICES AND STRUCT-GENRL								
PROC. REF: NTM 53-10-40PROC. REF: NTM 53-10-40								
ATA 52 - DOORS								
520002 ^S	OPERATIONAL TEST BAGGAGE PANNIER LOADING DOOR/UPPER HATCH WARNING SYSTEM (IF FITTED)OR EXTERNAL BAGGAGE UNIT (EBU) (750 AIRPLANES ONLY)						Service	ATA:52
	MOS	14-Jun-00						
	HRS	0	1600 (+50/-50)					
WC#: 52.020	AFL	0						
							PKG:19,92	
PROC. REF: AMM 52-30-05PROC. REF: AMM 52-30-05								
520003 ^S	INSPECT BAGGAGE PANNIER DOOR (IF FITTED) OR EXTERNAL BAGGAGE UNIT (EBU) (750 AIRPLANES ONLY)						Service	ATA:52
	MOS	14-Jun-00						
	HRS	0	1600 (+50/-50)					
WC#: 52.040	AFL	0						
							PKG:21,92	
PROC. REF: AMM 52-30-05PROC. REF: AMM 52-30-05								
520004 ^S	CHECK MAIN ENTRY DOOR "NOT LOCKED" WARNING MICROSWITCHES						Service	ATA:52
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 52.025	AFL	4882						
							PKG:24,92	
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
520005 ^S	CHECK ESCAPE HATCH RELEASE MECHANISM						Service	ATA:52
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 52.015	AFL							
							PKG:12,91	
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
520006 ^S	INSPECT ESCAPE HATCH SEALS						Service	ATA:52
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 52.035	AFL							
							PKG:12,91	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
520007 ^S	INSPECT/CHECK ENTRY DOOR							Service ATA:52
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 52.010	AFL	4882						
PROC. REF: AMM 52-11-00PROC. REF: AMM 52-11-00							PKG:24,92	
520009	DETAIL INSPECT ESCAPE HATCH							Service ATA:52
	MOS	07-Jun-19	96 (+3m)		07-Jun-27	07-Sep-27	540 d (+92)	
	HRS	9086.9						
WC#: 52.015	AFL	5793						
520010 ^S	INSPECT MAIN ENTRY DOOR - FOLDING HANDRAIL (IF FITTED)							Service ATA:52
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 52.050	AFL	4882						
PROC. REF: MMA 52-15-00PROC. REF: MMA 52-15-00							PKG:24,92	
520011 ^S	DETAILED VISUAL INSPECTION EXTERNAL BAGGAGE UNIT (EBU) LOADING DOOR LATCH AND PINASSEMBLIES							Service ATA:52
	MOS	14-Jun-00						
	HRS	0	800 (+40/-10)					
WC#: 52.060	AFL	0						
							PKG:13,91	
521001	MAIN ENTRY DOOR ASSEMBLY							Component ATA:52
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.010	AFL	0		TSN 0				
PROC. REF: AMM 52-11-00PROC. REF: AMM 52-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
521016	LONG RANGE TANK DOOR							Component ATA:52
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
522001	ESCAPE HATCH							Component ATA:52
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.015	AFL	0		TSN 0				
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								
522005	(EBU) EXTERNAL BAGGAGE UNIT							Component ATA:52
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.030	AFL	0		TSN 0				
PROC. REF: AMM 53-20-05PROC. REF: AMM 53-20-05								
ATA 53 - FUSELAGE								
530001	DETAIL INSPECT SKIN EXTERIOR UNDER THE DORSAL INTAKE, FORWARD OF FRAME 19							Service ATA:53
	MOS	18-Mar-24	48 (+3m)	18-Mar-28	18-Jun-28	825 d (+92)		
	HRS	9102						
WC#: 53.115	AFL	5804						
530002	INSPECT FUSELAGE SKIN UNDER WING-TO-FUSELAGE FAIRINGS							Service ATA:53
	MOS	18-Mar-24	48 (+3m)	18-Mar-28	18-Jun-28	825 d (+92)		
	HRS	9102						
WC#: 53.040	AFL	5804						
530003	DETAIL INSPECT FUSELAGE SKIN COVERED BY THE VENTRAL FUEL TANK (IF FITTED).							Service ATA:53
	MOS	07-Jun-19	96 (+3m)	07-Jun-27	07-Sep-27	540 d (+92)		
	HRS	9086.9						
WC#: 53.110	AFL	5793						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
530004	DETAIL INSPECT VENTRAL FUEL TANK AND ATTACHMENTS, (IF FITTED)							Service ATA:53
	MOS	07-Jun-19	96 (+3m)		07-Jun-27	07-Sep-27	540 d (+92)	
	HRS	9086.9						
WC#: 28.015	AFL	5793						
530009	INSPECT/NDT FUSELAGE LAP JOINTS							Service ATA:53
	MOS	14-Jun-00						
	HRS	0						
WC#: 53.125	AFL	0	T:27000 (+500)		27000	27500	21196 (+500)	
PROC. REF: NTM 53-10-25PROC. REF: NTM 53-10-25								
530010	DETAIL INSPECT SKIN OF THE FUSELAGE, WING ATTACHMENT BRACKETS, DRAG SPIGOT BEARING AND DRAG SPIGOT HOUSING							Service ATA:53
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 53.020	AFL	0						
530011	INSPECT LEFT-HAND SIDE FRONT FACE OF REAR PRESSURE BULKHEAD (FRAME 19)							Service ATA:53
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 53.175	AFL	5804						
530012	INSPECT RIGHT- HAND SIDE FRONT FACE OF REAR PRESSURE BULKHEAD (FRAME 19)							Service ATA:53
	MOS	02-Sep-25	96 (+3m)	Adj -220d	25-Jan-33	25-Apr-33	2599 d (+90)	
	HRS	9102						
WC#: 53.070	AFL	5804						
530013	INSPECT/NDT NO. 1 ENGINE MOUNTING PYLON ENGINE MAIN MOUNTING ATTACHMENT FITTINGS							Service ATA:53
	MOS	14-Jun-00						
	HRS	0	10000 (+500)		10000	10500	898 (+500)	
WC#: 53.030	AFL	0						
PROC. REF: NTM 53-10-05PROC. REF: NTM 53-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
530013	INSPECT/NDT NO. 2 ENGINE MOUNTING PYLON ENGINE MAIN MOUNTING ATTACHMENT FITTINGS							Service ATA:53
PN:PN	MOS	14-Jun-00						
SN:UNKNOWN	HRS	0	10000 (+500)		10000	10500	898 (+500)	
	AFL	0						
PROC. REF: NTM 53-10-05PROC. REF: NTM 53-10-05								
530014	INSPECT/NDT NO. 1 REAR ENGINE MOUNT FITTINGS							Service ATA:53
	MOS	14-Jun-00						
	HRS	0	20000 (+500)		20000	20500	10898 (+500)	
WC#: 53.035	AFL	0						
PROC. REF: NTM 53-10-05PROC. REF: NTM 53-10-05								
530014	INSPECT/NDT NO. 2 REAR ENGINE MOUNT FITTINGS							Service ATA:53
	MOS	14-Jun-00						
	HRS	0	20000 (+500)		20000	20500	10898 (+500)	
	AFL	0						
PROC. REF: NTM 53-10-05PROC. REF: NTM 53-10-05								
530015	INSPECT/NDT VERTICAL STABILIZER ROOT ATTACHMENT TO FUSELAGE							Service ATA:53
	MOS	14-Jun-00						
	HRS	0	30000 (+500)		30000	30500	20898 (+500)	
WC#: 53.015	AFL	0						
PROC. REF: NTM 55-30-20PROC. REF: NTM 55-30-20								
530016	DETAIL INSPECT NO. 1 ENGINE MOUNTING ENGINE BEAM							Service ATA:53
	MOS	14-Jun-00						
	HRS	0	10000 (+500)		10000	10500	898 (+500)	
WC#: 53.080	AFL	0						
530016	DETAIL INSPECT NO. 2 ENGINE MOUNTING ENGINE BEAM							Service ATA:53
	MOS	14-Jun-00						
	HRS	0	10000 (+500)		10000	10500	898 (+500)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
530017	INSPECT NO. 1 ENGINE MOUNTING BRACKETS							Service ATA:53
	MOS/MSC	02-Apr-09	E/C					PART OF MPI
	HRS							
WC#: 53.200	AFL							
530017	INSPECT NO. 2 ENGINE MOUNTING BRACKETS							Service ATA:53
	MOS/MSC	12-Jun-08	E/C					PART OF MPI
	HRS	8208.8						
WC#: 53.200	AFL	5130						
530018	DETAIL INSPECT FUSELAGE SKIN ADJACENT TO CABIN WINDOW CUTOUTS							Service ATA:53
	MOS	31-Jan-13						
	HRS	8735.1	2400 (+10%)		11135.1	11375.1	2033.1 (+240)	
WC#: 53.205	AFL							
530019	DETAIL INSPECT APU SUPPORT STRUCTURE EXTERNAL TO THE FIRE ENCLOSURE							Service ATA:53
	MOS	02-Sep-25	12 (+1m)		02-Sep-26	02-Oct-26	262 d (+30)	
	HRS	9102						
WC#: 53.210	AFL	5804						
530021	DETAIL INSPECT APU SUPPORT STRUCTURE							Service ATA:53
	MOS	18-Mar-24						
	HRS	9102						
WC#: 53.010	AFL	5804						
	APH	6773	3000		9773		2910	
Special Properties: TRACKED ITEM								
530022	DETAIL INSPECT APU MOUNTING HARDWARE							Service ATA:53
	MOS	06-Jun-08						
	HRS	8206						
WC#: 53.215	AFL	5128						
	APH	5651	4500		10151		3288	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMS 5-20-09PROC. REF: AMS 5-20-09								
530023	DETAIL INSPECT FUSELAGE STRUCTURE FOR CRACKS							Service ATA:53
	MOS	31-May-08						
	HRS	8206						
WC#: 53.220	AFL	5128						
	APH	5651	4500		10151		3288	
530024	FLUORESCENT PENETRANT INSPECT APU SUPPORT HARDWARE							Service ATA:53
	MOS	14-Jun-00						
	HRS	0						
WC#: 53.225	AFL	0						
	APH	0	22500		22500		15637	
PROC. REF: AMS 5-20-09PROC. REF: AMS 5-20-09								
530025	DETAIL INSPECT APU EXHAUST AND INLET DOUBLER FRAMES AND STRINGERS							Service ATA:53
	MOS	18-Jun-04						
	HRS	4387.4						
WC#: 53.170	AFL	2680	10000 (+500)		12680	13180	6876 (+500)	
530027 ^S	VISUAL INSPECTION FUSELAGE SKIN							Service ATA:53
	MOS	18-Mar-24	48 (+2m/-2m)					
	HRS	9102						
WC#: 53.235	AFL	5804						
PKG:96								
531146	RADOME							Component ATA:53
PN:25-8RF13-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.135	AFL	0		TSN 0				
PROC. REF: AMM 53-50-14PROC. REF: AMM 53-50-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
531152	TAIL CONE FAIRING							Component ATA:53
PN:25-8GF/Z27-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.140	AFL	0		TSN 0				
PROC. REF: AMM 53-50-16PROC. REF: AMM 53-50-16								
531154	FUSELAGE							Component ATA:53
PN:25.8FA1	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.145	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 55 - STABILIZERS								
550001	DETAIL INSPECT ELEVATORS AND TABS							Service ATA:55
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 27.070	AFL	5804						
550002	LUBRICATE/REPLACE ELEVATOR TRIM TABS, CONNECTING RODS							Service ATA:55
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 55.075	AFL	5804						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
550003	XRAY ELEVATORS							Service ATA:55
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 55.055	AFL	5804						
PROC. REF: NTM 55-20-10PROC. REF: NTM 55-20-10								
550004	DETAIL INSPECT RUDDER AND TAB							Service ATA:55
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 27.045	AFL	5804						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
550005	INSPECT RUDDER CONNECTING RODS, RUDDER TRIM TAB AND ANTI-SERVO TAB							Service ATA:55
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 55.065	AFL	5804						
Special Properties: TRACKED ITEM								
550006	X-RAY RUDDER (IN-SITU)							Service ATA:55
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 27.045	AFL	5804						
PROC. REF: NTM 55-40-05PROC. REF: NTM 55-40-05								
550007	DETAIL INSPECT RUDDER HINGE BRACKETS AND ATTACHMENTS							Service ATA:55
	MOS	02-Sep-25	96 (+3m)	Adj -220d	25-Jan-33	25-Apr-33	2599 d (+90)	
	HRS	9102						
WC#: 27.045	AFL	5804						
550008 ^S	INSPECT HORIZONTAL STABILIZER TO VERTICAL STABILIZER REAR ATTACHMENT FITTING							Service ATA:55
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 55.010	AFL	5804						
PKG:62,95								
550009	DETAIL INSPECT HORIZONTAL STABILIZER							Service ATA:55
	MOS	02-Sep-25	96 (+3m)	Adj -220d	25-Jan-33	25-Apr-33	2599 d (+90)	
	HRS	9102						
WC#: 55.040	AFL	5804						
PROC. REF: AMM 55-13-00PROC. REF: AMM 55-13-00								
550010	INSPECT/NDT VERTICAL STABILIZER							Service ATA:55
	MOS	01-Feb-19	96 (+3m)		01-Feb-27	01-May-27	414 d (+89)	
	HRS							
WC#: 55.050	AFL							
PROC. REF: NTM 55-30-05, NTM 55-30-10, NTM 55-30-15PROC. REF: NTM 55-30-05, NTM 55-30-10, NTM 55-30-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
550011	INSPECT HORIZONTAL STABILIZER TO VERTICAL STABILIZER ATTACHMENTS							Service ATA:55
	MOS	02-Sep-25	96 (+3m)	Adj -220d	25-Jan-33	25-Apr-33	2599 d (+90)	
	HRS	9102						
WC#: 55.025	AFL	5804						
550012	INSPECT/NDT HORIZONTAL STABILIZER							Service ATA:55
	MOS	02-Sep-25	96 (+3m)	Adj -445d	14-Jun-32	14-Sep-32	2374 d (+92)	
	HRS	9102						
WC#: 55.045	AFL	5804						
PROC. REF: NTM 55-10-05, NTM 55-10-10, NTM 55-10-15PROC. REF: NTM 55-10-05, NTM 55-10-10, NTM 55-10-15								
550013	X-RAY HORIZONTAL STABILIZER							Service ATA:55
	MOS	01-Feb-19	96 (+3m)		01-Feb-27	01-May-27	414 d (+89)	
	HRS							
WC#: 55.035	AFL							
PROC. REF: NTM 55-10-05, NTM 55-10-10, NTM 55-10-15, NTM 55-10-20PROC. REF: NTM 55-10-05, NTM 55-10-10, NTM 55-10-15, NTM 55-10-20								
550014	DETAIL INSPECT HORIZONTAL STABILIZER TOP SKIN 'T' FITTING AND JOINT STRAP AT THE CENTER LINE OF THE STABILIZER							Service ATA:55
	MOS	14-Jun-00						
	HRS	0						
WC#: 55.060	AFL	0	T:15000 (+500)		15000	15500	9196 (+500)	
550015	INSPECT ELEVATOR MASS BALANCE WEIGHTS AND SPIGOTS							Service ATA:55
	MOS	18-Mar-24	24 (+2m)		18-Mar-26	18-May-26	94 d (+61)	
	HRS	9102						
WC#: 55.070	AFL	5804						
Special Properties: TRACKED ITEM								
551004	UPPER VERTICAL STABILIZER							Component ATA:55
PN:25-8TF513/1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.015	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 55 - STABILIZERS

PROC. REF: AMM 55-32-00PROC. REF: AMM 55-32-00

551006	TAILPLANE						Component	ATA:55
PN:25-8TP257-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.020	AFL	0		TSN 0				

551010	BULLET FAIRING						Component	ATA:55
PN:25-8GF173-1A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.030	AFL	0		TSN 0				

553005	FIN LEADING EDGE						Component	ATA:55
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.305	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

ATA 56 - WINDOWS

560004 ^S		INSPECT WINDOWS DRY-AIR SYSTEM FILTER ELEMENT (IF FITTED)				Service	ATA:56
	MOS	09-Nov-07					
	HRS	7773.3	1600 (+50/-50)				
WC#: 56.065	AFL	4882					
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00							PKG:24,92

560005 ^S		CHECK PASSENGER CABIN WINDOWS				Service	ATA:56
	MOS	21-Nov-08					
	HRS	8461.4	800 (+40/-10)				
WC#: 56.090	AFL						
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00							PKG:9,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
560006 ^S	INSPECT WINDSHIELD PANEL 'C' SILICA GEL CONTAINER							Service ATA:56
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 56.070	AFL							
								PKG:10,91
560007 ^S	SCREEN HEAT CIRCUIT BREAKERS - DO A VISUAL INSPECTION FOR HEAT DISTRESS, DISCOLORATION AND DEFORMATION							Service ATA:56
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
	AFL	5804						
								PKG:60,95
561001	LEFT (PANEL A) HEATED WINDSCREEN							Component ATA:56
PN:NF24016-415	MOS/MSC	04-Feb-07	O/C	TSR 0				
SN:L314864	HRS	7089.5		TSR 0				
WC#: 56.010	AFL	4417		TSR 0				
PROC. REF: AMM 56-10-11PROC. REF: AMM 56-10-11								
561002	RIGHT (PANEL A) HEATED WINDSCREEN							Component ATA:56
PN:NF24016-416	MOS/MSC	03-Jun-16	O/C	TSN 0				
SN:L436855	HRS	8865.4		TSN 0				
WC#: 56.010	AFL	5598		TSN 0				
PROC. REF: AMM 56-10-11PROC. REF: AMM 56-10-11								
561003	LEFT DIRECT VIEW B WINDOW							Component ATA:56
PN:NH24016-91	MOS/MSC	03-Jun-16	O/C	TSN 0				
SN:L437330	HRS	8865.4		TSN 0				
WC#: 56.015	AFL	5598		TSN 0				
PROC. REF: AMM 56-10-22PROC. REF: AMM 56-10-22								
561004	RIGHT DIRECT VIEW B WINDOW							Component ATA:56
PN:NH.24016-92	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.015	AFL	0		TSN 0				
PROC. REF: AMM 56-10-22PROC. REF: AMM 56-10-22								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
561005	LEFT C WINDOW							Component ATA:56
PN:25-8FN353-43A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
PROC. REF: AMM 56-10-31PROC. REF: AMM 56-10-31								
561006	RIGHT C WINDOW							Component ATA:56
PN:25-8FN353-44A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
PROC. REF: AMM 56-10-31PROC. REF: AMM 56-10-31								
562001	NO. 1 LEFT CABIN WINDOW							Component ATA:56
PN:R25FC7881-41	MOS/MSC	25-Jun-05	O/C	TSN 0				
SN:1178	HRS	5427.5		TSN 0				
WC#: 56.025	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562002	NO. 1 RIGHT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C	TSN 0				
SN:1177	HRS	5427.5		TSN 0				
WC#: 56.025	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562003	NO. 2 LEFT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C	TSN 0				
SN:1185	HRS	5427.5		TSN 0				
WC#: 56.030	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562004	NO. 2 RIGHT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	25-Jun-05	O/C	TSN 0				
SN:1178	HRS	5427.5		TSN 0				
WC#: 56.030	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562005	NO. 3 LEFT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C	TSN 0				
SN:1186	HRS	5427.5		TSN 0				
WC#: 56.035	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562006	NO. 3 RIGHT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C	TSN 0				
SN:1179	HRS	5427.5		TSN 0				
WC#: 56.035	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562007	NO. 4 LEFT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C					
SN:UNKNOWN	HRS	5427.5						
WC#: 56.040	AFL	3354						
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562008	NO. 4 RIGHT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C	TSN 0				
SN:1180	HRS	5427.5		TSN 0				
WC#: 56.040	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562009	NO. 5 LEFT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C					
SN:UNKNOWN	HRS	5427.5						
WC#: 56.045	AFL	3354						
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562010	NO. 5 RIGHT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C	TSN 0				
SN:1181	HRS	5427.5		TSN 0				
WC#: 56.045	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562011	NO. 6 LEFT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C	TSN 0				
SN:1189	HRS	5427.5		TSN 0				
WC#: 56.050	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
562012	NO. 6 RIGHT CABIN WINDOW							Component ATA:56
PN:25FC7881-41	MOS/MSC	13-Jun-05	O/C	TSN 0				
SN:1182	HRS	5427.5		TSN 0				
WC#: 56.050	AFL	3354		TSN 0				
PROC. REF: AMM 56-20-11PROC. REF: AMM 56-20-11								
ATA 57 - WINGS								
570001 ^S	INSPECT LEFT FLAP HINGE FITTINGS							Service ATA:57
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 57.095	AFL							
								PKG:15,91
570002 ^S	INSPECT RIGHT FLAP HINGE FITTINGS							Service ATA:57
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 57.095	AFL							
								PKG:16,91
570003 ^S	DETAIL INSPECT LEFT WING INTERNAL STRUCTURE OF THE WING IN THE AREA OF RIBS 0 TO 4							Service ATA:57
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 57.090	AFL	5804						
								PKG:63,95

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570004 ^S	INSPECT LEFT FLAP SKIN PROTECTION PANELS (IF FITTED)							Service ATA:57
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 57.140	AFL	5804						
								PKG:63,95
570005 ^S	DETAIL INSPECT RIGHT WING INTERNAL STRUCTURE OF THE WING IN THE AREA OF RIBS 0 TO 4							Service ATA:57
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 57.090	AFL	5804						
								PKG:64,95
570006 ^S	INSPECT RIGHT FLAP SKIN PROTECTION PANELS (IF FITTED)							Service ATA:57
	MOS	18-Mar-24	24 (+2m/-2m)					
	HRS	9102						
WC#: 57.140	AFL	5804						
								PKG:64,95
570007	X-RAY WING BOTTOM SKINS AND STRINGERS BETWEEN THE FRONT AND REAR SPARS, RIB 0 TO RIB 1 AND BETWEEN THE CENTER SPAR AND REAR SPAR FROM RIB 1 TO RIB 4							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 57.040	AFL	5804						
PROC. REF: NTM 57-30-05PROC. REF: NTM 57-30-05								
570008	DETAIL INSPECT MAIN LANDING GEAR AND SIDESTAY ATTACHMENT FITTINGS							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 57.035	AFL	5804						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570009	DETAIL INSPECT WING BOTTOM SKIN (LH AND RH) ADJACENT TO FLAP OUTBOARD HINGE AT RIB 8							Service ATA:57
	MOS	06-Nov-17						
	HRS	8960.5	1200 (+10%)		10160.5	10280.5	1058.5 (+120)	
WC#: 57.070	AFL	5683						
570010	DETAIL INSPECT WING FRONT SPAR, FORWARD FACE							Service ATA:57
	MOS	18-Mar-24	96 (+3m)		18-Mar-32	18-Jun-32	2286 d (+92)	
	HRS	9102	4800 (+10%)		13902	14382	4800 (+480)	
WC#: 57.020	AFL	5804						
PROC. REF: MMS 57-00-00, MMS 57-00-00PROC. REF: MMS 57-00-00, MMS 57-00-00								
570011	INSPECT WING REAR SPAR, REAR FACE							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 57.030	AFL	5804						
570012	DETAIL INSPECT LEFT LOWER AIRBRAKE							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 27.240	AFL	5804						
570012	DETAIL INSPECT LEFT UPPER AIRBRAKE							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 27.240	AFL	5804						
570012	DETAIL INSPECT RIGHT LOWER AIRBRAKE							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 27.245	AFL	5804						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570012	DETAIL INSPECT RIGHT UPPER AIRBRAKE							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 27.245	AFL	5804						
570013	DETAIL INSPECT AILERONS							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 27.020	AFL	5804						
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								
570014	LUBRICATE CONNECTING RODS, AILERON TRIM AND SERVO TABS							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 57.145	AFL	5804						
570015	INSPECT/X RAY AILERONS							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 57.100	AFL	5804						
PROC. REF: NTM 57-50-25PROC. REF: NTM 57-50-25								
570016	INSPECT/X RAY FLAPS AND FLAP VANES							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102	2400 (+10%)		11502	11742	2400 (+240)	
WC#: 57.130	AFL	5804						
PROC. REF: NTM 57-50-15, NTM 57-50-20PROC. REF: NTM 57-50-15, NTM 57-50-20								
570017	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO FRONT SPAR, BETWEEN RIBS 1 AND 7							Service ATA:57
	MOS	14-Jun-00						
	HRS	0	T:24000 (+500)		24000	24500	14898 (+500)	
WC#: 57.055	AFL	0						
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570018	DETAIL INSPECT WING BOTTOM SKIN CENTERLINE JOINT STRAP							Service ATA:57
	MOS	14-Jun-00						
	HRS	0	T:24000 (+500)		24000	24500	14898 (+500)	
WC#: 57.080	AFL	0						
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00								
570019	INSPECT/NDT UPPER SURFACE OF THE WING BOTTOM SKIN AT THE ATTACHMENT TO THE CENTERLINE JOINT ADJACENT TO RIB 0							Service ATA:57
	MOS	14-Jun-00						
	HRS	0	T:24000 (+500)		24000	24500	14898 (+500)	
WC#: 57.060	AFL	0						
PROC. REF: NTM 57-30-15, MMS 57-00-00PROC. REF: NTM 57-30-15, MMS 57-00-00								
570020	INSPECT/NDT WING BOTTOM SKIN CENTERLINE BUTT STRAP AND CENTER SECTION BEAMS (24 POSITIONS)							Service ATA:57
	MOS	14-Jun-00						
	HRS	0	T:24000 (+500)		24000	24500	14898 (+500)	
WC#: 57.075	AFL	0						
PROC. REF: NTM 57-00-10PROC. REF: NTM 57-00-10								
570021	DETAIL INSPECT WING TOP SKIN IN THE AREA THAT IS COVERED BY THE FUSELAGE STRUCTURE AND MAIN ATTACHMENT BRACKETS.							Service ATA:57
	MOS/MSC	14-Jun-00	A/R					
	HRS	0						
WC#: 57.010	AFL	0						
570022	DETAIL INSPECT REAR SPAR, REAR FACE BETWEEN RIB 1 LH AND RIB 1 RH							Service ATA:57
	MOS	18-Mar-24						
	HRS	9102	4800 (+10%)		13902	14382	4800 (+480)	
WC#: 57.050	AFL	5804						
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00								
570023	INSPECT/NDT AILERON HORN BALANCE WEIGHT							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 57.135	AFL	5804						
PROC. REF: NTM 57-50-25, MMS 57-00-00PROC. REF: NTM 57-50-25, MMS 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570024	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO RIB 1 LH AND RH							Service ATA:57
	MOS	14-Jun-00						
	HRS	0	T:12000 (+500)		12000	12500	2898 (+500)	
WC#: 57.065	AFL	0						
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00								
570025	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO THE REAR SPAR, BETWEEN RIB 1 LH AND RIB 1 RH							Service ATA:57
	MOS	28-Nov-14						
	HRS	8775.4	4800 (+10%)		13575.4	14055.4	4473.4 (+480)	
WC#: 57.050	AFL	5483						
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00								
570026	INSPECT WING LEADING EDGES							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 57.025	AFL	5804						
570027	DETAIL INSPECT WING INTERNAL STRUCTURE FORWARD OF THE CENTER SPAR INCLUDING THE FRONT AND CENTER SPARS FROM RIBS 0 TO 4, AND BETWEEN AND INCLUDING THE FRONT AND REAR SPARS FROM RIB 4 TO THE WING TIP							Service ATA:57
	MOS	18-Mar-24	96 (+3m)		18-Mar-32	18-Jun-32	2286 d (+92)	
	HRS	9102	4800 (+10%)		13902	14382	4800 (+480)	
WC#: 57.045	AFL	5804						
570028	INSPECT AILERON AT OUTBOARD HINGE CASTING							Service ATA:57
	MOS	18-Mar-24	48 (+3m)		18-Mar-28	18-Jun-28	825 d (+92)	
	HRS	9102						
WC#: 57.125	AFL	5804						
PROC. REF: AMM 27-10-31PROC. REF: AMM 27-10-31								
570029	VISUALLY INSPECT WING OUTER, UPPER AND LOWER SKINS							Service ATA:57
	MOS/MSC	14-Jun-00	N/R					
	HRS	0						
WC#: 57.155	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
571010	WING							Component ATA:57
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
571109	REPLACE LEFT FLAP HINGE ATTACHMENT ANGLES TO MAIN LANDING GEAR MOUNTING FITTING BOLTS							Service ATA:57
	MOS	14-Jun-00						LIFE LIMIT
	HRS	0						
WC#: 57.150	AFL	0	14600		14600		8796	
571110	REPLACE RIGHT FLAP HINGE ATTACHMENT ANGLES TO MAIN LANDING GEAR MOUNTING FITTING BOLTS							Service ATA:57
	MOS	14-Jun-00						LIFE LIMIT
	HRS	0						
WC#: 57.150	AFL	0	14600		14600		8796	
574001	LEFT LEADING EDGE ASSEMBLY							Component ATA:57
PN:25-8WS3299-3A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.085	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
574002	RIGHT LEADING EDGE ASSEMBLY							Component ATA:57
PN:25-8WS3299-4A	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.085	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
579011-API ^U	DETAIL INSPECT LOWER LUGS OF THE FRONT SPAR ATTACH FITTING (LH AND RH)							Service ATA:57
	MOS	14-Jun-00						MAINTENANCE MANUAL SUPPLEMENT
	HRS	0	T:20000 (+500)		20000	20500	10898 (+500)	
WC#: 57.105	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
579012-API ^U	EDDY CURRENT INSPECT FASTENER HOLES (LH AND RH) COMMON TO THE LOWER SKIN, FRONT SPAR CHORD, AND FRONT SPAR ATTACH FITTING							Service ATA:57
	MOS	14-Jun-00						MAINTENANCE MANUAL SUPPLEMENT
	HRS	0	T:13500 (+500)		13500	14000	4398 (+500)	
WC#: 57.110	AFL	0						
579021-API ^U DETAIL INSPECT LOWER LUGS OF THE REAR SPAR ATTACH FITTING (LH AND RH)								
	MOS	14-Jun-00						MAINTENANCE MANUAL SUPPLEMENT
	HRS	0	T:15000 (+500)		15000	15500	5898 (+500)	
WC#: 57.115	AFL	0						
579022-API ^U EDDY CURRENT INSPECT FASTENER HOLES (LH AND RH) COMMON TO THE LOWER SKIN, REAR SPAR CHORD, AND LOWER REAR SPAR ANGLE								
	MOS/MSC	30-Aug-22	N/R					
	HRS	9102						
WC#: 57.120	AFL	5804						
Special Properties: TRACKED ITEM								
ATA 71 - POWER PLANT								
710049	COMPRESSOR WASH NO. 1 ENGINE							Service ATA:71
	MOS/MSC	02-Jun-08	O/C					
	HRS	8206						
WC#: 71.025	AFL	5128						
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
710050	COMPRESSOR WASH NO. 2 ENGINE							Service ATA:71
	MOS/MSC	02-Jun-08	O/C					
	HRS	8206						
WC#: 71.025	AFL	5128						
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710081	NO. 1 ENGINE INLET COWL							Component ATA:71
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 71.055	AFL	0		TSN 0				
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								
710082	NO. 2 ENGINE INLET COWL							Component ATA:71
PN:PN-UNKNOWN	MOS/MSC	03-Jul-18	O/C	TSR 0				
SN:UNKNOWN	HRS	9038.9		TSR 0				
WC#: 71.055	AFL	5753		TSR 0				
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								
710083	NO. 1 ENGINE UPPER FAN COWL DOOR							Component ATA:71
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 71.060	AFL	0		TSN 0				
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								
710084	NO. 2 ENGINE UPPER FAN COWL DOOR							Component ATA:71
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 71.060	AFL	0		TSN 0				
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								
710089	NO. 1 ENGINE LOWER FAN COWL DOOR							Component ATA:71
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 71.070	AFL	0		TSN 0				
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								
710090	NO. 2 ENGINE LOWER FAN COWL DOOR							Component ATA:71
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 71.070	AFL	0		TSN 0				
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712001	NO. 1 ENGINE MOUNTING							Component ATA:71
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 71.075	AFL	0		TSN 0				
712002	NO. 2 ENGINE MOUNTING							Component ATA:71
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 71.080	AFL	0		TSN 0				
714010 ^S	NO. 1 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS							Service ATA:71
	MOS	02-Apr-09						
	HRS	8400.3	800					
WC#: 71.030	ENC	5238						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
714010 ^S	NO. 2 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS							Service ATA:71
	MOS	16-Mar-18						
	HRS	8335.9	800					
WC#: 71.030	ENC	5308						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
715010 ^S	NO. 1 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS							Service ATA:71
	MOS	02-Apr-09						
	HRS	8400.3	800					
WC#: 71.040	ENC	5238						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
715010 ^S	NO. 2 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS							Service ATA:71
	MOS	16-Mar-18						
	HRS	8335.9	800					
WC#: 71.040	ENC	5308						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4

71EN1	NO. 1 ENGINE							Component ATA:71
PN:3075160-4	MOS/MSC	06-Jun-08	E/C	TSN 0				
SN:P-107476	HRS	8206		TSN 0				
WC#: 71.EN1	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01, SIL F731-88PROC. REF: AMM 71-00-01, SIL F731-88								

71EN2	NO. 2 ENGINE							Component ATA:71
PN:3075160-4	MOS/MSC	13-Jun-08	E/C	TSN 0				
SN:P-107480	HRS	8208.8		TSN 0				
WC#: 71.EN2	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01, SIL F731-88PROC. REF: AMM 71-00-01, SIL F731-88								

ATA 72 - ENGINE

72-00-00.10	NO. 1 ENGINE - HOT START							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

72-00-00.10	NO. 2 ENGINE - HOT START							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

72-00-00.11	NO. 1 ENGINE - SURGE BLEED VALVE OPERATION CHECK							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.11	NO. 2 ENGINE - SURGE BLEED VALVE OPERATION CHECK							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.12	NO. 1 ENGINE - SURGE BLEED VALVE AND SOLENOID CONTROLLER CHECKS							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.12	NO. 2 ENGINE - SURGE BLEED VALVE AND SOLENOID CONTROLLER CHECKS							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.13 INSP	NO. 1 ENGINE - ROUTINE PERIODIC INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.13 INSP	NO. 2 ENGINE - ROUTINE PERIODIC INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.13 ITT	NO. 1 ENGINE - INTERSTAGE TURBINE TEMPERATURE (ITT) CIRCUITRY CHECKS							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.13 ITT	NO. 2 ENGINE - INTERSTAGE TURBINE TEMPERATURE (ITT) CIRCUITRY CHECKS							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.14 BINDING	NO. 1 ENGINE - ENGINE INTERNAL BINDING CHECKS							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.14 BINDING	NO. 2 ENGINE - ENGINE INTERNAL BINDING CHECKS							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.14 STALL	NO. 1 ENGINE - COMPRESSOR STALL							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.14 STALL	NO. 2 ENGINE - COMPRESSOR STALL							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.15 MEDRA	NO. 1 ENGINE - ENGINE PERFORMANCE EVALUATION RUN USING MANUAL ENGINE DATA REDUCTION AND ANALYSIS (MEDRA)							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.15 MEDRA	NO. 2 ENGINE - ENGINE PERFORMANCE EVALUATION RUN USING MANUAL ENGINE DATA REDUCTION AND ANALYSIS (MEDRA)							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.16 COMBUSTION	NO. 1 ENGINE - COMBUSTION CHAMBER PLENUM CASE PERIODIC INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.16 COMBUSTION	NO. 2 ENGINE - COMBUSTION CHAMBER PLENUM CASE PERIODIC INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.16 P3	NO. 1 ENGINE - COMPRESSOR DISCHARGE PRESSURE (P3) LIMITER VALVE FUNCTIONAL TEST							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.16 P3	NO. 2 ENGINE - COMPRESSOR DISCHARGE PRESSURE (P3) LIMITER VALVE FUNCTIONAL TEST							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00.17	NO. 1 ENGINE - COMPRESSOR ZONE PERIODIC INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.17	NO. 2 ENGINE - COMPRESSOR ZONE PERIODIC INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.19	NO. 1 ENGINE - COMBUSTION CHAMBER LINER BORESCOPE INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.19	NO. 2 ENGINE - COMBUSTION CHAMBER LINER BORESCOPE INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.2	NO. 1 ENGINE - NO N2 INDICATION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.2	NO. 2 ENGINE - NO N2 INDICATION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00.23	NO. 1 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	OPEN					
	HRS	0						
	ENC	0						
72-00-00.23	NO. 2 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	OPEN					
	HRS	0						
	ENC	0						
72-00-00.5	NO. 1 ENGINE - NO OR LOW FUEL FLOW							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.5	NO. 2 ENGINE - NO OR LOW FUEL FLOW							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.6B	NO. 1 ENGINE - N1 TRANSDUCER CIRCUIT CHECK							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.6B	NO. 2 ENGINE - N1 TRANSDUCER CIRCUIT CHECK							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00.6C	NO. 1 ENGINE - N2 TRANSDUCER CIRCUIT CHECK							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.6C	NO. 2 ENGINE - N2 TRANSDUCER CIRCUIT CHECK							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.6D	NO. 1 ENGINE - INLET TEMPERATURE (T2) SENSOR CIRCUIT CHECK							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.6D	NO. 2 ENGINE - INLET TEMPERATURE (T2) SENSOR CIRCUIT CHECK							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.6H	NO. 1 ENGINE - SURGE CONTROL VALVE SOLENOID CIRCUIT CHECK							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.6H	NO. 2 ENGINE - SURGE CONTROL VALVE SOLENOID CIRCUIT CHECK							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00.7	NO. 1 ENGINE - FUEL LEAKAGE CHECKS							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.7	NO. 2 ENGINE - FUEL LEAKAGE CHECKS							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.8	NO. 1 ENGINE - NO N1 INDICATION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.8	NO. 2 ENGINE - NO N1 INDICATION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.9	NO. 1 ENGINE - HUNG START (NO OR SLOW ACCELERATION)							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00.9	NO. 2 ENGINE - HUNG START (NO OR SLOW ACCELERATION)							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-20-01.4A	NO. 1 ENGINE - REPAIR OF DAMAGED ABRADABLE MATERIAL							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-20-01PROC. REF: LMM 72-20-01								
72-20-01.4A	NO. 2 ENGINE - REPAIR OF DAMAGED ABRADABLE MATERIAL							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-20-01PROC. REF: LMM 72-20-01								
72-30-04.2	NO. 1 ENGINE - LOW PRESSURE FIRST STAGE COMPRESSOR ROTOR ASSEMBLY INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
72-30-04.2	NO. 2 ENGINE - LOW PRESSURE FIRST STAGE COMPRESSOR ROTOR ASSEMBLY INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
72-30-04.4	NO. 1 ENGINE - REPAIR OF LOW PRESSURE FIRST STAGE COMPRESSOR ROTOR ASSEMBLY							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
72-30-04.4	NO. 2 ENGINE - REPAIR OF LOW PRESSURE FIRST STAGE COMPRESSOR ROTOR ASSEMBLY							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-40-01.1	NO. 1 ENGINE - PLENUM CASE DRAIN VALVE AND HP BLEED AIR PORT COVER							Component ATA:72
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-01PROC. REF: LMM 72-40-01								
72-40-01.1	NO. 2 ENGINE - PLENUM CASE DRAIN VALVE AND HP BLEED AIR PORT COVER							Component ATA:72
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-01PROC. REF: LMM 72-40-01								
72-40-01.2	NO. 1 ENGINE - PLENUM CASE DRAIN VALVE AND HP BLEED AIR PORT COVER TEST							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-40-01PROC. REF: LMM 72-40-01								
72-40-01.2	NO. 2 ENGINE - PLENUM CASE DRAIN VALVE AND HP BLEED AIR PORT COVER TEST							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-40-01PROC. REF: LMM 72-40-01								
72-40-02.1	NO. 1 ENGINE - COMBUSTION CHAMBER LINER							Component ATA:72
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-02PROC. REF: LMM 72-40-02								
72-40-02.1	NO. 2 ENGINE - COMBUSTION CHAMBER LINER							Component ATA:72
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-02PROC. REF: LMM 72-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-40-02.2	NO. 1 ENGINE - COMBUSTION CHAMBER LINER INSPECTION/CHECK							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-40-02PROC. REF: LMM 72-40-02								
72-40-02.2	NO. 2 ENGINE - COMBUSTION CHAMBER LINER INSPECTION/CHECK							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-40-02PROC. REF: LMM 72-40-02								
72-40-03.1	NO. 1 ENGINE - OUTER TRANSITION LINER							Component ATA:72
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03PROC. REF: LMM 72-40-03								
72-40-03.1	NO. 2 ENGINE - OUTER TRANSITION LINER							Component ATA:72
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03PROC. REF: LMM 72-40-03								
72-40-03.2	NO. 1 ENGINE - OUTER TRANSITION LINER INSPECTION/CHECK							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-40-03PROC. REF: LMM 72-40-03								
72-40-03.2	NO. 2 ENGINE - OUTER TRANSITION LINER INSPECTION/CHECK							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-40-03PROC. REF: LMM 72-40-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720000	NO. 1 ENGINE - SPECIAL INSPECTION - RENTAL/LOANER ENGINE PRE-REMOVAL SERVICEABILITY AND ENGINE PRESERVATION INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720000	NO. 2 ENGINE - SPECIAL INSPECTION - RENTAL/LOANER ENGINE PRE-REMOVAL SERVICEABILITY AND ENGINE PRESERVATION INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720001	NO. 1 ENGINE - SPECIAL INSPECTION - ACCIDENT OR INCIDENT INSPECTION REQUIREMENTS							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720001	NO. 2 ENGINE - SPECIAL INSPECTION - ACCIDENT OR INCIDENT INSPECTION REQUIREMENTS							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720002	INSPECT NO. 1 ENGINE AFT COWLING/INNER FAN DUCT AND EXHAUST DUCT							Service ATA:72
	MOS	02-Apr-09						PART OF MPI
	HRS	8400.3	2100 (+10%)		10500.3	10710.3	1398.3 (+210)	
WC#: 72.030	AFL							
720002	INSPECT NO. 2 ENGINE AFT COWLING/INNER FAN DUCT AND EXHAUST DUCT							Service ATA:72
	MOS	12-Jun-08						PART OF MPI
	HRS	8208.8	2100 (+10%)		10308.8	10518.8	1206.8 (+210)	
WC#: 72.030	AFL	5130						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720002	NO. 1 ENGINE - SPECIAL INSPECTION - LIGHTNING STRIKE INSPECTION REQUIREMENTS							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720002	NO. 2 ENGINE - SPECIAL INSPECTION - LIGHTNING STRIKE INSPECTION REQUIREMENTS							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720003	DETAIL INSPECT NO. 1 ENGINE EXHAUST NOZZLE/EXHAUST PIPE V CLAMP							Service ATA:72
	MOS	06-Jun-08						PART OF MPI
	HRS	8206	2100 (+10%)		10306	10516	1204 (+210)	
WC#: 72.040	AFL	5128						
720003	DETAIL INSPECT NO. 2 ENGINE EXHAUST NOZZLE/EXHAUST PIPE V CLAMP							Service ATA:72
	MOS	02-Apr-09						PART OF MPI
	HRS	8400.3	2100 (+10%)		10500.3	10710.3	1398.3 (+210)	
WC#: 72.040	AFL							
720003	NO. 1 ENGINE - SPECIAL INSPECTION - OVERTEMPERATURE INSPECTION REQUIREMENTS							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720003	NO. 2 ENGINE - SPECIAL INSPECTION - OVERTEMPERATURE INSPECTION REQUIREMENTS							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720004	NO. 1 ENGINE - SPECIAL INSPECTION - FOREIGN OBJECT DAMAGE (FOD) AND/OR BIRD STRIKE INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720004	NO. 2 ENGINE - SPECIAL INSPECTION - FOREIGN OBJECT DAMAGE (FOD) AND/OR BIRD STRIKE INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720005	NO. 1 ENGINE - SPECIAL INSPECTION - OIL AND FILTER ANALYSIS							Service ATA:72
	MOS/MSC	06-Nov-17	A/R					
	HRS	8636.6						
	ENC	5510						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720005	NO. 2 ENGINE - SPECIAL INSPECTION - OIL AND FILTER ANALYSIS							Service ATA:72
	MOS/MSC	06-Nov-17	A/R					
	HRS	8287.6						
	ENC	5264						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720006	NO. 1 ENGINE - SPECIAL INSPECTION - OVERSPEED INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720006	NO. 2 ENGINE - SPECIAL INSPECTION - OVERSPEED INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720007	NO. 1 ENGINE - SPECIAL INSPECTION - HP IMPELLER BORESCOPE INSPECTION							Service ATA:72
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720007	NO. 2 ENGINE - SPECIAL INSPECTION - HP IMPELLER BORESCOPE INSPECTION							Service ATA:72
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720120	NO. 1 ENGINE - MAJOR PERIODIC INSPECTION (MPI)							Service ATA:72
	MOS	02-Apr-09						
	HRS	8400.3	2100 (+100)		(10500.3) 10777.2	10600.3	1675.2 (+100)	
WC#: 71.010	ENC	5238						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720120	NO. 2 ENGINE - MAJOR PERIODIC INSPECTION (MPI)							Service ATA:72
	MOS	02-Jun-08						
	HRS	7577.8	2100 (+100)		(9677.8) 10350.7	9777.8	1248.7 (+100)	
WC#: 71.010	ENC	4718						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
720130 ^S	NO. 1 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES							Service ATA:72
	MOS	02-Apr-09						
	HRS	8400.3	800					
WC#: 71.020	ENC	5238						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720130 ^S	NO. 2 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES							Service ATA:72
	MOS	16-Mar-18						
	HRS	8335.9	800					
WC#: 71.020	ENC	5308						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:4
721001	NO. 1 ENGINE - PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC	16-Jun-00	O/C					
	HRS	0						
WC#: 72.001	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721001	NO. 2 ENGINE - PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC	16-Dec-99	O/C					
	HRS	0						
WC#: 72.001	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721002	NO. 1 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service ATA:72
	MOS/MSC	16-Jun-00	O/C					
	HRS	0						
WC#: 72.001	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721002	NO. 2 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service ATA:72
	MOS/MSC	16-Dec-99	O/C					
	HRS	0						
WC#: 72.001	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721003	NO. 1 ENGINE - DE-PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC	16-Jun-00	O/C					
	HRS	0						
WC#: 72.001	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
721003	NO. 2 ENGINE - DE-PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC	16-Dec-99	O/C					
	HRS	0						
WC#: 72.001	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
723110	NO. 1 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)							Service ATA:72
	MOS	02-Apr-09						
	HRS	8400.3	4200 (+200)		(12600.3) 12877.2	12800.3	3775.2 (+200)	
WC#: 72.010	ENC	5238						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
723110	NO. 2 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)							Service ATA:72
	MOS	02-Jun-08						
	HRS	7577.8	4200 (+200)		(11777.8) 12450.7	11977.8	3348.7 (+200)	
WC#: 72.010	ENC	4718						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
724110	NO. 1 ENGINE - COMBUSTION CHAMBER PLENUM CASE							Component ATA:72
PN:3072443-5	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:99P15969	HRS	0		TSN 0				
WC#: 72.020	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724110	NO. 2 ENGINE - COMBUSTION CHAMBER PLENUM CASE							Component ATA:72
PN:3072443-5	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:99P17949	HRS	0		TSN 0				
WC#: 72.020	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724120	NO. 1 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE							Service ATA:72
PN:3072443-5	MOS	02-Apr-09						
SN:99P15969	HRS	8400.3	2100 (+500)		(10500.3) 10777.2	11000.3	1675.2 (+500)	
WC#: 72.030	ENC	5238						
Special Properties: TRACKED ITEM PROC. REF: LMM 72-40-04PROC. REF: LMM 72-40-04								
724120	NO. 2 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE							Service ATA:72
PN:3072443-5	MOS	02-Jun-08						
SN:99P17949	HRS	7577.8	2100 (+500)		(9677.8) 10350.7	10177.8	1248.7 (+500)	
WC#: 72.030	ENC	4718						
PROC. REF: LMM 72-40-04PROC. REF: LMM 72-40-04								
725010	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component ATA:72
PN:3075446-2	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:990322900951	HRS	0		TSN 0				
WC#: 72.040	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component ATA:72
PN:3075446-2	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:980322901832	HRS	0		TSN 0				
WC#: 72.040	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725020	NO. 1 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC							Component ATA:72
PN:3075425-1	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:980322902085	HRS	0		TSN 0				
WC#: 72.050	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725020	NO. 2 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC							Component ATA:72
PN:3075425-1	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:990322901274	HRS	0		TSN 0				
WC#: 72.050	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725030	NO. 1 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC							Component ATA:72
PN:3075436-1	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:981217201297	HRS	0		TSN 0				
WC#: 72.060	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725030	NO. 2 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC							Component ATA:72
PN:3075436-1	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:981217201298	HRS	0		TSN 0				
WC#: 72.060	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE DISC							Component ATA:72
PN:3075227-2	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:991217200501	HRS	0		TSN 0				
WC#: 72.070	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: LMM 72-50-06PROC. REF: LMM 72-50-06								
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE DISC							Component ATA:72
PN:3075227-2	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:991217200559	HRS	0		TSN 0				
WC#: 72.070	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: LMM 72-50-06PROC. REF: LMM 72-50-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - FAN DISC							Component ATA:72
PN:3074621-4	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:990322901529	HRS	0		TSN 0				
WC#: 72.080	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - FAN DISC							Component ATA:72
PN:3074621-4	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:990322902194	HRS	0		TSN 0				
WC#: 72.080	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725060	NO. 1 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC							Component ATA:72
PN:3072395-2	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:990316001735	HRS	0		TSN 0				
WC#: 72.090	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725060	NO. 2 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC							Component ATA:72
PN:3072395-2	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:990316001815	HRS	0		TSN 0				
WC#: 72.090	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725070	NO. 1 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component ATA:72
PN:3072396-3	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:990316002105	HRS	0		TSN 0				
WC#: 72.100	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725070	NO. 2 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component ATA:72
PN:3072396-3	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:990316002070	HRS	0		TSN 0				
WC#: 72.100	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725080	NO. 1 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component ATA:72
PN:3072397-3	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:990316001790	HRS	0		TSN 0				
WC#: 72.110	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725080	NO. 2 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component ATA:72
PN:3072397-3	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:990316001932	HRS	0		TSN 0				
WC#: 72.110	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725090	NO. 1 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component ATA:72
PN:3075326-3	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:991365104447	HRS	0		TSN 0				
WC#: 72.120	ENC	0	20000	TSN 0	(20000) 20172		14368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725090	NO. 2 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component ATA:72
PN:3075326-3	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:991365104418	HRS	0		TSN 0				
WC#: 72.120	ENC	0	20000	TSN 0	(20000) 20418		14614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725091	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component ATA:72
PN:3074744-1	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:991119500337	HRS	0		TSN 0				
WC#: 72.130	ENC	0		TSN 0				
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10								
725091	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component ATA:72
PN:3074744-1	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:991119500257	HRS	0		TSN 0				
WC#: 72.130	ENC	0		TSN 0				
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10								
725110	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER							Component ATA:72
PN:3073398-3	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:995332201123	HRS	0		TSN 0				
WC#: 72.140	ENC	0	10000	TSN 0	(10000) 10172		4368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725110	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER							Component ATA:72
PN:3073398-3	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:995332201227	HRS	0		TSN 0				
WC#: 72.140	ENC	0	10000	TSN 0	(10000) 10418		4614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725120	NO. 1 ENGINE - ROTATING AIR SEAL							Component ATA:72
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 72.260	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725120	NO. 2 ENGINE - ROTATING AIR SEAL							Component ATA:72
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 72.260	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725130	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component ATA:72
PN:3072545-1	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:99P23019	HRS	0		TSN 0				
WC#: 72.150	ENC	0	12000	TSN 0	(12000) 12172		6368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725130	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component ATA:72
PN:3072545-1	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:99P23021	HRS	0		TSN 0				
WC#: 72.150	ENC	0	12000	TSN 0	(12000) 12418		6614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725140	NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE							Component ATA:72
PN:3075579-1	MOS	16-Jun-00		TSN 0				LIFE LIMIT
SN:990316001713	HRS	0		TSN 0				
WC#: 72.160	ENC	0	30000	TSN 0	(30000) 30172		24368	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725140	NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE							Component ATA:72
PN:3075579-1	MOS	16-Dec-99		TSN 0				LIFE LIMIT
SN:990316001710	HRS	0		TSN 0				
WC#: 72.160	ENC	0	30000	TSN 0	(30000) 30418		24614	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725150	NO. 1 ENGINE - FAN DRIVE SHAFT							Component ATA:72
PN:3074641-4	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:99P26164	HRS	0		TSN 0				
WC#: 72.170	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725150	NO. 2 ENGINE - FAN DRIVE SHAFT							Component ATA:72
PN:3074641-4	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:99P26780	HRS	0		TSN 0				
WC#: 72.170	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725160	NO. 1 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component ATA:72
PN:3075292-4	MOS/MSC	02-Apr-09	O/C					
SN:5P7225	HRS	8400.3						
WC#: 72.180	ENC	5238						
PROC. REF: LMM 72-50-05PROC. REF: LMM 72-50-05								
725160	NO. 2 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component ATA:72
PN:3077063-2	MOS/MSC	02-Jun-08	O/C					
SN:8P-7750	HRS	7577.8						
WC#: 72.180	ENC	4718						
PROC. REF: LMM 72-50-05PROC. REF: LMM 72-50-05								
725180	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE							Component ATA:72
PN:3075406-8	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:99P22649	HRS	0		TSN 0				
WC#: 72.190	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725180	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE							Component ATA:72
PN:3075406-8	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:99P21525	HRS	0		TSN 0				
WC#: 72.190	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725190	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL							Component ATA:72
PN:3073765-9	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:99P24534	HRS	0		TSN 0				
WC#: 72.200	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725190	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL							Component ATA:72
PN:3073765-9	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:99P25305	HRS	0		TSN 0				
WC#: 72.200	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725191	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT							Component ATA:72
PN:3074052-2	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:99P01046	HRS	0		TSN 0				
WC#: 72.210	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725191	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT							Component ATA:72
PN:3074052-2	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:99P12636	HRS	0		TSN 0				
WC#: 72.210	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725230	NO. 1 ENGINE - FAN SPINNER							Component ATA:72
PN:3074623-3	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:992428000390	HRS	0		TSN 0				
WC#: 72.220	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF, LMM 72-70-01PROC. REF: GENERIC NO REF, LMM 72-70-01								
725230	NO. 2 ENGINE - FAN SPINNER							Component ATA:72
PN:3074623-3	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:992428000345	HRS	0		TSN 0				
WC#: 72.220	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF, LMM 72-70-01PROC. REF: GENERIC NO REF, LMM 72-70-01								
726110	NO. 1 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3070003-29	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:S1204	HRS	0		TSN 0				
WC#: 72.230	ENC	0		TSN 0				
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726110	NO. 2 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3070003-29	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:S1256	HRS	0		TSN 0				
WC#: 72.230	ENC	0		TSN 0				
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
726120	NO. 1 ENGINE - INSPECT ACCESSORY GEARBOX							Service ATA:72
PN:3070003-29	MOS	02-Apr-09						
SN:S1204	HRS	8400.3	4200 (+200)		(12600.3) 12877.2	12800.3	3775.2 (+200)	
WC#: 72.240	ENC	5238						
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
726120	NO. 2 ENGINE - INSPECT ACCESSORY GEARBOX							Service ATA:72
PN:3070003-29	MOS	02-Jun-08						
SN:S1256	HRS	7577.8	4200 (+200)		(11777.8) 12450.7	11977.8	3348.7 (+200)	
WC#: 72.240	ENC	4718						
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
726130	NO. 1 ENGINE - TRANSFER GEARBOX							Component ATA:72
PN:3070093-12	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:P9538	HRS	0		TSN 0				
WC#: 72.250	ENC	0		TSN 0				
PROC. REF: LMM 72-60-01PROC. REF: LMM 72-60-01								
726130	NO. 2 ENGINE - TRANSFER GEARBOX							Component ATA:72
PN:3070093-12	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:P9507	HRS	0		TSN 0				
WC#: 72.250	ENC	0		TSN 0				
PROC. REF: LMM 72-60-01PROC. REF: LMM 72-60-01								
726140	NO. 1 ENGINE - INSPECT TRANSFER GEARBOX							Service ATA:72
PN:3070093-12	MOS/MSC	16-Jun-00	O/C					
SN:P9538	HRS	0						
WC#: 72.280	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
726140	NO. 2 ENGINE - INSPECT TRANSFER GEARBOX							Service ATA:72
PN:3070093-12	MOS/MSC	16-Dec-99	O/C					
SN:P9507	HRS	0						
WC#: 72.280	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
727110	NO. 1 ENGINE - INSPECT FAN SUPPORT ASSEMBLY							Service ATA:72
	MOS	02-Apr-09						
	HRS	8400.3	4200 (+200)		(12600.3) 12877.2	12800.3	3775.2 (+200)	
WC#: 72.270	ENC	5238						
PROC. REF: LMM 72-70-06PROC. REF: LMM 72-70-06								
727110	NO. 2 ENGINE - INSPECT FAN SUPPORT ASSEMBLY							Service ATA:72
	MOS	02-Jun-08						
	HRS	7577.8	4200 (+200)		(11777.8) 12450.7	11977.8	3348.7 (+200)	
WC#: 72.270	ENC	4718						
PROC. REF: LMM 72-70-06PROC. REF: LMM 72-70-06								
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-01.1	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	16-Jun-00	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01PROC. REF: LMM 73-10-01								
73-10-01.1	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	16-Dec-99	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01PROC. REF: LMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-01.2	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-10-01PROC. REF: LMM 73-10-01								
73-10-01.2	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-10-01PROC. REF: LMM 73-10-01								
73-10-04.2	NO. 1 ENGINE - FUEL HEATER AND CHECK VALVE INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04								
73-10-04.2	NO. 2 ENGINE - FUEL HEATER AND CHECK VALVE INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04								
73-10-2.1	NO. 1 ENGINE - FUEL AND P3 SENSING LINES INSTALLATION							Service ATA:73
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-10-02PROC. REF: LMM 73-10-02								
73-10-2.1	NO. 2 ENGINE - FUEL AND P3 SENSING LINES INSTALLATION							Service ATA:73
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-10-02PROC. REF: LMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-3.1	NO. 1 ENGINE - SERVICE TUBES CLAMP AND TUBES							Component ATA:73
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03PROC. REF: LMM 73-10-03								
73-10-3.1	NO. 2 ENGINE - SERVICE TUBES CLAMP AND TUBES							Component ATA:73
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03PROC. REF: LMM 73-10-03								
73-10-3.2	NO. 1 ENGINE - SERVICE TUBES CLAMP AND TUBES INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-10-03PROC. REF: LMM 73-10-03								
73-10-3.2	NO. 2 ENGINE - SERVICE TUBES CLAMP AND TUBES INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-10-03PROC. REF: LMM 73-10-03								
73-20-01.2	NO. 1 ENGINE - FUEL SYSTEMS INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								
73-20-01.2	NO. 2 ENGINE - FUEL SYSTEMS INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-21-01.1	NO. 1 ENGINE - FUEL CONTROL COMPONENTS							Component ATA:73
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-21-01PROC. REF: LMM 73-21-01								
73-21-01.1	NO. 2 ENGINE - FUEL CONTROL COMPONENTS							Component ATA:73
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-21-01PROC. REF: LMM 73-21-01								
73-21-01.2	NO. 1 ENGINE - FUEL CONTROL COMPONENTS INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-21-01PROC. REF: LMM 73-21-01								
73-21-01.2	NO. 2 ENGINE - FUEL CONTROL COMPONENTS INSPECTION/CHECK							Service ATA:73
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 73-21-01PROC. REF: LMM 73-21-01								
730001 ^S	DRAIN PT2 PIPELINES TO FUEL COMPUTERS							Service ATA:73
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 73.050	AFL							
								PKG:13,91
731110	NO. 1 ENGINE - FUEL PUMP							Component ATA:73
PN:3060710-16	MOS/MSC	28-Jun-06	O/C	TSR 0				
SN:0999	HRS	6345.1		TSR 0				
WC#: 73.010	ENC			TSR 0				
PROC. REF: LMM 73-20-01, LMM 73-21-02PROC. REF: LMM 73-20-01, LMM 73-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731110	NO. 2 ENGINE - FUEL PUMP							Component ATA:73
PN:3060710-16	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:0491	HRS	0		TSN 0				
WC#: 73.010	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-21-02PROC. REF: LMM 73-20-01, LMM 73-21-02								
731120 ^S	NO. 1 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service ATA:73
	MOS	07-Jun-19						
	HRS	8810	300 (+100)					
WC#: 73.010	ENC	5621						
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
731120 ^S	NO. 2 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service ATA:73
	MOS	07-Jun-19						
	HRS	8414	300 (+100)					
WC#: 73.010	ENC	5375						
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
731130	NO. 1 ENGINE - FLOW DIVIDER/DRAIN VALVE							Component ATA:73
PN:394396-2-1	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.030	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731130	NO. 2 ENGINE - FLOW DIVIDER/DRAIN VALVE							Component ATA:73
PN:394396-2-1	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:10058	HRS	0		TSN 0				
WC#: 73.030	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731140	NO. 1 ENGINE - FUEL HEATER							Component ATA:73
PN:158670-5	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.040	ENC	0		TSN 0				
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731140	NO. 2 ENGINE - FUEL HEATER							Component ATA:73
PN:158670-5	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:49-7572	HRS	0		TSN 0				
WC#: 73.040	ENC	0		TSN 0				
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04								
731150 ^S	NO. 1 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE)							Service ATA:73
	MOS	02-Apr-09						
	HRS	8400.3	800					
WC#: 73.050	ENC	5238						
PROC. REF: LMM 79-20-06PROC. REF: LMM 79-20-06								
731150 ^S	NO. 2 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE)							Service ATA:73
	MOS	16-Mar-18						
	HRS	8335.9	800					
WC#: 73.050	ENC	5308						
PROC. REF: LMM 79-20-06PROC. REF: LMM 79-20-06								
731160	NO. 1 ENGINE - FUEL HEATER CHECK VALVE							Component ATA:73
PN:30732932-4	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.060	ENC	0		TSN 0				
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04								
731160	NO. 2 ENGINE - FUEL HEATER CHECK VALVE							Component ATA:73
PN:3073932-4	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.060	ENC	0		TSN 0				
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732025	NO. 1 ENGINE LOW FUEL PRESSURE SWITCH							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.020	AFL	0		TSN 0				
PROC. REF: AMM 73-32-11PROC. REF: AMM 73-32-11								
732026	NO. 2 ENGINE LOW FUEL PRESSURE SWITCH							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.020	AFL	0		TSN 0				
PROC. REF: AMM 73-32-11PROC. REF: AMM 73-32-11								
732037	NO. 1 ENGINE FUEL FILTER TEMPERATURE SWITCH							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.025	AFL	0		TSN 0				
PROC. REF: AMM 73-33-11PROC. REF: AMM 73-33-11								
732038	NO. 2 ENGINE FUEL FILTER TEMPERATURE SWITCH							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.025	AFL	0		TSN 0				
PROC. REF: AMM 73-33-11PROC. REF: AMM 73-33-11								
732109	ENGINE FUEL SYNCHRONIZER							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732110	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3070800-35	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:15452	HRS	0		TSN 0				
WC#: 73.070	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732110	NO. 2 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3070800-35	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:15528	HRS	0		TSN 0				
WC#: 73.070	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								
732120	NO. 1 ENGINE - PRESSURE LIMITER VALVE							Component ATA:73
PN:3070685-6	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.080	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732120	NO. 2 ENGINE - PRESSURE LIMITER VALVE							Component ATA:73
PN:3070685-6	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:14371	HRS	0		TSN 0				
WC#: 73.080	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732160	NO. 1 ENGINE - FUEL FLOW TRANSMITTER							Component ATA:73
PN:9-127-55	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.090	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732160	NO. 2 ENGINE - FUEL FLOW TRANSMITTER							Component ATA:73
PN:9-127-55	MOS/MSC	18-Nov-06	O/C	TSN 0				
SN:J9431	HRS	6498.2		TSN 0				
WC#: 73.090	ENC			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
733001	NO. 1 ENGINE FUEL FLOW TRANSMITTER							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.040	AFL	0		TSN 0				
PROC. REF: AMM 73-31-11PROC. REF: AMM 73-31-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733002	NO. 2 ENGINE FUEL FLOW TRANSMITTER							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.040	AFL	0		TSN 0				
PROC. REF: AMM 73-31-11PROC. REF: AMM 73-31-11								
733013	NO. 1 ENGINE FUEL FLOW INDICATOR							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
733014	NO. 2 ENGINE FUEL FLOW INDICATOR							Component ATA:73
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 74 - IGNITION								
74-00-01.2	NO. 1 ENGINE - IGNITION UNIT AND IGNITER PLUG INSPECTION/CHECK							Service ATA:74
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
74-00-01.2	NO. 2 ENGINE - IGNITION UNIT AND IGNITER PLUG INSPECTION/CHECK							Service ATA:74
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
741110	NO. 1 ENGINE - IGNITION UNIT							Component ATA:74
PN:3073776-1	MOS/MSC	17-Jan-18	O/C					
SN:060218071708	HRS	8730.3						
WC#: 74.010	ENC	5551						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741110	NO. 2 ENGINE - IGNITION UNIT							Component ATA:74
PN:3073914-4	MOS/MSC	15-Mar-07	O/C	TSN 0				
SN:96505808	HRS	6763.2		TSN 0				
WC#: 74.010	ENC			TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
741120 ^S	NO. 1 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM							Service ATA:74
	MOS	02-Apr-09						
	HRS	8400.3	1200 (+200)					
WC#: 74.010	ENC	5238						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
741120 ^S	NO. 2 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM							Service ATA:74
	MOS	02-Jun-08						
	HRS	7577.8	1200 (+200)					
WC#: 74.010	ENC	4718						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
742110	NO. 1 ENGINE - 6 O'CLOCK IGNITOR PLUG							Component ATA:74
PN:3074541-1	MOS/MSC	18-Aug-07	O/C	TSN 0				
SN:NAN	HRS	7420.1		TSN 0				
WC#: 74.030	ENC			TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
742110	NO. 2 ENGINE - 6 O'CLOCK IGNITOR PLUG							Component ATA:74
PN:3074541-4	MOS/MSC	27-May-04	O/C	TSN 0				
SN:03106464-6	HRS	4242		TSN 0				
WC#: 74.030	ENC	2559		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
742120 ^S	NO. 1 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service ATA:74
	MOS	02-Apr-09						
	HRS	8400.3	1600					
WC#: 74.030	ENC	5238						

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
742120 ^S	NO. 2 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service ATA:74
	MOS	02-Jun-08						
	HRS	7577.8	1600					
WC#: 74.030	ENC	4718						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								PKG:5
742130	NO. 1 ENGINE - 7 O'CLOCK IGNITOR PLUG							Component ATA:74
PN:3074541-4	MOS/MSC	22-Jun-04	O/C	TSN 0				
SN:UNKNOWN	HRS	4267.3		TSN 0				
WC#: 74.050	ENC	2564		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
742130	NO. 2 ENGINE - 7 O'CLOCK IGNITOR PLUG							Component ATA:74
PN:3074541-4	MOS/MSC	27-May-04	O/C	TSN 0				
SN:03106464-7	HRS	4242		TSN 0				
WC#: 74.050	ENC	2559		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
742140 ^S	NO. 1 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service ATA:74
	MOS	02-Apr-09						
	HRS	8400.3	1600					
WC#: 74.050	ENC	5238						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								PKG:5
742140 ^S	NO. 2 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service ATA:74
	MOS	02-Jun-08						
	HRS	7577.8	1600					
WC#: 74.050	ENC	4718						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-10-05.1	NO. 1 ENGINE - ENGINE ANTI-ICING BLEED AIR DUCT							Component ATA:75
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-10-05PROC. REF: LMM 75-10-05								
75-10-05.1	NO. 2 ENGINE - ENGINE ANTI-ICING BLEED AIR DUCT							Component ATA:75
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-10-05PROC. REF: LMM 75-10-05								
75-10-05.2	NO. 1 ENGINE - ENGINE ANTI-ICING BLEED AIR DUCT INSPECTION/CHECK							Service ATA:75
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 75-10-05PROC. REF: LMM 75-10-05								
75-10-05.2	NO. 2 ENGINE - ENGINE ANTI-ICING BLEED AIR DUCT INSPECTION/CHECK							Service ATA:75
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 75-10-05PROC. REF: LMM 75-10-05								
75-10-11-401	NACELLE INLET COWL ANTI-ICING SHUT-OFF VALVE							Component ATA:75
PN:PN	MOS/MSC	14-Jun-00	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 75-10-11PROC. REF: AMM 75-10-11								
75-40-01.2	NO. 1 ENGINE - INLET PRESSURE AND TEMPERATURE SENSOR INSPECTION/CHECK							Service ATA:75
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-40-01.2	NO. 2 ENGINE - INLET PRESSURE AND TEMPERATURE SENSOR INSPECTION/CHECK							Service ATA:75
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								
75-40-11-401	NACELLE INLET COWL ANTI-ICING PRESSURE SWITCH							Component ATA:75
PN:PN	MOS/MSC	14-Jun-00	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 75-40-11PROC. REF: AMM 75-40-11								
750130	NO. 1 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR							Component ATA:75
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.010	ENC	0		TSN 0				
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								
750130	NO. 2 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR							Component ATA:75
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.010	ENC	0		TSN 0				
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01								
751010	NO. 1 ENGINE - ANTI-ICE VALVE							Component ATA:75
PN:27441482	MOS/MSC	22-Apr-07	O/C	TSN 0				
SN:9AG93	HRS	7115		TSN 0				
WC#: 75.020	ENC	4359		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
751010	NO. 2 ENGINE - ANTI-ICE VALVE							Component ATA:75
PN:27441482	MOS/MSC	06-Apr-07	O/C	TSN 0				
SN:10AE110	HRS	6763.2		TSN 0				
WC#: 75.020	ENC			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
751013	NO. 1 ENGINE THERMAL ANTI-ICE VALVE							Component ATA:75
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.020	AFL	0		TSN 0				
751014	NO. 2 ENGINE THERMAL ANTI-ICE VALVE							Component ATA:75
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.021	AFL	0		TSN 0				
754010	NO. 1 ENGINE ANTI-ICE PRESSURE SWITCH							Component ATA:75
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.015	AFL	0		TSN 0				
PROC. REF: AMM 75-40-11PROC. REF: AMM 75-40-11								
754011	NO. 2 ENGINE ANTI-ICE PRESSURE SWITCH							Component ATA:75
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.015	AFL	0		TSN 0				
PROC. REF: AMM 75-40-11PROC. REF: AMM 75-40-11								
ATA 76 - ENGINE CONTROLS								
76-10-02.1	NO. 1 ENGINE - DIGITAL ELECTRONIC ENGINE CONTROL (DEEC) AND DEEC WIRING HARNESS							Component ATA:76
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-02PROC. REF: LMM 76-10-02								
76-10-02.1	NO. 2 ENGINE - DIGITAL ELECTRONIC ENGINE CONTROL (DEEC) AND DEEC WIRING HARNESS							Component ATA:76
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-02PROC. REF: LMM 76-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-10-02.2	NO. 1 ENGINE - DIGITAL ELECTRONIC ENGINE CONTROL (DEEC) AND DEEC WIRING HARNESS INSPECTION/CHECK							Service ATA:76
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 76-10-02PROC. REF: LMM 76-10-02								
76-10-02.2	NO. 2 ENGINE - DIGITAL ELECTRONIC ENGINE CONTROL (DEEC) AND DEEC WIRING HARNESS INSPECTION/CHECK							Service ATA:76
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 76-10-02PROC. REF: LMM 76-10-02								
76-10-03.1	NO. 1 ENGINE - N1 DIGITAL ELECTRONIC ENGINE CONTROL (N1 DEEC) AND N1 DEEC WIRING HARNESS							Component ATA:76
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03								
76-10-03.1	NO. 2 ENGINE - N1 DIGITAL ELECTRONIC ENGINE CONTROL (N1 DEEC) AND N1 DEEC WIRING HARNESS							Component ATA:76
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03								
76-10-03.2	NO. 1 ENGINE - N1 DIGITAL ELECTRONIC ENGINE CONTROL (N1 DEEC) AND N1 DEEC WIRING HARNESS INSPECTION/CHECK							Service ATA:76
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03								
76-10-03.2	NO. 2 ENGINE - N1 DIGITAL ELECTRONIC ENGINE CONTROL (N1 DEEC) AND N1 DEEC WIRING HARNESS INSPECTION/CHECK							Service ATA:76
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-20-00-401	DIGITAL ELECTRONIC ENGINE COMPUTER (DEEC)							Component ATA:76
PN:PN	MOS/MSC	14-Jun-00	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 76-20-00PROC. REF: AMM 76-20-00								
760001 ^S	CHECK THROTTLE LEVER CONTROLS							Service ATA:76
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 76.030	AFL							
PROC. REF: AMM 27-72-00PROC. REF: AMM 27-72-00								PKG:10,91
760002 ^S	CHECK ENGINE POWER CONTROL CABLES							Service ATA:76
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 76.010	AFL	4882						
PROC. REF: AMM 76-10-00PROC. REF: AMM 76-10-00								PKG:23,92
760003	CHECK POWER CONTROL CABLES							Service ATA:76
	MOS/MSC	14-Jun-00	O/C					
	HRS	0						
WC#: 76.020	AFL	0						
PROC. REF: AMM 76-10-00PROC. REF: AMM 76-10-00								
760004	LUBRICATE NO. 1 ENGINE THRUST CONTROL TELEFLEX CABLE AND DISCONNECT COUPLING							Service ATA:76
	MOS	28-Nov-14						
	HRS	8775.4	2100		10875.4		1773.4	
WC#: 76.040	AFL	5483						
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
760004	LUBRICATE NO. 2 ENGINE THRUST CONTROL TELEFLEX CABLE AND DISCONNECT COUPLING							Service ATA:76
	MOS	28-Nov-14						
	HRS	8775.4	2100		10875.4		1773.4	
WC#: 76.040	AFL	5483						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11								
760110 ^U	NO. 1 ENGINE - DIGITAL ELECTRONIC ENGINE CONTROL							Component ATA:76
PN:2119010-8000	MOS/MSC	01-Dec-05	O/C	TSN 0				
SN:65-BY0473	HRS	5890.6		TSN 0				
WC#: 76.010	ENC	3672		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
760110 ^U	NO. 2 ENGINE - DIGITAL ELECTRONIC ENGINE CONTROL							Component ATA:76
PN:2119010-8000	MOS/MSC	01-Dec-05	O/C	TSN 0				
SN:65-BY0471	HRS	5890.6		TSN 0				
WC#: 76.010	ENC	3672		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
760120 ^S	NO. 1 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL							Service ATA:76
	MOS	07-Jun-19						
	HRS	8810	300 (+100)					
WC#: 76.020	ENC	5621						
PROC. REF: LMM 76-10-03, LMM 72-00-00PROC. REF: LMM 76-10-03, LMM 72-00-00								
760120 ^S	NO. 2 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL							Service ATA:76
	MOS	07-Jun-19						
	HRS	8414	300 (+100)					
WC#: 76.020	ENC	5375						
PROC. REF: LMM 76-10-03, LMM 72-00-00PROC. REF: LMM 76-10-03, LMM 72-00-00								
760130	NO. 1 ENGINE - DOWNLOAD ECTM							Service ATA:76
	MOS/MSC	16-Jun-00	O/C					
	HRS	0						
WC#: 76.050	ENC	0						
PROC. REF: MSC CAMP EHM ADENDUM, LMM 76-10-03PROC. REF: MSC CAMP EHM ADENDUM, LMM 76-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
760130	NO. 2 ENGINE - DOWNLOAD ECTM							Service ATA:76
	MOS/MSC	16-Dec-99	O/C					
	HRS	0						
WC#: 76.050	ENC	0						
PROC. REF: MSC CAMP EHM ADENDUM, LMM 76-10-03PROC. REF: MSC CAMP EHM ADENDUM, LMM 76-10-03								
761310	NO. 1 ENGINE - SURGE BLEED VALVE							Component ATA:76
PN:978812-5-1	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 76.030	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01								
761310	NO. 2 ENGINE - SURGE BLEED VALVE							Component ATA:76
PN:978812-5-1	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:10137	HRS	0		TSN 0				
WC#: 76.030	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01								
761320	NO. 1 ENGINE - SOLENOID CONTROLLER VALVE							Component ATA:76
PN:109696-4-1	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 76.040	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01								
761320	NO. 2 ENGINE - SOLENOID CONTROLLER VALVE							Component ATA:76
PN:109696-4-1	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:9851	HRS	0		TSN 0				
WC#: 76.040	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01								
ATA 77 - ENGINE INDICATING								
77-10-03.2	NO. 1 ENGINE - N1 TRANSDUCER AND N1 COMPENSATOR INSPECTION/CHECK							Service ATA:77
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-10-03.2	NO. 2 ENGINE - N1 TRANSDUCER AND N1 COMPENSATOR INSPECTION/CHECK							Service ATA:77
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03								
77-10-05.2	NO. 1 ENGINE - N2 TRANSDUCER INSPECTION/CHECK							Service ATA:77
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								
77-10-05.2	NO. 2 ENGINE - N2 TRANSDUCER INSPECTION/CHECK							Service ATA:77
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								
77-20-01.2	NO. 1 ENGINE - THERMOCOUPLE HARNESS INSPECTION/CHECK							Service ATA:77
	MOS/MSC	16-Jun-00	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
77-20-01.2	NO. 2 ENGINE - THERMOCOUPLE HARNESS INSPECTION/CHECK							Service ATA:77
	MOS/MSC	16-Dec-99	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
771025	NO. 1 ENGINE LOW-PRESSURE (N1) INDICATOR							Component ATA:77
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771026 NO. 2 ENGINE LOW-PRESSURE (N1) INDICATOR								Component ATA:77
PN:WL717R8A5	MOS/MSC	08-Jan-08	O/C	TSN 0				
SN:AM633	HRS	7940.4		TSN 0				
WC#: 77.010	AFL	4974		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771037 NO. 1 ENGINE HIGH-PRESSURE (N2) INDICATOR								Component ATA:77
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771038 NO. 2 ENGINE HIGH-PRESSURE (N2) INDICATOR								Component ATA:77
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771110 NO. 1 ENGINE - LOW PRESSURE (N1) TRANSDUCER								Component ATA:77
PN:3073827-3	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03								
771110 NO. 2 ENGINE - LOW PRESSURE (N1) TRANSDUCER								Component ATA:77
PN:3073827-3	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03								
771120 NO. 1 ENGINE - HIGH PRESSURE (N2) TRANSDUCER								Component ATA:77
PN:3070722-3	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.020	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771120	NO. 2 ENGINE - HIGH PRESSURE (N2) TRANSDUCER							Component ATA:77
PN:3070722-3	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.020	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								
772110	NO. 1 ENGINE - ITT THERMOCOUPLE HARNESS							Component ATA:77
PN:3073605-1	MOS/MSC	10-Jun-06	O/C	TSN 0				
SN:060201904000	HRS	6327.3		TSN 0				
WC#: 77.030	ENC	3821		TSN 0				
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
772110	NO. 2 ENGINE - ITT THERMOCOUPLE HARNESS							Component ATA:77
PN:3073605-1	MOS/MSC	02-Jun-08	O/C	TSN 0				
SN:08-20219-02450	HRS	7577.8		TSN 0				
WC#: 77.030	ENC	4718		TSN 0				
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
773005	LEFT TIME DELAY SWITCH							Component ATA:77
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
773006	RIGHT TIME DELAY SWITCH							Component ATA:77
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
774013	NO. 1 ENGINE ITT INDICATOR							Component ATA:77
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
774014	NO. 2 ENGINE ITT INDICATOR							Component ATA:77
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 78 - EXHAUST								
780001 ^S	INSPECT THRUST REVERSER LINK ARM ASSEMBLIES							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.110	AFL							
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								PKG:17,91
780002 ^S	INSPECT REVERSER DOOR SEALS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.120	AFL							
PROC. REF: AMM 78-31-20PROC. REF: AMM 78-31-20								PKG:17,91
780003 ^S	TEST THRUST REVERSER STOW/DEPLOY MICROSWITCHES							Service ATA:78
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 78.130	AFL	4882						
PROC. REF: AMM 78-34-20PROC. REF: AMM 78-34-20								PKG:22,92
780004 ^S	INSPECT PYLON SKIN PANELS							Service ATA:78
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 78.135	AFL	4882						
								PKG:29,92

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
780005 ^S	DETAIL INSPECT DOOR LINK RODS AND PIVOT BRACKETS							Service ATA:78
	MOS	09-Nov-07						
	HRS	7773.3	1600 (+50/-50)					
WC#: 78.140	AFL	4882						
PROC. REF: AMM 78-31-10PROC. REF: AMM 78-31-10								PKG:29,92
780006 ^S	CHECK THRUST REVERSER LEVER BAULK MECHANISM							Service ATA:78
	MOS	27-Aug-06						
	HRS	6683.9	3200 (+150/-50)					
WC#: 78.125	AFL	4176						
								PKG:34,93
780009 ^S	INSPECT THRUST REVERSER AFTERBODY, DOORS AND FAN FLAPS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.155	AFL							
								PKG:17,91
780010 ^S	INSPECT THRUST REVERSER HYDRAULIC LINES AND WIRING HARNESS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.160	AFL							
								PKG:13,91
780011 ^S	DETAIL INSPECT THRUST REVERSER EXHAUST NOZZLES							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.165	AFL							
								PKG:17,91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
780012 ^S	INSPECT THRUST REVERSER HYDRAULIC LINES							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.170	AFL							
								PKG:17,91
780013 ^S	INSPECT THRUST REVERSER WIRE HARNESSSES							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.175	AFL							
								PKG:17,91
780014 ^S	INSPECT THRUST REVERSER FAN DUCTS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.180	AFL							
								PKG:17,91
780015 ^S	INSPECT THRUST REVERSER LATCH BOX SPRINGS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.185	AFL							
								PKG:17,91
780016 ^S	OPERATIONAL TEST THRUST REVERSER LATCH MONITORING SWITCHES							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.190	AFL							
								PKG:17,91
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
780017 ^S	INSPECT THRUST REVERSER LATCHES AND LATCH RECEPTACLES							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.195	AFL							
PROC. REF: AMM 78-31-35PROC. REF: AMM 78-31-35							PKG:17,91	
780018 ^S	INSPECT THRUST REVERSER PRIMARY AND LATCH HYDRAULIC ACTUATORS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.200	AFL							
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1							PKG:17,91	
780019 ^S	INSPECT THRUST REVERSER THROTTLE RETARD HYDRAULIC ACTUATORS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.205	AFL							
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1							PKG:17,91	
780020 ^S	INSPECT THRUST REVERSER FAN FLAP HYDRAULIC ACTUATORS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.210	AFL							
PROC. REF: AMM NO REF-1PROC. REF: AMM NO REF-1							PKG:17,91	
780021 ^S	INSPECT THRUST REVERSER PYLON PLUGS							Service ATA:78
	MOS	21-Nov-08						
	HRS	8461.4	800 (+40/-10)					
WC#: 78.215	AFL							
							PKG:17,91	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
780022	^S	CHECK DOOR LINK RODS						Service ATA:78
		MOS	09-Nov-07					
		HRS	7773.3	1600 (+50/-50)				
WC#: 78.220		AFL	4882					
PROC. REF: AMM 78-31-10PROC. REF: AMM 78-31-10								PKG:29,92
780023	^S	CHECK BONDING STRAPS - 900XP AIRPLANES						Service ATA:78
		MOS	14-Jun-00					
		HRS	0	1600 (+50/-50)				
WC#: 78.225		AFL	0					
								PKG:29,92
781001		NO. 1 ENGINE THRUST REVERSER AFTERBODY						Component ATA:78
PN:PN		MOS/MSC	14-Jun-00	O/C	TSN 0			
SN:UNKNOWN		HRS	0		TSN 0			
WC#: 78.015		AFL	0		TSN 0			
PROC. REF: AMM 78-33-40PROC. REF: AMM 78-33-40								
781002		NO. 2 ENGINE THRUST REVERSER AFTERBODY						Component ATA:78
PN:PN		MOS/MSC	14-Jun-00	O/C	TSN 0			
SN:UNKNOWN		HRS	0		TSN 0			
WC#: 78.015		AFL	0		TSN 0			
PROC. REF: AMM 78-33-40PROC. REF: AMM 78-33-40								
781013		NO. 1 ENGINE THRUST REVERSER ASSEMBLY						Component ATA:78
PN:PN		MOS/MSC	14-Jun-00	O/C	TSN 0			
SN:UNKNOWN		HRS	0		TSN 0			
WC#: 78.010		AFL	0		TSN 0			
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
781014		NO. 2 ENGINE THRUST REVERSER ASSEMBLY						Component ATA:78
PN:PN		MOS/MSC	14-Jun-00	O/C	TSN 0			
SN:UNKNOWN		HRS	0		TSN 0			
WC#: 78.011		AFL	0		TSN 0			
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
781026	NO. 1 ENGINE THRUST REVERSER INBOARD ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-32-40PROC. REF: AMM 78-32-40								
781027	NO. 1 ENGINE THRUST REVERSER OUTBOARD ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-32-40PROC. REF: AMM 78-32-40								
781028	NO. 2 ENGINE THRUST REVERSER INBOARD ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
781029	NO. 2 ENGINE THRUST REVERSER OUTBOARD ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
781053	NO. 1 ENGINE INBOARD LATCH ACTUATOR ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.030	AFL	0		TSN 0				
PROC. REF: AMM 78-32-50PROC. REF: AMM 78-32-50								
781054	NO. 1 ENGINE OUTBOARD LATCH ACTUATOR ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.030	AFL	0		TSN 0				
PROC. REF: AMM 78-32-50PROC. REF: AMM 78-32-50								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
781055	NO. 2 ENGINE INBOARD LATCH ACTUATOR ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.035	AFL	0		TSN 0				
PROC. REF: AMM 78-32-50PROC. REF: AMM 78-32-50								
781056	NO. 2 ENGINE OUTBOARD LATCH ACTUATOR ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.035	AFL	0		TSN 0				
PROC. REF: AMM 78-32-50PROC. REF: AMM 78-32-50								
781090	NO. 1 ENGINE UPPER FAN FLAP ACTUATOR ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.040	AFL	0		TSN 0				
PROC. REF: AMM 78-32-60PROC. REF: AMM 78-32-60								
781091	NO. 1 ENGINE LOWER FAN FLAP ACTUATOR ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.040	AFL	0		TSN 0				
PROC. REF: AMM 78-32-60PROC. REF: AMM 78-32-60								
781092	NO. 2 ENGINE UPPER FAN FLAP ACTUATOR ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.045	AFL	0		TSN 0				
PROC. REF: AMM 78-32-60PROC. REF: AMM 78-32-60								
781093	NO. 2 ENGINE LOWER FAN FLAP ACTUATOR ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.045	AFL	0		TSN 0				
PROC. REF: AMM 78-32-60PROC. REF: AMM 78-32-60								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
781117	NO. 1 ENGINE RETARD THROTTLE ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.050	AFL	0		TSN 0				
PROC. REF: AMM 78-32-30PROC. REF: AMM 78-32-30								
781118	NO. 2 ENGINE RETARD THROTTLE ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.050	AFL	0		TSN 0				
PROC. REF: AMM 78-32-30PROC. REF: AMM 78-32-30								
781129	THRUST REVERSER TIME DELAY RELAY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
781130	CONTROL RELAY BOX							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.060	AFL	0		TSN 0				
PROC. REF: AMM 78-33-20PROC. REF: AMM 78-33-20								
781136	AUXILIARY RELAY BOX							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.065	AFL	0		TSN 0				
PROC. REF: AMM 78-33-30PROC. REF: AMM 78-33-30								
781142	NO. 1 ENGINE THRUST REVERSER CONTROL VALVE							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.070	AFL	0		TSN 0				
PROC. REF: AMM 78-32-20PROC. REF: AMM 78-32-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
781143	NO. 2 ENGINE THRUST REVERSER CONTROL VALVE							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.070	AFL	0		TSN 0				
PROC. REF: AMM 78-32-20PROC. REF: AMM 78-32-20								
781155	THRUST REVERSER ACCUMULATOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.075	AFL	0		TSN 0				
PROC. REF: AMM 78-32-10PROC. REF: AMM 78-32-10								
781156	HYDRAULIC RELIEF VALVE							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
781161	THRUST REVERSER CONTROL PANEL							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.085	AFL	0		TSN 0				
PROC. REF: AMM 78-33-10PROC. REF: AMM 78-33-10								
781167	NO. 1 ENGINE THRUST REVERSER PRESSURE SWITCH							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
781169	NO. 2 ENGINE THRUST REVERSER PRESSURE SWITCH							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
781173	THRUST REVERSER PRESSURE GAUGE							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
783008	NO. 1 ENGINE LOWER THRUST REVERSER DOOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.095	AFL	0		TSN 0				
PROC. REF: AMM 78-31-10PROC. REF: AMM 78-31-10								
783009	NO. 2 ENGINE LOWER THRUST REVERSER DOOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.095	AFL	0		TSN 0				
PROC. REF: AMM 78-31-10PROC. REF: AMM 78-31-10								
783010	NO. 1 ENGINE UPPER THRUST REVERSER DOOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.100	AFL	0		TSN 0				
PROC. REF: AMM 78-31-10PROC. REF: AMM 78-31-10								
783011	NO. 2 ENGINE UPPER THRUST REVERSER DOOR							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.100	AFL	0		TSN 0				
PROC. REF: AMM 78-31-10PROC. REF: AMM 78-31-10								
783013	NO. 1 ENGINE INNER FAN DUCT ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783014	NO. 2 ENGINE INNER FAN DUCT ASSEMBLY							Component ATA:78
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.231	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 79 - OIL								
790111 ^S	NO. 1 ENGINE - ANALYZE OIL AND FILTER							Service ATA:79
	MOS	07-Jun-19						
	HRS	8810	150 (+100)					
WC#: 79.010	ENC	5621						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
PKG:1								
790111 ^S	NO. 2 ENGINE - ANALYZE OIL AND FILTER							Service ATA:79
	MOS	07-Jun-19						
	HRS	8414	150 (+100)					
WC#: 79.010	ENC	5375						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
PKG:1								
790120	NO. 1 ENGINE - CHANGE OIL							Service ATA:79
	MOS	02-Apr-09						
	HRS	8400.3	1000 (+550)		(9400.3) 9677.2	9950.3	575.2 (+550)	
WC#: 79.020	ENC	5238						
PROC. REF: AMM 79-00-00, LMM 72-00-00PROC. REF: AMM 79-00-00, LMM 72-00-00								
790120	NO. 2 ENGINE - CHANGE OIL							Service ATA:79
	MOS	13-Jun-08						
	HRS	7577.8	1000 (+550)		(8577.8) 9250.7	9127.8	148.7 (+550)	
WC#: 79.020	ENC	4718						
PROC. REF: AMM 79-00-00, LMM 72-00-00PROC. REF: AMM 79-00-00, LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790130 ^S	NO. 1 ENGINE - INSPECT OIL CHIP DETECTOR							Service ATA:79
	MOS	07-Jun-19						
	HRS	8810	150 (+100)					
WC#: 79.030	ENC	5621						
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03							PKG:1	
790130 ^S	NO. 2 ENGINE - INSPECT OIL CHIP DETECTOR							Service ATA:79
	MOS	07-Jun-19						
	HRS	8414	150 (+100)					
WC#: 79.030	ENC	5375						
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03							PKG:1	
792110	NO. 1 ENGINE - OIL PUMP							Component ATA:79
PN:3060785-3	MOS/MSC	17-Jan-18	O/C					
SN:031405700270	HRS	8730.3						
WC#: 79.040	ENC	5551						
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03								
792110	NO. 2 ENGINE - OIL PUMP							Component ATA:79
PN:3060785-3	MOS/MSC	17-Jan-18	O/C					
SN:051405700865	HRS	8334.3						
WC#: 79.040	ENC	5305						
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03								
792120	NO. 1 ENGINE - BY-PASS INDICATOR VALVE							Component ATA:79
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.050	ENC	0		TSN 0				
PROC. REF: LMM 79-30-01PROC. REF: LMM 79-30-01								
792120	NO. 2 ENGINE - BY-PASS INDICATOR VALVE							Component ATA:79
PN:3070246-5	MOS/MSC	01-Mar-07	O/C	TSN 0				
SN:UNKNOWN	HRS	6742.4		TSN 0				
WC#: 79.050	ENC			TSN 0				
PROC. REF: LMM 79-30-01PROC. REF: LMM 79-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792130	NO. 1 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY							Component ATA:79
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.060	ENC	0		TSN 0				
PROC. REF: LMM 79-20-02PROC. REF: LMM 79-20-02								
792130	NO. 2 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY							Component ATA:79
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.060	ENC	0		TSN 0				
PROC. REF: LMM 79-20-02PROC. REF: LMM 79-20-02								
792140	NO. 1 ENGINE - UPPER OIL COOLER							Component ATA:79
PN:158600-7	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.070	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
792140	NO. 2 ENGINE - UPPER OIL COOLER							Component ATA:79
PN:158600-7	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:79-12058	HRS	0		TSN 0				
WC#: 79.070	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
792144	NO. 1 ENGINE OIL LOW PRESSURE SWITCH							Component ATA:79
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-33-11PROC. REF: AMM 79-33-11								
792145	NO. 2 ENGINE OIL LOW PRESSURE SWITCH							Component ATA:79
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-33-11PROC. REF: AMM 79-33-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792150	NO. 1 ENGINE - LOWER LEFT OIL COOLER							Component ATA:79
PN:159900-3	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.080	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
792150	NO. 2 ENGINE - LOWER LEFT OIL COOLER							Component ATA:79
PN:159910-3	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:79-8395	HRS	0		TSN 0				
WC#: 79.080	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
792160	NO. 1 ENGINE - LOWER RIGHT OIL COOLER							Component ATA:79
PN:159910-3	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.090	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
792160	NO. 2 ENGINE - LOWER RIGHT OIL COOLER							Component ATA:79
PN:159900-3	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:79-9547	HRS	0		TSN 0				
WC#: 79.090	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
792170	NO. 1 ENGINE - OIL TEMPERATURE REGULATOR							Component ATA:79
PN:158610-8	MOS/MSC	30-Jun-17	O/C					
SN:79-9810	HRS							
WC#: 79.100	ENC							
PROC. REF: LMM 79-20-07PROC. REF: LMM 79-20-07								
792170	NO. 2 ENGINE - OIL TEMPERATURE REGULATOR							Component ATA:79
PN:158610-8	MOS/MSC	30-Jun-17	O/C					
SN:79-9809	HRS							
WC#: 79.100	ENC							
PROC. REF: LMM 79-20-07PROC. REF: LMM 79-20-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793001	NO. 1 ENGINE OIL PRESSURE TRANSMITTER							Component ATA:79
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.040	AFL	0		TSN 0				
PROC. REF: AMM 79-32-11PROC. REF: AMM 79-32-11								
793002	NO. 2 ENGINE OIL PRESSURE TRANSMITTER							Component ATA:79
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.040	AFL	0		TSN 0				
PROC. REF: AMM 79-32-11PROC. REF: AMM 79-32-11								
793037	NO. 1 ENGINE OIL PRESSURE INDICATOR							Component ATA:79
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793038	NO. 2 ENGINE OIL PRESSURE INDICATOR							Component ATA:79
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793049	NO. 1 ENGINE OIL TEMPERATURE INDICATOR							Component ATA:79
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793050	NO. 2 ENGINE OIL TEMPERATURE INDICATOR							Component ATA:79
PN:PN	MOS/MSC	14-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HAWKER 800XP Serial: 258466 RegNo: N33RC HRS: 9102 AFL: 5804 As Of: 02-Sep-2025

14-Dec-2025 05:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793110	NO. 1 ENGINE - OIL PRESSURE TRANSMITTER							Component ATA:79
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793110	NO. 2 ENGINE - OIL PRESSURE TRANSMITTER							Component ATA:79
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793320	NO. 1 ENGINE - FUEL/OIL COOLER							Component ATA:79
PN:PN	MOS/MSC	16-Jun-00	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								
793320	NO. 2 ENGINE - FUEL/OIL COOLER							Component ATA:79
PN:PN	MOS/MSC	16-Dec-99	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task